



7026

FLEX-WING MECHANICAL LEVEL LIFT ROTARY MOWER


Rev 09-16

Part No.00789338P

PART'S MANUAL



An Operator's Manual was shipped with the equipment in the Manual Canister. This Operator's Manual is an integral part of the safe operation of this machine and must be maintained with the unit at all times. **READ, UNDERSTAND, and FOLLOW** the Safety and Operation Instructions contained in this manual before operating the equipment. If the Operator's Manual is not with the equipment, contact your dealer or Servis-Rhino (800-446-5158) to obtain a Free copy before operating the equipment.



ATENCIÓN!

LEA EL INSTRUCTIVO

Si No Lee Ingles, Pida Ayuda a Alguien
Que Si Lo Lea Para Que le Traduzca las
Medidas de Seguridad.



RHINO[®]

1020 S. Sangamon Ave.
Gibson City, IL 60936
800-446-5158

Email: parts@servis-rhino.com

© 2016 Alamo Group Inc.



TO THE OWNER/OPERATOR/DEALER


All implements with moving parts are potentially hazardous. There is no substitute for a cautious, safe-minded operator who recognizes the potential hazards and follows reasonable safety practices. The manufacturer has designed this implement to be used with all its safety equipment properly attached to minimize the chance of accidents.

BEFORE YOU START!! Read the safety messages on the implement and shown in your manual.
Observe the rules of safety and common sense!




DANGER

FAILING TO FOLLOW SAFETY MESSAGES AND OPERATING INSTRUCTIONS CAN CAUSE SERIOUS BODILY INJURY OR EVEN DEATH TO OPERATOR AND OTHERS IN THE AREA.

1. 	2. NO RIDERS. NO CHILDREN OPERATORS. 	3. USE SAFETY SHOES, HARD HAT, SAFETY GLASSES, SEAT BELTS, & ROPS. 	4. BLOCK UP SECURELY BEFORE WORKING UNDER. 
---	--	---	--

1. Study and understand Operator's Manuals, Safety Signs, and Instructional Decals for tractor & flail mower to prevent misuse, abuse, & accidents. Practice before operating mower in a confined area or near passersby.
 - Learn how to stop engine suddenly in an emergency. Be alert for passersby and especially children.
2. Allow no children on or near implement or tractor. Allow no riders on tractor or implement. Falling off can cause serious injury or death from being run over by tractor or mower or contact with Flail Mower Blades.
3. Operate only with tractor having Roll-Over Protective Structure (ROPS) and with seatbelt fastened securely and snugly to prevent injury and possible death from falling off or tractor overturn. Personal Protective Equipment such as Hard Hat, Safety Glasses, Safety Shoes, and Ear Plugs are recommended.
4. Block up or support raised machine and all lifted components securely before putting hands or feet under or working underneath any lifted component to prevent crushing injury or death from sudden dropping or inadvertent operation of controls. Make certain that area is clear before lowering or folding.
5. Before transporting, put Lift Lever in detent or full-lift position. Install Transport Safety Devices securely on folding implements. Slow down when turning and on hillsides.
 - Install Restrictor in folding circuit to slow down lowering and unfolding if action is faster than is desirable.
6. Make certain that SMV sign, Warning Lights, and Reflectors are clearly visible. Follow local traffic codes.
7. Never operate with Flail Mower or Folding Section raised if passersby, bystanders or traffic are in the area to reduce possibility of injury or death from objects thrown by Blades under Shields or implement structure.
8. Before dismounting, secure flail mower in transport position or lower to ground.
 - Put tractor in park or set brake, disengage PTO, stop engine, remove key, and wait until noise of rotation has ceased to prevent entanglement in rotating parts which may cause injury or death.
 - Never mount or dismount a moving vehicle. Crushing from run over may cause injury or death.

5. TRANSPORT SAFELY, LOCK UP. 	6. USE SMV, LIGHTS, & REFLECTORS. 	7. DO NOT OPERATE WITH MOWER OR WING RAISED. 	8. DO NOT MOUNT OR DISMOUNT WHILE MOVING. 
---	---	---	---

002369

WARRANTY INFORMATION:

Read and understand the complete Warranty Statement found in this Manual. Fill out the Warranty Registration Form in full and return it within 30 Days. Make certain the Serial Number of the Machine is recorded on the Warranty Card and on the Warranty Form that you retain. The use of "will-fit" parts will void your warranty and can cause catastrophic failure with possible injury or death.

PARTS SECTION

PARTS ORDERING GUIDE

The following instructions are offered to help eliminate needless delay and error in processing purchase orders for the equipment in this section.

1. The Parts Section is prepared in logical sequence and grouping of parts that belong to the basic machine featured in this manual. Part Numbers and Descriptions are given to help locate the parts and quantities required.
2. The Purchase Order must include the name and address of the person or organization ordering the parts, who should be charged, and if possible, the serial number of the machine for which the parts are ordered.
3. The Purchase Order must clearly list the quantity of each part, the complete and correct part number (be sure to include all periods), and the basic name of the part.
4. The Manufacturer reserves the right to substitute parts where applicable.
5. Some parts are unlisted items which are special production items not normally stocked and are subject to special handling. Request a quotation for such parts before sending a Purchase Order.
6. The Manufacturer reserves the right to change prices without prior notice.

NOTE: Please refer to The Safety Section in the front of this Manual for the proper Part Number when ordering Replacement Safety Decals.



For maximum safety and to guarantee optimum product reliability, always use genuine Servis-Rhino Parts. The use of inferior replacement parts may cause premature or catastrophic failure which could result in serious injury or death. Direct any questions regarding parts to:



RHINO®
1020 S. Sangamon Ave.
Gibson City, IL 60936
800-446-5158
Email: parts@servis-rhino.com

PART NAME INDEX


CENTER SECTION -	6
WING FRAME, RIGHT -	8
WING FRAME, LEFT -	10
HITCH FRAME AND CENTER WHEEL STANDARD -	12
LEFT WING WHEEL STANDARD -	14
RIGHT WING WHEEL STANDARD -	16
WALKING AXLE ASSEMBLY -	18
TIRE KIT -	20
EQUAL ANGLE HITCH -	22
PARALLEL RING HITCH -	24
SOLID TONGUE PARALLEL LIFT HITCH -	26
KUGAL HITCH -	28
PRECISION HITCH C000-300 -	30
ADJUSTABLE CLEVIS -	31
HUB, AXLE & TIRE -	32
WALKING AXLE HUB, AXLE, & TIRE -	34
BLADE CARRIERS -	36
DRIVELINE SHIELDING -	38
CHAIN GUARDS & CABLE KITS -	40
CHAIN GUARDS & RUBBER SHIELDS -	42
RUBBER SHIELDS & STRAPPING -	44
FIXED BLADE SHREDDING KIT, SHROUDS -	46
FIXED BLADE SHREDDING, FLAT BLADES -	48
FIXED BLADE SHREDDING, UPDRAFT BLADES -	50
WING LIFT CIRCUIT -	52
HYDRAULIC CYLINDER, 100-3092 -	53
PHASING CIRCUIT -	54
HYDRAULIC CYLINDER, 100-3692, 100-3682, 100-3672 -	56
DRIVELINE, 340-8082, 340-8092, TRACTOR (CV), 1000 -	58
DRIVELINE, 340-6132, 340-6142 -	60
SLIP CLUTCH, 341-6320, OUTER WING -	62
SLIP CLUTCH, 341-6321, CENTER -	63
DRIVELINE, 340-8002, INNER WING -	64
SLIP CLUTCH, 341-8128, INNER WING -	66
DRIVELINE, EQUAL ANGLE, 340-5505, 340-5506 -	68
GEARBOX, 330-921 -	70
GEARBOX, 330-830 - CCW, OUTER WING -	72
GEARBOX, 330-831, CW, OUTER WING -	74
GEARBOX, 330-832, CENTER -	76
GEARBOX, 330-833, INNER WING THROUGH-BOX -	78

PART NAME INDEX

EUROPEAN LIGHTS & SIGNS -	80
BLADE COVER (FRANCE) C502-685 -	82
TOOLBOX KIT (RUSSIA) -	83
CROP DIVIDERS -	84
TRANSPORT LIGHT KIT S000-040 -	86
SAFETY CHAIN S000-011 -	87
DECAL LOCATION	89

THIS PAGE INTENTIONALLY LEFT BLANK

7026 - CENTER SECTION




ITEM	PART NO.	QTY.	DESCRIPTION
1	330-921	1	DIVIDER GEAR BOX
2	C502-101	1	CENTER SECTION ASSEMBLY
3	C502-147	2	TRANSPORT LOCK PIN, 1 X 7-9/16 U.L.
5	C502-334	1	SHROUD, CENTER REAR LEFT
	C502-335	1	SHROUD, CENTER REAR RIGHT
8	362-010	3	TENSION BUSHING, 1 X 1-1/4 X 3/4
10	250-061	12	BOLT, 1/2" X 1-1/4" UNC
12	C502-181	1	HYDRAULIC HOSE MOUNTING BRACKET
14	300-012	3	LYNCH PIN, 1/4 STANDARD
15	250-088	6	BOLT, 5/8 X 2-1/2, UNC

7026 - CENTER SECTION

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
16	270-004	14	LOCK NUT, 5/8 UNC
17	S000-110	1	SMV SIGN: GALV.: S276.6: V9722: W/ BLACK OVERLAY
18	270-017	2	LOCK NUT, 3/8 UNC
19	250-018	2	BOLT, 3/8 X 1 UNC
20	C502-180	1	SMV MOUNT BRACKET
21	250-019	2	BOLT, 3/8 X 1-1/4 UNC
22	256-001	6	FLAT WASHER, 1"
23	255-013	2	LOCK WASHER, 3/8"
24	262-006	6	ROLL PIN, 3/8" X 2"
25	C310-115	1	BLADE BOLT ACCESS COVER
26	C502-171	1	TRANSPORT LOCK BAR, LEFT
27	C502-172	1	TRANSPORT LOCK BAR, RIGHT
28	C502-165	1	TRANSPORT PIN, 1 X 6-5/16 U.L.
29	C502-173	1	SPACER, 5"
30	250-077	1	BOLT, 5/8 X 7 UNC
32	C502-145	4	RETAINER PIN, 1 X 3-3/8 U.L.
33	273-006	4	GREASE NIPPLE, SELF TAP
34	250-059	12	BOLT, 1/2" X 1-1/2" UNC
35	256-011	24	FLAT WASHER, 1/2"
36	257-060	24	CENTERLOCK FLANGE NUT 1/2" UNC
37	C502-174	1	LOCK UP PIVOT PIN, 1 X 5-5/16 U.L.
38	330-832	1	RIGHT ANGLE GEAR BOX
39	250-093	2	BOLT, 5/8 X 1-3/4 UNC
40	256-006	2	FLAT WASHER, 5/8"
41	228-012	2	HOSE ORGANIZER
42	C502-139	2	FRAME REST
43	250-084	4	BOLT, 5/8" X 4-1/2" UNC
44	250-095	4	BOLT, 5/8" X 1-1/2" UNC
45	255-005	4	LOCK WASHER, 5/8"
46	C502-303	2	SHROUD
47	270-025	2	LOCKNUT, 1/4" UNC, PLATED
48	256-018	2	WASHER, 1/4"
49	250-0021	2	1/4 X 3/4 NC GR 5 HCS: YZ

7026 - WING FRAME, RIGHT




ITEM	PART NO.	QTY.	DESCRIPTION
1	330-833	1	RIGHT ANGLE BOX, THRU SHAFT
3	257-060	20	CENTERLOCK FLANGE NUT 1/2" UNC
4	256-011	16	FLAT WASHER, 1/2"
5	C502-315	1	SHROUD
6	250-059	5	BOLT, 1/2" X 1-1/2", UNC
7	C502-140	2	HINGE PIN, 1" X 22-27/32"
8	C502-141	1	HINGE PIN, 1" X 9"
9	C502-142	2	HINGE SPACER, 19-5/32"
10	C310-115	2	BOLT ACCESS COVER
12	270-004	12	LOCK NUT, 5/8" UNC
13	250-088	12	BOLT, 5/8" X 2-1/2" UNC
14	270-020	4	LOCK NUT, 5/16" UNC
15	250-005	4	BOLT, 5/16" X 1-1/2" UNC
16	C502-178	1	WING FILLER PLATE
17	270-017	2	LOCK NUT, 3/8" UNC
18	250-018	4	BOLT, 3/8" X 1" UNC

7026 - WING FRAME, RIGHT**Continued...**

ITEM	PART NO.	QTY.	DESCRIPTION
20	C502-155	1	RIGHT WING ASSEMBLY
21	C502-145	2	RETAINING PIN, 1 X 3-3/8 U.L.
22	273-006	3	GREASE NIPPLE, SELF TAP
23	256-001	6	FLAT WASHER, 1"
24	262-006	2	ROLL PIN, 3/8" X 2"
25	C502-135	1	WING SKID, REAR
26	C502-136	1	WING SKID, FRONT, RIGHT
27	330-830	1	GEARBOX, CCW
	330-831	1	GEARBOX, CW
28	255-013	4	LOCK WASHER, 3/8"
29	C502-161	2	FLOATING LUG MOUNT PLATE
30	C502-160	1	FLOATING LUG
31	362-010	2	TENSION BUSHING, 1" X 1-1/4" X 3/4"
32	CS01-133	1	RETAINING PIN
33	250-051	1	BOLT, 1/2" X 3" UNC
34	250-1241	2	BOLT, 1" X 3-1/4" UNC
35	270-002	2	LOCK NUT, 1" UNC
36	250-201	6	PLOW BOLT, 1/2" X 1-1/2" UNC
37	250-019	2	BOLT, 3/8" X 1-1/4" UNC
38	C502-158	1	SKID MOUNT ASSEMBLY, RIGHT
39	250-061	6	BOLT, 1/2" X 1-1/4" UNC
40	228-011	2	HOSE ORGANIZER, 16"
41	C502-336	1	SHROUD, INNER REAR HINGE
42	231-025	1	ADJUSTMENT SCREW CASTING
43	257-054	2	HALF NUT, 1-1/4" UNC
44	255-020	1	LOCK WASHER, 1-1/4"
45	225-109	2	9 LINK CHAIN
46	250-026	1	BOLT, 3/8" X 2-1/2" UNC
47	256-017	2	WASHER, 3/8" UNC
48	270-017	1	LOCKNUT, 3/8" UNC

7026 - WING FRAME, LEFT




ITEM	PART NO.	QTY.	DESCRIPTION
1	330-833	1	RIGHT ANGLE BOX, THRU SHAFT
3	257-060	20	CENTERLOCK FLANGE NUT 1/2" UNC
4	256-011	16	FLAT WASHER, 1/2"
5	C502-315	1	SHROUD
6	250-059	5	BOLT, 1/2" X 1-1/2", UNC
7	C502-140	2	HINGE PIN, 1" X 22-27/32"
8	C502-141	1	HINGE PIN, 1" X 9"
9	C502-142	2	HINGE SPACER, 19-5/32"
10	C310-115	2	BOLT ACCESS COVER
12	270-004	12	LOCK NUT, 5/8" UNC
13	250-088	12	BOLT, 5/8" X 2-1/2" UNC
14	270-020	4	LOCK NUT, 5/16" UNC
15	250-005	4	BOLT, 5/16" X 1-1/2" UNC
16	C502-178	1	WING FILLER PLATE
17	270-017	2	LOCK NUT, 3/8" UNC
18	250-018	4	BOLT, 3/8" X 1" UNC

7026 - WING FRAME, LEFT**Continued...**

ITEM	PART NO.	QTY.	DESCRIPTION
20	C502-150	1	LEFT WING ASSEMBLY
21	C502-145	2	RETAINING PIN, 1" X 3-3/8" U.L.
22	273-006	3	GREASE NIPPLE, SELF TAP
23	256-001	6	FLAT WASHER, 1"
24	262-006	2	ROLL PIN, 3/8" X 2"
25	C502-135	1	WING SKID, REAR
26	C502-137	1	WING SKID, FRONT, LEFT
27	330-831	1	GEARBOX, CW
	330-830	1	GEARBOX, CCW
28	255-013	4	LOCK WASHER, 3/8"
29	C502-161	2	FLOATING LUG MOUNT PLATE
30	C502-160	1	FLOATING LUG
31	362-010	2	TENSION BUSHING, 1" X 1-1/4" X 3/4"
32	CS01-133	1	RETAINING PIN
33	250-051	1	BOLT, 1/2" X 3" UNC
34	250-1241	2	BOLT, 1" X 3-1/4" UNC
35	270-002	2	LOCK NUT, 1" UNC
36	250-201	6	PLOW BOLT, 1/2" X 1-1/2" UNC
37	250-019	2	BOLT, 3/8" X 1-1/4" UNC
38	C502-154	1	SKID MOUNT ASSEMBLY, LEFT
39	250-061	6	BOLT, 1/2" X 1-1/4" UNC
40	228-011	2	HOSE ORGANIZER, 16"
41	C502-337	1	SHROUD, INNER REAR HINGE
47	231-025	1	ADJUSTMENT SCREW CASTING
48	257-054	2	HALF NUT, 1-1/4" UNC
49	255-020	1	LOCK WASHER, 1-1/4"
50	225-109	2	9 LINK CHAIN
51	270-017	1	LOCKNUT, 3/8" UNC
52	256-017	2	WASHER, 3/8"
53	250-026	1	BOLT, 3/8" X 2-1/2" UNC

7026 - HITCH FRAME AND CENTER WHEEL STANDARD




ITEM	PART NO.	QTY.	DESCRIPTION
1	C502-107	1	HITCH CLEVIS, 1-11/16" HOLE, UP TO 2-3/16" DRAWBAR
	C502-815	-	HITCH CLEVIS, 2-3/16" HOLE, UP TO 2-11/16" DRAWBAR
2	C502-109	1	RETAINING PIN, 1 X 4-5/8 U.L.
3	273-006	10	GREASE NIPPLE, SELF TAP
4	250-060	3	BOLT, 1/2" X 1-3/4" UNC
5	250-093	4	BOLT, 5/8" X 1-3/4" UNC
6	270-004	4	LOCK NUT, 5/8" UNC
7	256-0551	1	MACHINE BUSHING, 1-1/2 X 2-1/4 X 14GA
8	257-060	15	CENTERLOCK FLANGE NUT 1/2" UNC

7026 - HITCH FRAME AND CENTER WHEEL STANDARD

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
9	256-011	12	FLAT WASHER, 1/2"
10	250-059	4	BOLT, 1/2" X 1-1/2" UNC
11	C520-142	2	HITCH MOUNT PIN, 1" X 5-1/4" UL
13	256-001	8	FLAT WASHER, 1"
14	262-006	6	ROLL PIN, 3/8" X 2"
15	CS01-133	2	RETAINING PIN
16	C502-130	2	LIFT ROD
17	CS01-138	2	RETAINING PIN, 1" X 1-3/4" U.L.
18	CS01-130	2	LIFT ROD LUG
19	257-006	2	HALF NUT, 1" UNC
20	257-008	2	NUT, 1" UNC
21	CS01-109	1	SWIVEL HITCH ASSEMBLY
22	C502-188	4	CENTER WHEEL STANDARD
23	362-010	19	TENSION BUSHING, 1" X 1-1/4" X 3/4"
25	232-770	1	HITCH JACK S/W 15" 7200 LBS
27	C502-165	1	TRANSPORT PIN, 1" X 6-5/16" U.L.
28	C320-142	1	RETAINING PIN, 1" X 4-3/16" U.L.
29	300-012	1	LYNCH PIN, 1/4"
30	C502-664	1	RUBBER MOUNT ASSEMBLY
31	233-053	3	RUBBER PUCK
32	250-048	3	BOLT, 1/2" X 4" UNC
33	270-001	25	LOCK NUT, 3/4" UNC
35	C502-661	1	MOUNTING BEAM
36	C502-128	4	BOLT PLATE
37	250-105	16	BOLT, 3/4" X 7-1/2" UNC
38	300-010	1	LYNCH PIN, 7/16"
39	C502-110	1	HITCH FRAME
40	362-012	1	TENSION BUSHING, 1-1/2" X 1-3/4" X 3/4"
41	739-007	1	JACK WELD ON END
42	C502-113	1	SOLID TONGUE
	C502-816	-	SOLID TONGUE, 2-3/16" HOLE
43	C520-118	1	10,000 LB SAFETY CHAIN WASHER
44	255-003	1	LOCKWASHER 3/4"
45	250-116	1	BOLT, 3/4" X 1-1/2" UNC GR5 PLATED
46	250-110	1	BOLT, 3/4" X 5" UNC GR5 PLATED
48	C502-183	1	PTO STORAGE SUPPORT
49	302-034	1	BENT HITCH PIN
50	271-053	1	#10 HITCH PIN CLIP
51	C502-613	2	STUB, 5" X 5" X 25" LONG
52	250-115	8	BOLT, 3/4" X 2" UNC
53	250-046	4	BOLT, 1/2" X 5" UNC

7026 - LEFT WING WHEEL STANDARD




7026 - LEFT WING WHEEL STANDARD

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	C502-667	1	5026 RUBBER WING MOUNT
2	233-053	2	RUBBER PUCK
3	C502-663	1	WHEEL BEAM, LEFT WING
4	C502-187	2	LINKAGE SIDE PLATE
5	250-126	1	BOLT, 1" X 2-3/4" UNC
6	250-114	1	BOLT, 3/4" X 2-1/2" UNC
7	250-051	1	BOLT, 1/2" X 3" UNC
8	250-046	1	BOLT, 1/2" X 5" UNC
9	250-112	1	BOLT, 3/4" X 3" UNC GR5 PLATED
10	250-106	4	BOLT, 3/4" X 6-1/2" UNC
11	250-048	2	BOLT, 1/2" X 4" UNC GR5 PLATED
12	270-002	1	LOCK NUT, 1" UNC
13	270-001	6	LOCK NUT, 3/4" UNC
14	CS01-138	1	RETAINING PIN, 1" X 1-3/4" U.L.
15	256-011	3	FLAT WASHER, 1/2"
16	256-001	1	FLAT WASHER, 1"
17	257-060	4	CENTERLOCK FLANGE NUT 1/2" UNC
18	362-010	6	TENSION BUSHING, 1" X 1-1/4" X 3/4"
19	C502-189	1	WHEEL STANDARD
20	C320-128	2	WHEEL STANDARD MOUNT PLATE
21	262-006	1	ROLL PIN, 3/8" X 2"
22	273-006	1	GREASE NIPPLE, SELF TAP
23	C502-666	1	UPPER RUBBER MOUNT, WING WALKING AXLE

7026 - RIGHT WING WHEEL STANDARD




7026 - RIGHT WING WHEEL STANDARD

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	C502-667	1	5026 RUBBER WING MOUNT
2	233-053	2	RUBBER PUCK
3	C502-662	1	WHEEL BEAM, RIGHT WING
4	C502-187	2	LINKAGE SIDE PLATE
5	250-126	1	BOLT, 1" X 2-3/4" UNC
6	250-114	1	BOLT, 3/4" X 2-1/2" UNC
7	250-051	1	BOLT, 1/2" X 3" UNC
8	250-046	1	BOLT, 1/2" X 5" UNC
9	250-112	1	BOLT, 3/4" X 3" UNC GR5 PLATED
10	250-106	4	BOLT, 3/4" X 6-1/2" UNC
11	250-048	2	BOLT, 1/2" X 4" UNC GR5 PLATED
12	270-002	1	LOCK NUT, 1" UNC
13	270-001	6	LOCK NUT, 3/4" UNC
14	CS01-138	1	RETAINING PIN, 1" X 1-3/4" U.L.
15	256-011	3	FLAT WASHER, 1/2"
16	256-001	1	FLAT WASHER, 1"
17	257-060	4	CENTERLOCK FLANGE NUT 1/2" UNC
18	362-010	6	TENSION BUSHING, 1" X 1-1/4" X 3/4"
19	C502-189	1	WHEEL STANDARD
20	C320-128	2	WHEEL STANDARD MOUNT PLATE
21	262-006	1	ROLL PIN, 3/8" X 2"
22	273-006	1	GREASE NIPPLE, SELF TAP
23	C502-666	1	UPPER RUBBER MOUNT, WING WALKING AXLE

7026 - WALKING AXLE ASSEMBLY




7026 - WALKING AXLE ASSEMBLY

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	C520-316	2	BACKING PLATE FOR UPGRADE KIT
2	270-001	18	LOCKNUT, 3/4" UNC, PLATED
3	C502-472	2	WHEEL STANDARD CENTER, WALKING AXLE, 5026
4	C502-473	2	WHEEL STANDARD WING, WALKING AXLE, 5026
5	C320-128	4	WHEEL STANDARD MOUNT PLATE, WING
6	250-106	8	BOLT, 3/4" X 6-1/2" UNC, GR5, PLATED
7	250-105	10	BOLT, 3/4" X 7-1/2" UNC GR5, PLATED
8	250-063	4	BOLT, 1/2" X 1" UNC, GR5, PLATED
9	256-011	4	WASHER, 1/2", AS TYPE A, 9/16" ID X 1-3/8" OD X 0.109"
10	255-009	4	LOCKWASHER, 1/2"
11	150-16	4	PIVOT PIN, WALKING BEAM
12	256-068	4	MACHINE BUSHING, 1-1/32" X 2" X 7 GA., BALCK
13	271-005	4	COTTER PIN, 3/16" X 1-1/2"
14	209-011	4	SLOTTED NUT, 1 X 14 UNS, GR2, PLATED
15	273-006	4	GREASE NIPPLE, SELF-TAP, 1/4-28
16	207-016	8	RACE, TAPERED
17	207-015	8	BEARING, TAPERED ROLLER
18	207-021	8	SEAL
19	803-001	8	SPACER SLEEVE, WALKING AXLE
20	203-007	8	HUB & SPINDLE, S517 COMPLETE, 10-1/8" X 1.62"
21	250-0501	8	BOLT, 1/2" X 3-1/4" UNC, GR5, PLATED
22	257-060	8	CENTERLOCK FLANGE NUT 1/2" UNC
23	C502-826	1	WALKING AXLE

4 TIRE KIT




4 TIRE KIT

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	250-106	8	BOLT, 3/4" X 6-1/2"
2	C320-128	4	MOUNT PLATE, WING
3	270-001	8	LOCKNUT, 3/4"
4	C502-477	2	WHEEL STANDARD, WING
5	203-008	4	HUB AND SPINDLE
6	270-007	4	LOCKNUT, 1/2"
7	250-046	2	BOLT, 1/2" X 5"
8	250-0453	2	BOLT, 1/2" X 6"
9	C502-474	2	WHEEL STANDARD, CENTER
10	270-002	8	LOCKNUT, 1"
11	C502-479	4	MOUNT PLATE, CENTER
12	250-130	8	BOLT, 1" X 8"
	210-508	4	TIRE & WHEEL, 12.5L X 15 X 8 (NOT SHOWN)
	C502-642	-	COMPLETE KIT

7026 - EQUAL ANGLE HITCH




7026 - EQUAL ANGLE HITCH

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	273-006	5	GREASE NIPPLE, 1/4-28 SELF TAP
2	270-001	3	LOCKNUT, 3/4" UNC
3	250-111	1	BOLT, 3/4" X 4" UNC
4	229-010	1	COMPRESSION SPRING, 0.72" OD X 1.5" LG
5	256-011	8	WASHER, 1/2"
6	256-001	1	WASHER, 1" SAE
7	255-009	6	LOCK WASHER, 1/2"
8	250-060	2	BOLT, 1/2" X 1-3/4" UNC
9	256-003	1	WASHER, 3/4"
10	250-115	2	BOLT, 3/4" X 2" UNC
11	250-057	1	BOLT, 1/2" X 2" UNC
12	257-060	1	CENTERLOCK FLANGE NUT 1/2" UNC
13	S000-011	1	SAFETY CHAIN *ATTACHMENT LINK SHOWN ONLY
14	256-024	1	WASHER, 1-1/16" X 2-1/2" X 3/8"
15	270-002	1	LOCKNUT, 1" UNC
16	250-125	1	BOLT, 1" X 3" UNC
17	C502-804	1	SWIVEL YOKE
18	C502-801	1	A-FRAME
19	C502-808	1	PIN, 1" DIA
20	C502-805	1	HITCH BLOCK, CAT 3
21	C301-189	-	SPACER, 10 GA. (AS REQUIRED)
22	C301-186	2	SPACER PLATE
23	250-059	4	BOLT, 1/2" X 1-1/2" UNC
24	362-015	4	TENSION BUSHING, 1" X 1-1/4" X 1" LG
25	262-006	1	ROLL PIN, 3/8" X 2"
26	C502-802	1	HITCH SWIVEL
27	C502-809	1	RETAINER
28	C502-807	2	PIN, 1-1/2" DIA, LOCKING
29	C000-132	1	STAND
30	C520-117	1	JACK MOUNT, ADJUSTABLE
31	271-008	1	COTTER PIN, 1/8" X 1"
32	362-010	4	TENSION BUSHING, 1" X 1-1/4" X 3/4" LG
33	362-021	2	TENSION BUSHING, 1-1/2" X 1-7/8" X 1" LG
34	C502-817	1	HITCH BLOCK, WIDE, CAT 4
35	C502-819	1	HITCH BLOCK WIDE CAT 5
36	250-061	6	BOLT, 1/2" X 1-1/4" UNC GR5
37	C502-821	1	TRAIL E.A. CAT 3 HITCH BLOCK ASSY, INCLUDES #'S 7, 20, 21, 22, 23, 24
	C502-822	1	TRAIL E.A. CAT 4 HITCH BLOCK ASSY, INCLUDES #'S 7, 21, 22, 24, 34, 36
	C502-828	1	TRAIL E.A. CAT 5 HITCH BLOCK ASSY, INCLUDES #'S 7, 8, 22, 24, 35

7026 - EQUAL ANGLE HITCH




7026 - PARALLEL RING HITCH

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	362-010	4	TENSION BUSHING, 1" X 1-1/4" X 3/4" LG.
2	256-001	7	WASHER, 1", 1-1/16" ID X 2" OD SAE
3	257-060	3	CENTERLOCK FLANGE NUT 1/2" UNC
4	273-006	4	GREASE NIPPLE, SELF-TAP, 1/4-28
5	250-060	3	BOLT, 1/2" X 1-3/4" UNC, GR5, PLATED
6	256-017	3	WASHER, 3/8"
7	C312-187	2	LOWER PIVOT PIN
8	C502-824	1	TENSION LINK
9	271-006	1	COTTER PIN, 3/16" X 2", PLATED
10	257-009	1	HEX SLOTTED NUT 1" UNC PLATED
11	C312-188	1	MAIN PIVOT PIN
12	C502-833	1	ROD END, PARALLEL HITCH
13	262-006	3	ROLL PIN, 3/8" X 2"
14	230-015	1	TOWING EYE, CW/ CASTLE NUT, SPACER & COTTER PIN
15	C502-831	1	HOLDER, TOWING EYE, 5026 CV CONVERSION
16	C316-133	1	PINTLE RING SPACER
18	250-090	4	BOLT, 5/8" X 2" UNC, GR5, PLATED
19	C502-832	1	RING HITCH MOUNT
20	270-004	4	LOCKNUT, 5/8" UNC, PLATED
21	C502-110	1	HITCH FRAME
22	362-012	1	TENSION BUSHING, 1-1/2" X 1-3/4" X 3/4" LG.
23	C502-183	1	PTO STORAGE SUPPORT
24	302-034	1	BENT HITCH PIN
25	271-053	1	#10 HITCH PIN CLIP
26	C520-118	1	10,000 LB SAFETY CHAIN WASHER
27	255-003	1	LOCKWASHER, 3/4"
28	250-116	1	BOLT, 3/4" X 1-1/2" UNC GR5 PLATED
29	S000-011	1	SAFETY CHAIN *ATTACHMENT LINK SHOWN ONLY

7026 - SOLID TONGUE PARALLEL LIFT HITCH




7026 - SOLID TONGUE PARALLEL LIFT HITCH

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	362-010	4	TENSION BUSHING, 1" X 1-1/4" X 3/4" LG.
2	256-001	6	WASHER, 1", 1-1/16" ID X 2" OD SAE
3	257-060	3	CENTERLOCK FLANGE NUT 1/2" UNC
4	273-006	2	GREASE NIPPLE, SELF-TAP, 1/4-28
5	250-060	3	BOLT, 1/2" X 1-3/4" UNC, GR5, PLATED
6	256-017	3	WASHER, 3/8"
7	C312-187	1	LOWER PIVOT PIN
8	C502-824	1	TENSION LINK
9	271-006	1	COTTER PIN, 3/16" X 2", PLATED
10	257-009	1	HEX SLOTTED NUT, 1" UNC, PLATED
11	C312-188	1	MAIN PIVOT PIN
12	C502-834	1	ROD END, KUGAL HITCH
13	262-006	3	ROLL PIN, 3/8" X 2"
14	C502-836	1	HOLDER, PARALLEL LIFT HITCH
15	250-090	4	BOLT, 5/8" X 2" UNC, GR5, PLATED
16	C502-832	1	RING HITCH MOUNT
17	270-004	4	LOCKNUT, 5/8" UNC, PLATED
18	C502-110	1	HITCH FRAME
19	362-012	1	TENSION BUSHING, 1-1/2" X 1-3/4" X 3/4" LG.
20	A101-146	1	PIN, CASTOR LINK, 1" X 2-25/32" UL
21	C502-183	1	PTO STORAGE SUPPORT
22	302-034	1	BENT HITCH PIN
23	271-053	1	#10 HITCH PIN CLIP
24	C520-118	1	10 000 LB SAFETY CHAIN WASHER
25	255-003	1	LOCKWASHER 3/4"
26	250-116	1	BOLT, 3/4" X 1-1/2" UNC GR5 PLATED
27	S000-011	1	SAFETY CHAIN *ATTACHMENT LINK SHOWN ONLY

7026 - KUGAL HITCH




7026 - KUGAL HITCH

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	362-010	4	TENSION BUSHING, 1" X 1-1/4" X 3/4" LG.
2	256-001	7	WASHER, 1", 1-1/16" ID X 2" OD SAE
3	257-060	3	CENTERLOCK FLANGE NUT 1/2" UNC
4	273-006	2	GREASE NIPPLE, SELF-TAP, 1/4-28
5	250-060	3	BOLT, 1/2" X 1-3/4" UNC, GR5, PLATED
6	256-017	3	WASHER, 3/8"
7	C312-187	1	LOWER PIVOT PIN
8	C502-824	1	TENSION LINK
9	271-006	1	COTTER PIN, 3/16" X 2", PLATED
10	257-009	1	HEX SLOTTED NUT, 1" UNC, PLATED
11	C312-188	1	MAIN PIVOT PIN
12	C502-834	1	ROD END, KUGAL HITCH
13	262-006	3	ROLL PIN, 3/8" X 2"
14	C502-829	1	5026 KUGAL HITCH HOLDER
15	250-090	4	BOLT, 5/8" X 2" UNC, GR5, PLATED
16	C502-832	1	RING HITCH MOUNT
17	270-004	4	LOCKNUT, 5/8" UNC, PLATED
18	C502-110	1	HITCH FRAME
19	362-012	1	TENSION BUSHING, 1-1/2" X 1-3/4" X 3/4" LG.
20	A101-146	1	PIN, CASTOR LINK, 1" X 2-25/32"UL
21	C502-183	1	PTO STORAGE SUPPORT
22	302-034	1	BENT HITCH PIN
23	271-053	1	#10 HITCH PIN CLIP
24	C520-118	1	10 000 LB SAFETY CHAIN WASHER
25	255-003	1	LOCKWASHER 3/4"
26	250-116	1	BOLT, 3/4" X 1-1/2" UNC GR5 PLATED
27	S000-011	1	SAFETY CHAIN *ATTACHMENT LINK SHOWN ONLY


7026 - PRECISION HITCH C000-300

NOTE: SPACER IS PROVIDED TO REDUCE THE CLEARANCE BETWEEN THE RETAINING BOLT AND HITCH PIN HOLE. IF THE HITCH PIN HOLE IS 1-1/4" DIA. OR LESS THE SPACER IS NOT REQUIRED




ITEM	PART NO.	QTY.	DESCRIPTION
1	250-109	2	BOLT, 3/4" X 5-1/2" UNC
2	250-059	1	BOLT, 1/2" X 1-1/2" UNC
3	250-146	1	BOLT, 1-1/8" X 5-1/2" UNF GR8
4	C000-303	1	DRAW BAR CLEVIS TOP
5	C000-301	1	HITCH TONGUE
6	273-001	2	GREASE NIPPLE, 1/8" NPT
7	C000-305	1	SPACER
8	C000-302	1	DRAW BAR CLEVIS BASE
9	257-003	1	LOCK NUT, 1-1/8" UNF
10	C000-304	1	CLAMP BAR
11	270-001	2	LOCKNUT, 3/4" UNC
12	255-009	1	LOCKWASHER, 1/2"
14	256-0712	1	MACHINE BUSHING SPACER (ONLY REQUIRED IF HITCH TONGUE IS TIGHT)
	C000-300	1	PRECISION HITCH

7026 - ADJUSTABLE CLEVIS



ITEM	PART NO.	QTY.	DESCRIPTION
1	C000-361	1	HITCH BLOCK
2	C000-363	1	WEAR PLATE
3	C000-362	6	SPACER PLATE
4	255-005	2	LOCKWASHER, 5/8"
5	250-090	2	BOLT, 5/8" X 2" UNC
	C000-360	1	COMPLETE ADJUSTABLE CLEVIS

7026 - HUB, AXLE & TIRE




7026 - HUB, AXLE & TIRE

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	208-031	1	517 SPINDLE, 2" DIA X 13-1/8"
2	206-013	1	517 HUB, COMPLETE
3	207-063	1	SEAL RETAINER
4	207-062	1	V-SEAL
5	207-064	1	SEAL COUNTER FACE
6	207-015C	1	CUP & CONE
7	207-043	5	WHEEL STUD BOLT
8	273-006	1	GREASE FITTING
9	207-019C	1	CUP & CONE
10	209-003	1	WASHER
11	209-004	1	HEX NUT
12	271-005	1	COTTER PIN
13	207-022	1	DUST CAP
14	201-005	1	WHEEL, 15 X 6 X 5
15	211-002	1	VALVE STEM, TUBELESS
16	210-163	1	TIRE, 7.60 X 15, 8 PLY
	210-505	1	TIRE ASSYST205/90-15 ON 15X6X5
17	207-023	5	WHEEL NUT, ½ UNF
19	210-182	1	AIRCRAFT TIRE, 29 X 9 X 15 X 6 PLY COMPLETE
	210-183	-	TIRE ONLY, 29 X 9 X 15
	211-016	-	TUBE & LINER ONLY
	201-019	-	RIM ONLY, BOTH HALVES 15"
20	203-004	1	517 HUB & SPINDLE, COMPLETE, 15-1/8" LONG, INCLUDES ITEMS #1 AND #2

7026 - WALKING AXLE HUB, AXLE, & TIRE




7026 - WALKING AXLE HUB, AXLE, & TIRE

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	203-007	1	HUB & SPINDLE, S517 COMPLETE, 10-1/8" X 1.62"
2	206-013	1	HUB ASSEMBLY HA517-7 ,C/W HARDWARE ,NEW STYLE ,
	207-059	1	WHEEL REPAIR KIT,
3	208-034	1	SPINDLE, S517, 10-1/8" X 1.62
4	207-063	1	SEAL RETAINER
5	207-062	1	V-SEAL.
6	207-064	1	SEAL COUNTERFACE,
7	207-015C	1	BEARING & RACE,
8	207-043	8	SEE 207-044, STUD BOLT
9	273-006	1	GREASE NIPPLE, SELF-TAP, 1/4-28
10	207-019C	1	BEARING & RACE,
11	209-003	1	WASHER, H517
12	209-004	1	CASTELLATED NUT, 7/8 X 14 UNF, H-517,
13	271-005	1	COTTER PIN, 3/16 X 1-1/2,
14	207-022	1	DUST CAP, CTD, 2.443" OD,
15	211-002	1	VALVE, ALL TUBELESS
16	210-163	1	TIRE, 7.60 X 15 X 8 PLY
	210-167	1	TIRE, 7.00 X 15 X 8 PLY RATED
17	207-023	5	WHEEL NUT, 1/2 UNF
18	201-005	1	SEE 201-015,RIM, 15 X 6 LB, 5 BOLT, VALVE GUARD
19	250-0501	1	BOLT, 1/2 X 3 1/4 UNC, GR5,PLATED
20	270-007	6	LOCKNUT, 1/2 UNC, PLATED
21	210-182	1	TIRE,AIRCRAFT,29 X 9 X15, CAPPED ON 5BOLT-2PCE RIM
22	211-010	1	TUBE , 22X10 X 6.6 AIRCRAFT, (TUBE ONLY)
23	201-013	1	RIM, 10 X 5 BOLT TOGETHER,COMPLETE SET,5 ON 5.5"

7026 - BLADE CARRIERS




7026 - BLADE CARRIERS

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	C000-112	3	BLADE CARRIER COMPLETE, CENTER & INNER WING
	520-1076	3	PAN ONLY
2	C000-111	2	BLADE CARRIER COMPLETE, OUTER WING
	520-1075	2	PAN ONLY
5	586-822	8	PAN REINFORCEMENTS, WING OUTER
6	586-823	12	PAN REINFORCEMENTS, WING INNER & CENTER
7	251-020	10	BUSHING, PENTAGON STYLE
8	257-003	10	LOCK NUT, 1-1/8-12 UNF
9	251-019	10	BLADE BOLT, SHREDDER BLADE
	251-203	-	BLADE BOLT & NUT, SHREDDER BLADE
10	251-018	10	BLADE BOLT, 1-1/8"-12 UNF
	251-201	-	BLADE BOLT & NUT
11	401-026	2	BLADE, 1/2 X 4 X 25, CW, RIGHT WING, OUTER (SUPER SUCTION)
	401-046	2	BLADE, 1/2 X 4 X 25, CW, RIGHT WING, OUTER (REGULAR)
12	401-027	2	BLADE, 1/2 X 4 X 25, CCW, LEFT WING, OUTER (SUPER SUCTION)
	401-047	2	BLADE, 1/2 X 4 X 25, CCW, LEFT WING, OUTER (REGULAR)
13	401-028	4	BLADE, 1/2 X 4 X 28, CCW CENTER & RIGHT WING INNER, (SUPER SUCTION)
	401-048	4	BLADE, 1/2 X 4 X 28, CCW, CENTER & RIGHT WING INNER (REGULAR)
14	401-032	2	BLADE, 1/2 X 4 X 28, CW, LEFT WING INNER (SUPER SUCTION)
	401-052	2	BLADE, 1/2 X 4 X 28, CW, LEFT WING INNER (REGULAR)
15	401-033	4	BLADE, 3/8 X 4 X 25, WING OUTER
16	401-034	6	BLADE, 3/8 X 4 X 28, CENTER & WING INNER

7026 - DRIVELINE SHIELDING




7026 - DRIVELINE SHIELDING

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	250-002	2	BOLT, 1/4" X 1", UNC
2	C502-236	1	SPLITTER BOX SHIELD, CE LATCH
3	256-017	5	FLATWASHER, 3/8"
4	250-023	4	BOLT, 3/8" X 1-1/2" UNC
5	250-018	4	BOLT, 3/8" X 1" UNC
6	255-013	4	LOCKWASHER, 3/8"
7	C502-234	1	SPLITTER CE LATCH LOCK PLATE
9	271-008	2	COTTER PIN, 1/8" X 1"
10	C502-226	1	HINGE PIN, 18-1/4 U.L.
12	250-093	4	BOLT, 5/8" X 1-3/4" UNC
13	256-006	4	FLATWASHER, 5/8"
14	270-004	4	LOCKNUT, 5/8" UNC
15	C502-220	1	SPLITTER SHIELD MOUNT, RIGHT
16	C502-219	1	SPLITTER SHIELD MOUNT, LEFT
17	270-017	5	LOCKNUT, 3/8" UNC
18	251-151	2	MACHINE SCREW, 10-24 X 3/4"
19	270-028	2	LOCKNUT, 10-24 NYLOCK
20	C314-205	1	CE SHIELD SPACER
21	227-001	1	LATCH, 6 MM ALLEN HEAD
23	280-202	1	4" PLASTIC MANUAL CANISTER
24	256-018	5	WASHER, 1/4"
25	270-025	2	LOCKNUT, 1/4" UNC
26	341-6245	2	BELL SHIELD
27	341-6235	5	BELL SHIELD, SLIP CLUTCH
28	255-015	28	LOCKWASHER, 5/16"
29	251-008	28	BOLT, M8 X 20MM
30	256-020	28	FLAT WASHER, 5/16"
31	C502-206	1	SPLITTER SHIELD, REAR
32	C502-201	1	SPLITTER SHIELD, BOTTOM
33	227-002	1	EURO LOCK KEY, STAINLESS STEEL
35	271-013	1	COTTER PIN, 1/16" X 3/4" LONG (NOT USED ON CE UNITS)
36	233-058	1	BUMBER, 3" DIA, 1-3/8" HIGH
37	250-018	1	BOLT, 3/8" X 1" UNC GR5

7026 - CHAIN GUARDS & CABLE KITS




7026 - CHAIN GUARDS & CABLE KITS

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	257-060	82	CENTERLOCK FLANGE NUT 1/2" UNC
2	256-011	64	FLAT WASHER, 1/2
3	250-053	58	BOLT, 1/2 X 3-3/4 UNC
4	250-050	18	BOLT 1/2 X 3-1/2 UNC GR5 PLATED
6	250-046	4	BOLT, 1/2 X 5 UNC
7	250-059	2	BOLT, 1/2 X 1-1/2 UNC
9	C502-553	2	CHAIN GUARD DOUBLE, WING FRONT OUTER
	C502-503	2	CHAIN GUARD SINGLE, WING FRONT OUTER
10	C502-502	2	CHAIN GUARD SINGLE, WING FRONT MIDDLE
	C502-552	2	CHAIN GUARD DOUBLE, WING FRONT MIDDLE
11	C502-501	2	CHAIN GUARD SINGLE, WING FRONT INNER
	C502-551	2	CHAIN GUARD DOUBLE, WING FRONT INNER
12	C502-504	2	CHAIN GUARD SINGLE, CENTER FRONT
	C502-554	2	CHAIN GUARD DOUBLE, CENTER FRONT
13	C502-505	2	CHAIN GUARD SINGLE, WING REAR OUTER
	C502-555	2	CHAIN GUARD DOUBLE, WING REAR OUTER
14	C502-506	2	CHAIN GUARD SINGLE, WING REAR MIDDLE
	C502-556	2	CHAIN GUARD DOUBLE, WING REAR MIDDLE
15	C502-507	4	CHAIN GUARD SINGLE, WING REAR INNER
	C502-557	4	CHAIN GUARD DOUBLE, WING REAR INNER
16	C502-508	2	CHAIN GUARD SINGLE, CENTER REAR OUTER
	C502-558	2	CHAIN GUARD DOUBLE, CENTER REAR OUTER
17	C502-509	1	CHAIN GUARD SINGLE, CENTER REAR MIDDLE
	C502-559	1	CHAIN GUARD DOUBLE, CENTER REAR MIDDLE
18	221-423	2	CHAIN GUARD CABLE, 139", FRONT WING
19	221-422	1	CHAIN GUARD CABLE, 73", FRONT CENTER
20	221-424	2	CHAIN GUARD CABLE, 128", REAR WING
21	221-425	1	CHAIN GUARD CABLE, 122", REAR CENTER
22	222-003	12	CABLE CLAMP, 1/8"

7026 - CHAIN GUARDS & RUBBER SHIELDS




7026 - CHAIN GUARDS & RUBBER SHIELDS

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	250-047	6	BOLT, 1/2" X 4-1/2", UNC GR5 PLATED
2	250-048	8	BOLT, 1/2" X 4", UNC GR5 PLATED
3	250-053	62	BOLT, 1/2" X 3-3/4", UNC GR5 PLATED
4	250-060	2	BOLT, 1/2" X 1-3/4", UNC GR5 PLATED
5	250-070	4	BOLT, 1/2" X 5-1/2", UNC GR5 PLATED
6	256-011	64	WASHER, 1/2"
7	257-060	82	CENTERLOCK FLANGE NUT, 1/2" UNC
8	C502-421	1	RUBBER SHIELD, CENTER FRONT
	C502-542	1	HALF BELTING RUBBER SHIELD FRONT CENTER
9	C502-422	2	RUBBER SHIELD, WING FRONT
	C502-541	2	HALF BELTING RUBBER SHIELD, FRONT WING
10	C502-431	1	RUBBER SHIELD, CENTER REAR
	C502-547	1	HALF BELTING RUBBER SHIELD REAR CENTER
11	C502-433	2	RUBBER SHIELD, WING REAR
	C502-546	2	HALF BELTING RUBBER SHIELD, REAR WING
12	C502-501	2	CHAIN GUARD SINGLE, WING FRONT INNER
	C502-551	2	DOUBLE CHAIN GUARD, WING FRONT INNER
13	C502-502	2	CHAIN GUARD SINGLE, WING FRONT MIDDLE
	C502-552	2	DOUBLE CHAIN GUARD, WING FRONT MIDDLE
14	C502-503	2	CHAIN GUARD SINGLE, WING FRONT OUTER
	C502-553	2	DOUBLE CHAIN GUARD, WING FRONT OUTER
15	C502-504	2	CHAIN GUARD SINGLE, CENTER FRONT
	C502-554	2	DOUBLE CHAIN GUARD, CENTER FRONT
16	C502-505	2	CHAIN GUARD SINGLE, WING REAR OUTER
	C502-555	2	DOUBLE CHAIN GUARD, WING REAR OUTER
17	C502-506	2	CHAIN GUARD SINGLE, WING REAR MIDDLE
	C502-556	2	DOUBLE CHAIN GUARD, WING REAR MIDDLE
18	C502-507	4	CHAIN GUARD SINGLE, WING REAR INNER
	C502-557	4	DOUBLE CHAIN GUARD, WIND REAR INNER
19	C502-508	2	CHAIN GUARD SINGLE, CENTER REAR OUTER
	C502-558	2	DOUBLE CHAIN GUARD, CENTER REAR OUTER
20	C502-509	1	CHAIN GUARD SINGLE, CENTER REAR MIDDLE
	C502-559	1	DOUBLE CHAIN GUARD, CENTER REAR MIDDLE

7026 - RUBBER SHIELDS & STRAPPING




7026 - RUBBER SHIELDS & STRAPPING

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	250-047	6	BOLT, 1/2" X 4-1/2", UNC GR5 PLATED
2	250-048	8	BOLT, 1/2" X 4", UNC GR5 PLATED
3	250-053	62	BOLT, 1/2" X 3-3/4", UNC GR5 PLATED
4	250-060	2	BOLT, 1/2" X 1-3/4", UNC GR5 PLATED
5	250-070	4	BOLT, 1/2" X 5-1/2", UNC GR5 PLATED
6	256-011	64	WASHER, 1/2"
7	257-060	82	CENTERLOCK FLANGE NUT, 1/2" UNC
8	C502-421	1	RUBBER SHIELD, CENTER FRONT
	C502-542	1	HALF BELTING RUBBER SHIELD FRONT CENTER
9	C502-422	2	RUBBER SHIELD, WING FRONT
	C502-541	2	HALF BELTING RUBBER SHIELD, FRONT WING
10	C502-431	1	RUBBER SHIELD, CENTER REAR
	C502-547	1	HALF BELTING RUBBER SHIELD REAR CENTER
11	C502-433	2	RUBBER SHIELD, WING REAR
	C502-546	2	HALF BELTING RUBBER SHIELD, REAR WING
12	C502-411	1	RETAINING BAR, CENTER FRONT
13	C502-412	1	RETAINING BAR, CENTER REAR MIDDLE
14	C502-413	2	RETAINING BAR, CENTER REAR OUTER
15	C502-414	2	RETAINING BAR, WING FRONT INNER
16	C502-415	2	RETAINING BAR, WING FRONT OUTER
17	C502-416	4	RETAINING BAR, WING REAR INNER
18	C502-417	2	RETAINING BAR, WING REAR OUTER

7026 - FIXED BLADE SHREDDING KIT, SHROUDS




7026 - FIXED BLADE SHREDDING KIT, SHROUDS

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	C502-275	1	LEFT OUTER SHROUD
2	C502-276	1	LEFT INNER REAR SHROUD
3	C502-277	1	RIGHT INNER REAR SHROUD
4	C502-278	1	RIGHT OUTER SHROUD
5	C502-317	2	JOIN PLATE, WING REAR
6	C502-301	1	SHROUD, CENTER REAR CENTER
7	257-060	64	CENTERLOCK FLANGE NUT 1/2" UNC
8	250-061	31	BOLT, 1/2" X 1-1/4" UNC
9	250-059	8	BOLT, 1/2" X 1-1/2" UNC
10	255-009	6	LOCK WASHER, 1/2"
11	256-011	42	FLAT WASHER, 1/2"
12	250-047	14	BOLT 1/2 X 4-1/2 UNC GR5 PLATED
13	250-1141	7	BOLT, 3/4 X 2 UNF G8
14	270-0011	7	LOCK NUT, 3/4 UNF
15	250-0571	7	SHEAR BOLT, 1/2" X 2 GR5 UNF
16	250-057	3	BOLT, 1/2" X 2 GR5 UNC
17	250-063	14	BOLT, 1/2" X 1 UNC
18	270-008	7	LOCK NUT, 1/2" UNF
19	401-206	7	BLADE, 1/2" X 4 X 10 FIXED DBL EDGE
20	C502-285	2	BLADE MOUNT, LEFT
21	C502-296	1	BLADE MOUNT, LEFT, 38" ROW
22	C502-298	1	SHROUD, FRONT, LEFT WING
23	C502-284	1	BLADE MOUNT, CENTER SECTION
24	C502-286	2	BLADE MOUNT, RIGHT
25	C502-297	1	BLADE MOUNT, RIGHT, 38" ROW
26	C502-299	1	SHROUD, FRONT, RIGHT WING

7026 - FIXED BLADE SHREDDING, FLAT BLADES




7026 - FIXED BLADE SHREDDING, FLAT BLADES

Continued...

ITEM	PART NO.	QTY.	DESCRIPTION
1	C000-120	3	BLADE BAR, 6` SHREDDER
2	C000-121	2	BLADE BAR, 5` SHREDDER
3	251-016	10	BOLT, 5/16 X 4 UNC, GR5, PLATED,BOLT,
4	C000-201	10	SLEEVE, 1.125 ID, SHREDDER KIT,
5	255-021	10	LOCKWASHER, 1-1/8",
6	257-107	10	CASTLE NUT, 1-1/8-12 UNF, GD 8,
7	271-011	10	COTTER PIN, 1/4" X 2-1/2",
8	331-814	5	BELVILLE DISC SPRING, S60 X 30.5 X 3.5, SAME AS #256-508
9	331-813	5	HEXAGON SLOTTED NUT,
10	331-812	5	COTTER PIN,
11	401-016	8	BLADE, 6739, DOUBLE EDGE,
12	401-024	12	BLADE, MOWER, 1/2 X 4 X 28, DOUBLE EDGE,

7026 - FIXED BLADE SHREDDING, UPDRAFT BLADES




7026 - FIXED BLADE SHREDDING, UPDRAFT BLADES

Continued...


ITEM	PART NO.	QTY.	DESCRIPTION
1	C000-120	3	BLADE BAR, 6"
2	C000-121	2	BLADE BAR, 5"
3	251-016	10	BLADE BOLT, 1/2" SHREDDER BLADE
4	C000-201	10	SLEEVE, 1.125 ID
5	255-021	10	LOCKWASHER, 1-1/8"
6	257-107	10	CASTLE NUT, 1-1/8 UNF
7	271-011	10	COTTER PIN, 1/4 X 2-1/2
8	331-814	5	WASHER
9	331-813	5	HEXAGON SLOTTED NUT
10	331-812	5	COTTER PIN
11	401-016	4	BLADE, 1/2 X 4 X 25 DOUBLE EDGE
12	401-024	6	BLADE, 1/2 X 4 X 28 DOUBLE EDGE
13	401-027	2	BLADE, 1/2 X 4 X 25, CCW, LEFT WING, OUTER
14	401-028	4	BLADE, 1/2 X 4 X 28, CCW, CENTER & LEFT WING, IN
15	401-032	2	BLADE, 1/2 X 4 X 28, CW, RIGHT WING, INNER
16	401-026	2	BLADE, 1/2 X 4 X 25, CW, RIGHT WING, OUTER

7026 - WING LIFT CIRCUIT




ITEM	PART NO.	QTY.	DESCRIPTION
1	100-3092	2	CYLINDER, 3 X 30, WELDED, MONARCH, NITROSTEEL
2	108-005	2	MALE TEE, 3/4-16 JIC 37 DEG,
3	108-043	4	ELBOW, 90, 3/4-16 ORB MALE X 3/4-16 JIC MALE
4	111-340	2	HYD HOSE 3/8"X203", 8FJICX8MJIC, ORB PIONEER
5	108-0071	2	SEE C000-006, RESTRICTOR, 3/4-16 PORT SIZE, 1/16" ORFICE HOLE
6	111-179	4	HYD. HOSE 3/8" X 69", 8FJIC X 8FJIC
7	256-001	4	WASHER, 1", 1-1/16" ID X 2" OD SAE
8	302-015	4	CLEVIS PIN, 1 X 2-7/8" USEABLE, ZINC DI-CHROMATE
9	271-005	4	COTTER PIN, 3/16 X 1-1/2,
10	250-023	2	BOLT, 3/8 X 1-3/4 UNC, GR5, PL;ATED,
11	C000-001	2	HOSE AND TUBE CLAMP, 1/2"
12	270-017	2	LOCKNUT, 3/8 UNC, PLATED
14	108-031	2	ELBOW, 90DEG, #8 JIC MALE X #8 JIC FEMALE SWIVEL

7026 - HYDRAULIC CYLINDER, 100-3092



ITEM	PART NO.	QTY.	DESCRIPTION
1	101-130	1	CASING, 3" X 30"
2	101-131	1	CYLINDER HEAD
3	101-132	1	PISTON
4	101-133	1	ROD
17	101-021	1	ROD CLEVIS
18	250-023	1	BOLT, 3/8" X 1-3/4" UNC, GR5
20	270-017	1	LOCK NUT, 3/8" UNC
25	101-243	1	LOCK NUT, 1"
41	101-026W	1	SEAL KIT, INCLUDES # 10, 11, 13-15, 40
	100-3092	1	

7026 - PHASING CIRCUIT




7026 - PHASING CIRCUIT

Continued...


ITEM	PART NO.	QTY.	DESCRIPTION
1	111-341	1	HYD HOSE 3/8"X213", 8FJICX8MJIC, ORB PIONEER
2	100-3672	1	CYLINDER, PHASING, 3-1/2 X 8, WELDED, MONARCH, 90 DEG. PORTS
3	111-196	1	HYD. HOSE 3/8" X 128", 8FJIC X 8FJIC
4	C000-001	1	HOSE AND TUBE CLAMP, 1/2"
5	256-001	5	WASHER, 1", 1-1/16" ID X 2" OD SAE
7	108-043	4	ELBOW, 90, 3/4-16 ORB MALE X 3/4-16 JIC MALE
8	100-3682	1	CYLINDER, PHASING, 3-1/4 X 8, WELDED, MONARCH
9	111-197	1	HYD. HOSE 3/8" X 270", 8FJIC X 8FJIC
10	100-3692	1	CYLINDER, PHASING, 3 X 8, WELDED, MONARCH
11	111-342	1	HYD HOSE 3/8"X358", 8FJICX8MJIC, ORB PIONEER
13	271-005	5	COTTER PIN, 3/16 X 1-1/2,
14	302-015	5	CLEVIS PIN, 1 X 2-7/8" USEABLE, ZINC DI-CHROMATE
15	C502-193	1	PIN, CENTER SECTION,
16	C502-194	1	SLEEVE,
17	262-006	1	ROLL PIN, 3/8 X 2,
19	270-017	1	LOCKNUT, 3/8 UNC, PLATED
20	108-044	2	ELBOW, 45, 3/4-16 ORB MALE X 3/4-16 JIC MALE
21	101-020	3	DEPTH STOP, TWO STAGE, 1-1/4" ROD
22	108-0071	1	SEE C000-006, RESTRICTOR, 3/4-16 PORT SIZE, 1/16" ORFICE HOLE
23	257-055	1	JAM NUT, 1-1/4 UNF, PLATED (ONLY WITH SHREDDER OPTION)

7026 - HYDRAULIC CYLINDER, 100-3692, 100-3682, 100-3672



7026 - HYDRAULIC CYLINDER, 100-3692, 100-3682, 100-3672**Continued...**


ITEM	PART NO.	QTY.	DESCRIPTION
1	101-134	1	3" CASING
	101-135	1	3-1/4" CASING
	101-136	1	3-1/2" CASING
2	101-137	1	3" CYLINDER HEAD
	101-138	1	3-1/4" CYLINDER HEAD
	101-139	1	3-1/2" CYLINDER HEAD
3	101-082	1	3" PISTON
	101-083	1	3-1/4" PISTON
	101-084	1	3-1/2" PISTON
4	101-142	1	ROD
17	101-021	1	ROD CLEVIS
18	250-023	1	BOLT, 3/8" X 1-3/4" UNC, GR5
20	270-017	1	LOCK NUT, 3/8" UNC
21	101-020	1	STROKE CONTROL ASSEMBLY
22	101-243	1	LOCK NUT, 1"
25	101-023	1	PISTON NUT
41	101-065	1	3" SEAL KIT, INCL #10,11,13-15,40
	101-066	1	3-1/4" SEAL KIT, INCL #10,11,13-15,40
	101-067	1	3-1/2" SEAL KIT, INCL #10,11,13-15,40
50	100-3692	1	3" PHASING CYLINDER
	100-3682	1	3-1/4" PHASING CYLINDER
	100-3672	1	3-1/2" PHASING CYLINDER



7026 - DRIVELINE, 340-8082, 340-8092, TRACTOR (CV), 1000

Continued...


ITEM	PART NO.	QTY.	DESCRIPTION
1	341-80043	1	YOKE QD, 1-3/4" Z20 (340-8082)
	341-80044	1	YOKE QD, 1-3/8" Z21 (340-8092)
2	341-80047	2	CROSS KIT
5	341-80048	1	YOKE, OUTER TUBE
6	341-80045	1	CENTRAL BODY
8	341-80074	1	FLEXIBLE PIN
12	341-80051	1	OUTER CARDAN TUBE
13	341-80052	1	INNER CARDAN TUBE
16	341-80007	1	FLEXIBLE PIN
17	341-80008	1	YOKE, INNER TUBE
21	341-80060	1	SHEAR YOKE
22	341-80002	1	CROSS KIT
23	341-8086	2	GREASE FITTING, SHORT
25	341-80049	1	BELL ASSEMBLY
26	341-60039	1	SHIELD BEARING, OUTER
27	341-80050	1	RING
28	341-60020	12	SCREW
29	341-80053	1	OUTER BELL & TUBE
30	341-80054	1	INNER BELL & TUBE
31	341-80059	1	SHIELD
32	341-60014	1	SHIELD BEARING, INNER
34	341-80069	6	WASHER
40	341-60021	1	SHIELD CHAIN (CE SHEILDING ONLY)
51	341-10026	1	BALL COLLAR KIT
71	341-653	1	GREASE FITTING
72	341-802	1	TAPERED PIN & NUT
73	341-80071	1	SHEAR BOLT & NUT M10X50, CL10.9 1-3/4 Z20
	341-705	1	SHEAR BOLT & NUT M10X50, CL8.8 1-3/8 Z21
93	341-80064	1	TRACTOR HALF ASSEMBLY W/ SHIELDS, 1-3/4 Z20
	341-80065	1	TRACTOR HALF ASSEMBLY W/ SHIELDS, 1-3/8 Z21
94	341-80066	1	CUTTER HALF ASSEMBLY W/ SHIELDS
97	341-80068	1	COMPLETE SHIELD SET
98	340-8082	1	COMPLETE CV DRIVELINE, 1-3/4 X 20 SPLINE 540 RPM
99	340-8092	1	COMPLETE CV DRIVELINE, 1-3/8 X 21 SPLINE 1000 RPM



726 - DRIVELINE, 340-6132, 340-6142**Continued...**


ITEM	PART NO.	QTY.	DESCRIPTION
1	341-0637	1	YOKE
2	341-605	2	CROSS KIT COMPLETE
3	341-603A	1	GREASE NIPPLE, 90 DEG
4	341-603	1	GREASE NIPPLE, 45 DEG
5	341-622	1	YOKE, OUTER TUBE
11	341-621	1	FLEXIBLE PIN
12	341-6002	1	OUTER TUBE
13	341-6003	1	INNER TUBE (OUTER WING SHAFT)
	341-6001	1	INNER TUBE (CENTER SHAFT)
14	341-616	1	FLEXIBLE PIN
21	341-617	1	YOKE, INNER TUBE
30	341-6320	1	SLIP CLUTCH, FT (OUTER WING SHAFT)
	341-6321	1	SLIP CLUTCH, FT (CENTER SHAFT)
31	341-610	1	OUTER RETAINER
32	341-0680	1	OUTER BELL SET: SAME AS 341-716
33	341-0685	1	OUTER SAFETY TUBE (OUTER WING SHAFT)
	341-0687	1	OUTER SAFETY TUBE (CENTER SHAFT)
34	341-0686	1	INNER SAFETY TUBE (OUTER WING SHAFT)
	341-0688	1	INNER SAFETY TUBE (CENTER SHAFT)
35	341-0681	1	INNER BELL SET: SAME AS 341-614
36	341-615	1	INNER RETAINER
37	341-0613	2	CHAIN
39	341-619	1	RING NUT
51	341-633	1	BOLT & NUT
91	341-6302	1	FEMALE U-JOINT HALF (OUTER WING SHAFT)
	341-6304	1	FEMALE U-JOINT HALF (CENTER SHAFT)
92	341-6303	1	MALE U-JOINT HALF (OUTER WING SHAFT)
	341-6305	1	MALE U-JOINT HALF (CENTER SHAFT)
93	340-6132	1	COMPLETE OUTER WING DRIVELINE
	340-6142	1	COMPLETE CENTER DRIVELINE

7026 - SLIP CLUTCH, 341-6320, OUTER WING




ITEM	PART NO.	QTY.	DESCRIPTION
71	341-6014	8	SCREW
72	341-6246	1	CLUTCH PLATE (WITH SET SCREW HOLES)
	341-6312	1	CLUTCH PLATE (WITHOUT SET SCREW HOLES)
73	341-630	1	BUSHING
74	341-6247	2	LINING
75	341-6248	1	THRUST PLATE
77	341-6306	1	HUB
78	341-801	1	TAPERED PIN
80	341-6232	4	SCREW
85	341-6313	1	SPRING
88	341-6251	1	SPACER
89	341-6320	1	COMPLETE SLIP CLUTCH, FT42R, OUTER WING

7026 - SLIP CLUTCH, 341-6321, CENTER



ITEM	PART NO.	QTY.	DESCRIPTION
71	341-6014	8	SCREW
72	341-6202	1	CLUTCH PLATE (WITH SET SCREW HOLES)
	341-6316	1	CLUTCH PLATE (WITHOUT SET SCREW HOLES)
73	341-630	1	BUSHING
74	341-6228	2	LINING
75	341-6229	1	THRUST PLATE
77	341-6307	1	HUB
78	341-801	1	TAPERED PIN
80	341-6232	4	SCREW
85	341-6317	1	SPRING
88	341-6234	1	SPACER
89	341-6321	1	COMPLETE SLIP CLUTCH, FT32R, CENTER


7026 - DRIVELINE, 340-8002, INNER WING



7026 - DRIVELINE, 340-8002, INNER WING**Continued...**

ITEM	PART NO.	QTY.	DESCRIPTION
1	341-8101	1	YOKE, SPLIT CLAMP STYLE, 1-3/8 X 21
2	341-645	2	CROSS KIT COMPLETE
4	341-603A	2	GREASE NIPPLE, 90 DEG
5	341-769	1	OUTER TUBE YOKE
11	341-744	1	FLEXIBLE PIN
12	341-8102	1	OUTER TUBE
13	341-8103	1	INNER TUBE
14	341-8017	1	SPRING PIN
21	341-0805	1	INNER TUBE YOKE
30	341-8128	1	SLIP CLUTCH FT
31	341-637	1	INNER BEARING
32	341-776	1	OUTER CONE SET
33	341-8104	1	OUTER SAFETY TUBE
34	341-8105	1	INNER SAFETY TUBE
35	341-8008	1	INNER BELL SET
36	341-642	1	INNER BEARING
39	341-0815	1	RING NUT
51	341-633	1	BOLT & NUT
93	341-8106	1	FEMALE U-JOINT HALF
94	341-8107	1	MALE U-JOINT HALF, LESS CLUTCH
97	341-8052	1	COMPLETE SHIELD
98	340-8002	1	COMPLETE DRIVELINE, INNER WING


7026 - SLIP CLUTCH, 341-8128, INNER WING



7026 - SLIP CLUTCH, 341-8128, INNER WING**Continued...**

ITEM	PART NO.	QTY.	DESCRIPTION
71	341-8120	8	BOLT AND NUT
72	341-8121	1	CLUTCH PLATE (WITH SET SCREW HOLES)
	341-8127	1	CLUTCH PLATE (WITHOUT SET SCREW HOLES)
73	341-630	1	BUSHING
74	341-6247	4	LINING
75	341-8122	1	LINING
76	341-8123	1	INNER PLATE (WITH SET SCREW HOLES)
	341-8138	1	INNER PLATE (WITHOUT SET SCREW HOLES)
77	341-8124	1	SPLINED HUB
78	341-801	1	TAPERED PIN
80	341-6207	4	SCREW
83	341-6248	1	THRUST PLATE
85	341-8129	1	SPRING
88	341-8125	1	SPACER
89	341-8128	1	COMPLETE SLIP CLUTCH, FT44R, INNER WING


7026 - DRIVELINE, EQUAL ANGLE, 340-5505, 340-5506



7026 - DRIVELINE, EQUAL ANGLE, 340-5505, 340-5506**Continued...**


ITEM	PART NO.	QTY.	DESCRIPTION
A	341-5556	1	JOINT & SHAFT HALF W/GUARD 1-3/8Z21
	341-5557	1	JOINT & SHAFT HALF W/GUARD 1-3/4Z20
C	341-5558	1	JOINT & TUBE HALF W/ GUARD
1	341-5501	1	AUTO-LOK REPAIR KIT 1-3/8" SHAFT
	341-5522	1	AUTO LOK REPAIR KIT 1-3/4Z20
2	341-5523	1	YOKE Q.D. 1-3/8Z21 #55
	341-5524	1	YOKE Q.D. 1-3/4Z20 #55
3	341-5559	2	CROSS KIT
4	341-5560	1	YOKE & SHAFT
5	341-5549	2	NYLON REPAIR KIT
6	341-5512A	1	SAFETY SIGN DECAL
7	341-5561	1	OUTER GUARD
8	341-5562	1	INNER GUARD
9	341-5512B	1	SAFETY SIGN DECAL
10	341-5563	1	YOKE & SLEEVE ASSEMBLY
11	341-5575	1	SHEAR YOKE ASSEMBLY 1-3/4 Z 20
12	341-5598	1	SHEAR PIN & NUT 7/16 X 2.25 GD#5
13	341-5598A	1	LOCK NUT 7/16"
14	341-5577	2	BOLT 5/8"-11 X 3-1/4" #5
15	341-5578	2	LOCK NUT 5/8"-11
	340-5505	1	LOCATION: TRACTOR ASSEMBLY, 1-3/8 X 21 SPLINE
	340-5506	1	LOCATION: TRACTOR ASSEMBLY, 1-3/4 X 20 SPLINE

7026 - GEARBOX, 330-921



7026 - GEARBOX, 330-921**Continued...**


ITEM	PART NO.	QTY.	DESCRIPTION
1	331-9001	1	COVER
2	331-9040M	1	HOUSING
3	331-9043	2	SHAFT
4	331-9041M	2	SPACER
5	331-9005	1	GASKET
6	331-9006	6	BOLT
7	331-9007	6	WASHER
8	331-9008	2	SNAP RING
9	331-9009	1	SNAP RING
10	331-9010	1	CIRCLIP
11	331-9011	2	CIRCLIP
12	331-8016	2	SNAP RING
13	331-9012	2	SHIM KIT
14	331-9042	2	SPACER
19	331-9013	1	SHIM KIT
23	331-9014	1	SHIM KIT
27	331-9015	1	BALL BEARING
28	331-9016	1	BEARING
29	331-9017	2	BEARING
30	331-9018	2	TAPERED ROLLER BEARING
31	331-9019	1	OIL SEAL
32	331-8015	2	OIL SEAL
33	331-9020	1	OIL SEAL
34	331-9021	1	PLUG
35	331-9022	1	PLUG VENT
36	331-9044	1	BEVEL GEAR SET C/W CROWN SHAFT
	330-921	1	COMPLETE GEARBOX



7026 - GEARBOX, 330-830 - CCW, OUTER WING**Continued...**

ITEM	PART NO.	QTY.	DESCRIPTION
1	331-801	1	OIL PLUG
2	331-802	1	COVER
3	331-803	1	GASKET
4	331-804	1	BALL BEARING
5	331-827	1	CAP
6	331-822	1	SNAP RING
7	331-844	1	PINION SHAFT & CROWN GEAR,1:1.5
8	331-828	1	HOUSING
9	331-810	1	SPLIT SHOULDER RING
10	331-811	1	SNAP RING
11	331-812	1	COTTER PIN
12	331-813	1	HEXAGON SLOTTED NUT
13	331-814	1	WASHER
14	331-815	1	SPLINED HUB
15	331-843	1	SEALING LID
16	331-817	1	OIL SEAL
17	331-818	1	TAPERED ROLLER BEARING
18	331-819	1	OIL DRAIN
19	331-820	1	TAPERED ROLLER BEARING
20	331-841	1	TAPERED ROLLER BEARING
21	331-806	1	SNAP RING
22	331-897	1	INPUT SHAFT
23	331-830	1	OIL SEAL
25	331-826	6	HEX SCREW, M6 X 16
26	250-088	6	BOLT, 5/8 X 2-1/2 UNC
27	270-004	6	LOCK NUT, 5/8 UNC
28	331-842	1	SHIM KIT, INPUT SHAFT
29	331-848	1	SHIM KIT, PINION SHAFT
	330-830	1	COMPLETE GEARBOX, BP#S3070150019 OR 3070150010


7026 - GEARBOX, 330-831, CW, OUTER WING



7026 - GEARBOX, 330-831, CW, OUTER WING**Continued...**

ITEM	PART NO.	QTY.	DESCRIPTION
1	331-801	1	OIL PLUG
2	331-802	1	COVER
3	331-803	1	GASKET
4	331-804	1	BALL BEARING
5	331-805	1	CAP
6	331-806	1	SNAP RING
7	331-844	1	PINION SHAFT, AND CROWN GEAR, 1:1.5
8	331-809	1	HOUSING
9	331-810	1	SPLIT SHOULDER RING
10	331-811	1	SNAP RING
11	331-812	1	COTTER PIN
12	331-813	1	HEXAGON SLOTTED NUT
13	331-814	1	WASHER
14	331-815	1	SPLINED HUB
15	331-843	1	SEALING LID
16	331-817	1	OIL SEAL
18	331-819	1	OIL DRAIN
19	331-818	2	TAPERED ROLLER BEARING
20	331-841	1	TAPERED ROLLER BEARING
21	331-822	1	SNAP RING
22	331-896	1	INPUT SHAFT
23	331-824	1	OIL SEAL
25	331-826	6	HEX SCREWS, M6 X 16
26	250-088	6	BOLT, 5/8 X 2-1/2 UNC
27	270-004	6	LOCK NUT, 5/8 UNC
28	331-842	1	SHIM KIT, INPUT SHAFT
29	331-848	1	SHIM KIT, PINION SHAFT
	330-831	1	GEARBOX COMPLETE


7026 - GEARBOX, 330-832, CENTER



7026 - GEARBOX, 330-832, CENTER**Continued...**

ITEM	PART NO.	QTY.	DESCRIPTION
1	331-801	1	OIL PLUG
2	331-802	1	COVER
3	331-803	1	GASKET
4	331-804	1	BALL BEARING
5	331-805	1	CAP
6	331-806	1	SNAP RING
7	331-833	1	PINION SHAFT
8	331-809	1	HOUSING
9	331-810	1	SPLIT SHOULDER RING
10	331-811	1	SNAP RING
11	331-812	1	COTTER PIN
12	331-813	1	HEXAGON SLOTTED NUT
13	331-814	1	WASHER
14	331-815	1	SPLINED HUB
15	331-843	1	SEALING LID
16	331-817	1	OIL SEAL
17	331-818	2	TAPERED ROLLER BEARING
18	331-819	1	OIL DRAIN
20	331-841	1	TAPERED ROLLER BEARING
21	331-822	1	SNAP RING
22	331-896	1	INPUT SHAFT, A2
23	331-824	1	OIL SEAL, A2
24	331-847	1	CROWN & PINION, 1.25:1 RATIO
25	331-826	6	HEX SCREW, M6 X 16
26	250-088	6	BOLT, 5/8 X 2-1/2 UNC
27	270-004	6	LOCK NUT, 5/8 UNC
28	331-835	1	LOCKING NUT
30	331-837	1	LOCKING WASHER
31	331-839	1	SPACER
32	331-840	1	SNAP RING, (OPTIONAL)
33	331-842	1	SHIM KIT, (INPUT SHAFT)
	330-832	1	COMPLETE GEARBOX, BP# S3070080007 OR 3070080012


7026 - GEARBOX, 330-833, INNER WING THROUGH-BOX



7026 - GEARBOX, 330-833, INNER WING THROUGH-BOX**Continued...**

ITEM	PART NO.	QTY.	DESCRIPTION
1	331-802	1	COVER
2	331-809	1	HOUSING
3	331-895	1	SHAFT
4	331-815	1	SPLINED HUB
5	331-803	1	GASKET
6	331-810	1	SPLIT RING
7	331-843	1	SEALING LID
8	331-866	6	BOLT
9	331-812	1	COTTER PIN
10	331-813	1	HEXAGON SLOTTED NUT
11	331-814	1	WASHER
12	331-867	6	WASHER
13	331-811	1	SNAP RING
14	331-806	1	SNAP RING
15	331-822	1	SNAP RING
16	331-842	1	SHIM KIT
22	331-804	1	BALL BEARING
23	331-818	2	TAPERED ROLLER BEARING
24	331-841	1	BEARING
25	331-817	1	OIL SEAL
26	331-824	1	OIL SEAL
27	331-830	1	OIL SEAL
28	331-819	1	OIL DRAIN
29	331-801	1	OIL PLUG VENT
30	331-845	1	PINION SHAFT & CROWN GEAR
31	331-848	1	SHIM KIT
	330-833	1	COMPLETE GEARBOX, BP# S3070125018 OR 3070125025

7026 - EUROPEAN LIGHTS & SIGNS




7026 - EUROPEAN LIGHTS & SIGNS

Continued...


ITEM	PART NO.	QTY.	DESCRIPTION
1	C520-484	2	FRONT ARM, DRIRE SIGNS, 5026/ FX-520
2	270-017	22	LOCKNUT, 3/8" UNC, PLATED
3	C502-482	2	DRIRE FRONT PANEL REINFORCEMENT
4	250-059	6	BOLT, 1/2" X 1-1/2" UNC, GR5, PLATED
5	S000-117	2	KIT OF 2 REFLECTING PLATES
6	250-018	18	BOLT, 3/8" X 1" UNC, GR5
7	250-027	4	BOLT, 3/8" X 3", UNC, GR5, PLATED
8	S000-116	4	ROUND REFLECTOR, ORANGE, DIAM 60, STICK ON
9	257-060	6	CENTERLOCK FLANGE NUT 1/2" UNC
10	C502-180	1	SMV MOUNT BRACKET
11	C316-615	1	REAR SPEED DECAL MOUNT
12	S000-118	1	25 SIGN
13	270-001	4	LOCKNUT, 3/4" UNC, PLATED
14	C502-481	2	DRIRE REAR ARM MOUNT
15	250-115	4	BOLT, 3/4" X 2" UNC, GR5, PLATED
16	525-321	1	DRIRE EUROPEAN LIGHT MOUNT, LEFT
17	S000-115	1	LIGHT SET, EU, WITH HARNESS
18	525-322	1	DRIRE EUROPEAN LIGHT MOUNT, RIGHT
19	257-151	4	METRIC NUT, M5 X 0.8

7026 - BLADE COVER (FRANCE) C502-685




ITEM	PART NO.	QTY.	DESCRIPTION
1	C502-150	1	LEFT WING (SHOWN)
	C502-155	1	RIGHT WING (NOT SHOWN)
2	258-107	12	J-BOLT 1/2X6-1/8 4-3/4" THREAD
3	256-011	24	WASHER, 1/2, AS TYPE A, 9/16 IDX1-3/8 ODX.109,
4	257-022	24	NUT, 1/2 ", UNC,
	C502-475	1	BLADE COVER TARP LEFT (NOT SHOWN)
	C502-476	1	BLADE COVER TARP RIGHT (NOT SHOWN)

7026 - TOOLBOX KIT (RUSSIA)



ITEM	PART NO.	QTY.	DESCRIPTION
1	Y075-551	1	TOOL BOX, 32 X 8-3/4 WIDE X 9-1/
2	256-017	5	WASHER 3/8"
3	250-018	9	BOLT 3/8 X 1 UNC GR5
4	270-017	9	LOCKNUT 3/8 UNC PLATED
5	520-1086	1	TOOLBOX MOUNT (REPLACES C502-181
6	520-1087	1	SMV MOUNT
7	250-0021	2	1/4 X 3/4 NC GR 5 HCS: YZ
8	256-018	2	WASHER 1/4"
9	270-025	2	LOCKNUT; 1/4" UNC, PLATED
10	S000-110	1	SMV SIGN; GALV; S276.6; V9722; W/ BLACK OVERLAY
11	C502-180	1	SMV MOUNT BRACKET

7026 - CROP DIVIDERS




7026 - CROP DIVIDERS

Continued...


ITEM	PART NO.	QTY.	DESCRIPTION
1	C502-921	1	LEFT CROP GATHERER 5026
	C502-922	1	RIGHT CROP GATHERER 5026
2	250-048	2	BOLT, 1/2" X 4" UNC GR5 PLATED
3	255-009	2	LOCKWASHER, 1/2"
4	256-011	2	WASHER, 1/2" AS A 9/16" X 1-3/8" X 0.109"
5	257-060	4	CENTERLOCK FLANGE NUT 1/2" UNC
6	250-068	2	CARRIAGE BOLT, 1/2" X 2" UNC GR5 PL

7026 - TRANSPORT LIGHT KIT S000-040



ITEM	PART NO.	QTY.	DESCRIPTION
1	S000-088	1	SAFETY LIGHTS, COMPLETE WITH HARNESS
2	S000-101	2	LIGHT BRACKET
3	250-017	4	BOLT 3/8 X 3/4 UNC GR5 PLATED
4	256-017	4	WASHER 3/8"
5	270-017	4	LOCKNUT 3/8 UNC PLATED
6	S000-042	2	MOUNTING BRACKET
7	275-133	1	MAIN HARNESS, 25'

7026 - SAFETY CHAIN S000-011




NOTE: 10,000 lbs capacity, 59" minimum length

NOTE: This Safety Chain is intended as an auxiliary attaching system per ASAE S338.3. The Safety Chain will help control the rotary cutter should it accidentally separate from the drawbar. Do Not Use the Safety Chain for Towing. Replace the entire chain if any link or end fitting is broken, damaged or stretched.

ITEM	PART NO.	QTY.	DESCRIPTION
1	S000-011	1	SAFETY CHAIN

Decal Location







7026 - SAFETY CHAIN S000-011

ITEM	PART NO.	QTY	TYPE	DESCRIPTION
1.	226-436	1	DANGER	Multi-Hazard, Rotary Cutters
2.	226-438	1	WARNING	Multi-Hazard, Trailing Unit
3.	226-441	1	DANGER	1000 RPM
4.	226-446	7	DANGER	Shield Missing (Cone)
5.	226-443	2	DANGER	Stay Clear of Wings
6.	226-153	2	REFLECT	Red Reflector
7.	226-154	6	REFLECT	Amber Reflector
8.	226-073	1	INFORMATION	Patent Number
9.	NFS	1	SER PLT	Serial Plate
10.	226-081	6	INSTRUCT	Check Oil Level
11.	226-363	1	INSTRUCT	Lubrication Requirements
12.	226-551	6	LOGO	Rhino Profile
13.	226-550	4	LOGO	7026 Profile
14.	226-437	11	DANGER	Chain Guard Missing
15.	S000-110	1	REFLECT	SMV Sign
16.	226-447	1	IMPORTANT	Shear Bolt
17.	226-189	2	REFLECT	Fluorescent
18.	226-164	2	WARNING	Blade Rotation, CW
19.	226-165	2	WARNING	Blade Rotation, CCW
20.	226-181	28	INSTRUCT	Greasing Interval, 8 Hours
21.	226-442	1	DANGER	Guard Missing
22.	226-180	2	INSTRUCT	Greasing Interval, 4 Hours
23.	226-044	1	INFORMATION	Grease Nipple on Underside
24.	226-196	2	INFORMATION	Transport Pin Locations
25.	226-337	1	INFORMATION	Color Coded Hoses
26.	226-004	1	LOGO	FEMA Member
27.	00760657	1	WARNING	Use Genuine Rhino Parts
28.	226-358	1	INFORMATION	This Jack meets International Standard
29.	226-268	1	IMPORTANT	This machine not to be used w/ CV shaft
30.	226-448	1	IMPORTANT	Stability Decal
31.	226-428	1	WARNING	Jack Positioning-Adjustable, 3000/800
32.	226-450	1	WARNING	Jack Positioning, Fixed, 3000/800
33.	226-491	1	DANGER	Multi-Language
34.	226-499	2	INSTRUCT	This Side Up
35.	226-201	1	_____	Manual Canister
36.	226-018	1	_____	Lockwasher
37.	250-002	1	_____	Bolt
38.	270-025	1	_____	Locknut
39.	00789338C	1	_____	Operator's Manual (Inside Canister)

MAINTENANCE

MAINTENANCE



Mnt-R-0538

SERVIS-RHINO

LIMITED WARRANTY

1. LIMITED WARRANTIES

- 1.01. Servis-Rhino warrants for one year from the purchase date to the original non-commercial, governmental, or municipal purchaser ("Purchaser") and warrants for six months to the original commercial or industrial purchaser ("Purchaser") that the goods purchased are free from defects in material or workmanship.
- 1.02. Manufacturer will replace for the Purchaser any part or parts found, upon examination at one of its factories, to be defective under normal use and service due to defects in material or workmanship.
- 1.03. This limited warranty does not apply to any part of the goods which has been subjected to improper or abnormal use, negligence, alteration, modification, or accident, damaged due to lack of maintenance or use of wrong fuel, oil, or lubricants, or which has served its normal life. This limited warranty does not apply to any part of any internal combustion engine, or expendable items such as blades, shields, guards, or pneumatic tires except as specifically found in your Operator's Manual.
- 1.04. Except as provided herein, no employee, agent, Dealer, or other person is authorized to give any warranties of any nature on behalf of Manufacturer.

2. REMEDIES AND PROCEDURES.

- 2.01. This limited warranty is not effective unless the Purchaser returns the Registration and Warranty Form to Manufacturer within 30 days of purchase.
- 2.02. Purchaser claims must be made in writing to the Authorized Dealer ("Dealer") from whom Purchaser purchased the goods or an approved Authorized Dealer ("Dealer") within 30 days after Purchaser learns of the facts on which the claim is based.
- 2.03. Purchaser is responsible for returning the goods in question to the Dealer.
- 2.04. If after examining the goods and/or parts in question, Manufacturer finds them to be defective under normal use and service due to defects in material or workmanship, Manufacturer will:
 - (a) Repair or replace the defective goods or part(s) or
 - (b) Reimburse Purchaser for the cost of the part(s) and reasonable labor charges (as determined by Manufacturer) if Purchaser paid for the repair and/or replacement prior to the final determination of applicability of the warranty by Manufacturer.The choice of remedy shall belong to Manufacturer.
- 2.05. Purchaser is responsible for any labor charges exceeding a reasonable amount as determined by Manufacturer and for returning the goods to the Dealer, whether or not the claim is approved. Purchaser is responsible for the transportation cost for the goods or part(s) from the Dealer to the designated factory.

3. LIMITATION OF LIABILITY.

- 3.01. MANUFACTURER DISCLAIMS ANY EXPRESS (EXCEPT AS SET FORTH HEREIN) AND IMPLIED WARRANTIES WITH RESPECT TO THE GOODS INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.
- 3.02. MANUFACTURER MAKES NO WARRANTY AS TO THE DESIGN, CAPABILITY, CAPACITY, OR SUITABILITY FOR USE OF THE GOODS.
- 3.03. EXCEPT AS PROVIDED HEREIN, MANUFACTURER SHALL HAVE NO LIABILITY OR RESPONSIBILITY TO PURCHASER OR ANY OTHER PERSON OR ENTITY WITH RESPECT TO ANY LIABILITY, LOSS, OR DAMAGE CAUSED OR ALLEGED TO BE CAUSED DIRECTLY OR INDIRECTLY BY THE GOODS INCLUDING, BUT NOT LIMITED TO, ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES RESULTING FROM THE USE OR OPERATION OF THE GOODS OR ANY BREACH OF THIS WARRANTY. NOTWITHSTANDING THE ABOVE LIMITATIONS AND WARRANTIES, MANUFACTURER'S LIABILITY HEREUNDER FOR DAMAGES INCURRED BY PURCHASER OR OTHERS SHALL NOT EXCEED THE PRICE OF THE GOODS.
- 3.04. NO ACTION ARISING OUT OF ANY CLAIMED BREACH OF THIS WARRANTY OR TRANSACTIONS UNDER THIS WARRANTY MAY BE BROUGHT MORE THAN TWO (2) YEARS AFTER THE CAUSE OF ACTION HAS OCCURRED.

4. MISCELLANEOUS.

- 4.01. Proper Venue for any lawsuits arising from or related to this limited warranty shall be only in Guadalupe County, Texas.
- 4.02. Manufacturer may waive compliance with any of the terms of this limited warranty, but no waiver of any terms shall be deemed to be a waiver of any other term.
- 4.03. If any provision of this limited warranty shall violate any applicable law and is held to be unenforceable, then the invalidity of such provision shall not invalidate any other provisions herein.
- 4.04. Applicable law may provide rights and benefits to purchaser in addition to those provided herein.

KEEP FOR YOUR RECORDS

ATTENTION: Purchaser should fill in the blanks below for his reference when buying repair parts and/or for proper machine identification when applying for warranty.

Servis-Rhino Implement Model _____ Serial Number _____

Date Purchased _____ Dealer _____

ATTENTION:
READ YOUR OPERATOR'S MANUAL

RHINO®
1020 S. Sangamon Ave.
Gibson City, IL 60936
800-446-5158
Email: parts@servis-rhino.com





TO THE OWNER/OPERATOR/DEALER

To keep your implement running efficiently and safely, read your manual thoroughly and follow these directions and the Safety Messages in this Manual. The Table of Contents clearly identifies each section where you can easily find the information you need.

The OCCUPATIONAL SAFETY AND HEALTH ACT (1928.51 Subpart C) makes these minimum safety requirements of tractor operators:

REQUIRED OF THE OWNER:

1. Provide a Roll-Over-Protective Structure that meets the requirements of this Standard; and
2. Provide Seatbelts that meet the requirements of this paragraph of this Standard and SAE J4C; and
3. Ensure that each employee uses such Seatbelt while the tractor is moving; and
4. Ensure that each employee tightens the Seatbelt sufficiently to confine the employee to the protected area provided by the ROPS.

REQUIRED OF THE OPERATOR

1. Securely fasten seatbelt if the tractor has a ROPS.
2. Where possible, avoid operating the tractor near ditches, embankments, and holes.
3. Reduce speed when turning, crossing slopes, and on rough, slick, or muddy surfaces.
4. Stay off slopes too steep for safe operation.
5. Watch where you are going - especially at row ends, on roads, and around trees.
6. Do not permit others to ride.
7. Operate the tractor smoothly - no jerky turns, starts, or stops.
8. Hitch only to the drawbar and hitch points recommended by the tractor manufacturer.
9. When the tractor is stopped, set brakes securely and use park lock, if available.



Keep children away from danger all day, every day...



Equip tractors with rollover protection (ROPS) and keep all machinery guards in place...



Please work, drive, play and live each day with care and concern for your safety and that of your family and fellow citizens.

