WHOLEGOODS PRICE LIST

EFFECTIVE JULY 1, 2018













IMPORTANT NOTICE

Prices shown in this book are list prices and do not include freight, setup, or handling unless specifically noted. Shipping weights listed in this book are approximate and include crating or skids where applicable. All prices are F.O.B. factory; freight shipments arranged by Rhino® will be per the published rate chart and subject to change. Rhino® reserves the right to ship items via motor freight collect at its discretion. Freight invoices are due 15 days after invoice date.

Prices, terms, and discounts are subject to change without notice. Orders placed will be accepted based on the price in effect at the time of shipment unless otherwise specified. Prices shown in this book do not include any applicable federal, provincial, state, or local taxes, or levies.

Some products included in this book are only available to dealers authorized for the specific Alamo Group brand. Please contact your Alamo Ag sales representative with questions about availability or to inquire about adding the Rhino® or EarthMaster® brands to your account.

Machines included in this price book conform to safety standards applicable to the products at the time of manufacture and may include safety devices such as shields, guards, or operator protective devices. Under no circumstances should machines be operated without the safety devices in place.

This document is confidential and is for use by authorized Rhino® or EarthMaster® dealership personnel only. It is not to be distributed for any purpose other than selling Rhino® or EarthMaster® branded products.

Rhino® and EarthMaster® reserve the right to make changes and/or improvements in design and construction of parts or machines shown herein without notice or obligation. Rhino® and EarthMaster® guarantee each piece of equipment against defective materials and workmanship for a period of one year from date of delivery unless otherwise noted.

ROTARY CUTTER OR FLAIL MOWER THROWN OBJECT PROTECTION

Rhino offers three types of shielding to protect the operator, passersby, livestock, and property from mower thrown objects: deflectors, single chain guards, and double chain guards. Shielding should be selected based on the intended use of the mower. Double chain guards or deflectors should be used for highway, right-of-way, parks, or greenbelt mowing or other mowing where human dwellings, vehicles, or livestock could be within 300 feet of the mower. Chain guards are more durable, provide longer service life, and require less maintenance than deflectors. Single chain guards should be sufficient for agricultural and other mowing where passersby or property are not within 300 feet of the mower during operation.

No shielding is completely effective in preventing thrown objects. The possibility of injury or property damage from this hazard can be substantially reduced by selecting proper shielding, maintaining the mower and shielding in good operating condition, inspecting the area for foreign debris before mowing, operating the mower at a minimum cutting height of 4", and keeping people at least 300 feet from the mower at all times during operation.

GENERAL PROVISIONS OF SALE

- 1. No credit will be allowed for the return on any equipment or parts for Warranty unless arrangements for such are made prior to their return and Warranty Registration has been completed for the machine. Warranty registration must be done online at the following web address: www.alamoagservicecenter.com.
- 2. In order to meet competitive situations, Rhino reserves the option to sell directly to Governmental Agencies or Private Experimental Organizations engaged in research and development without obligation to local Dealers or Distributors.
- 3. It is understood that the Dealer or Distributor will promptly unload implements from company trucks upon arrival at their place of business. Rhino must be notified within 30 days if shortages or overages are discovered.
- 4. It is understood that the Dealer or Distributor will promptly pick up Will-Call orders when notified that the order is ready.
- 5. Extra equipment and options listed in this Price Catalog may be ordered with Wholegoods units only.
- 6. Safety equipment may not be returned for credit.




TABLE OF CONTENTS (CONTINUED)	
HEAVY-DUTY 20' FLEX-WING ROTARY CUTTERS	
6140 14' Heavy-Duty Offset Flex-Wing Rotary Cutter	84 - 86
6200 20' Heavy-Duty Flex-Wing Rotary Cutter	87 - 89
DITCH BANK & BOOM MOWERS	
MDB130 Mechanically Driven Ditch Bank Mower	90
DB150 Hydraulic Ditch Bank Rotary Cutter	91
2160 Hydraulic Boom Rotary Cutter - Built to Order	92
LANDSCAPE EQUIPMENT	
Pulverizers (Single Roller)	93
Pulverizers (Double Roller)	94
PG Series Plugger	95
MPG Series Plugger	96
PA Series Pasture Aerator	97 - 98
LLR Landscape Rakes	99
CBX Compact Box Blades	100
SBX Medium-Duty Box Blades	101 - 102
MBX Heavy-Duty Box Blades	103 - 104
RO Roll-Over Box Blades	105
DSP Pull-Type Dirt Scrapers	106
GS60, GS72, GS84, HDGS84, HDGS96 Grading Scrapers	107
AP Plow	108
Subsoiler Heavy-Duty (1 Shank)	109
Subsoiler Heavy-Duty (2 Shanks)	110
Subsoiler Standard Duty	111
Lay Off Plow	112
One Row Cultivator	113
Lift- Type Compact Disc Harrow (1D, 2D, 3D)	114 - 120
Pull- Type Compact Disc Harrow (DHP8, DHP10, DHP12)	121 - 124
Rebel Rotary Tillers (Forward & Reverse)	125 - 126
SRT, SRM Rotary Tillers	127
3-Point Posthole Diggers 130P, 240P, 340P, 440P	128 - 129
N15, N20, N30 Medium-Duty Planetary Drive Diggers	130 - 131
H200, H300, H350 Heavy-Duty Planetary Drive Diggers	132 - 135
REAR BLADES	
35, 50, 70 Rear Blades	136 - 139
850 Rear Blade	140
950 Rear Blade	141 - 142
1540 Rear Blade	143 - 144
2500, 3500 Rear Blades	145 - 146

TABLE OF CONTENTS (CONTINUED)	
HAYING EQUIPMENT	
PT207, PT405, PT405H, PT419H, PT625H - Pull-Type Hay Tedders	147
VR Rakes	148
VRX Rakes	149
Revolution Dual Fold Heavy-Duty Pull-Type Wheel Rakes	150
ACG10 Accumagrapple	151
MBS456 Mega Bale Splitter	152
Bale Unroller	154
Bale Spears	155
GRAPPLES & PALLET FORKS	
AGR	156 - 157
BRGR	158
BGR	159
PF Series	160
Rhino Contact Numbers	162



RhinoAg believes quality is from the inside out.
Our equipment is now factory filled with Lucas Oil Products, a premium line of oil.

	Base Eq.	Get op Times Continued		
Model	Set-up	ADD Time For Optional Equipment Installation		
Flail Mowers and Shredders				
RSM5 Flail Mower	1 Hr	No Options		
RSM6 Flail Mower	1 Hr	No Options		
RSM6H Flail Mower	1.5 Hrs	No Options		
RSM7H Flail Mower	1.5 Hrs	No Options		
RHD96 Heavy-Duty Flail Mower	1 Hr	No Options		
RC115 Row Crop Shredder	1 Hr	No Options		
RC118 Row Crop Shredder	1 Hr	No Options		
RC120 Row Crop Shredder	2 Hrs	1 Hr for Pull-Type or Lift-Type End Tow Kit		
RC125 Row Crop Shredder	2 Hrs	1 Hr for Pull-Type or Lift-Type End Tow Kit, 1 Hr for Axle Arms and Tires		
Finishing Mowers				
FA513 Finishing Mower	2.5 Hrs	No Options		
FA613 Finishing Mower	2.5 Hrs	No Options		
FA713 Finishing Mower	2.5 Hrs	No Options		
TX1500 Turf-Flex Finishing Mower	1 Hr	No Options		
TX1700 Turf-Flex Finishing Mower	1 Hr	No Options		
FX17 Flex-Flail Finishing Mower	1 Hr	No Options		
FX21 Flex-Flail Finishing Mower	1 Hr	No Options		
Single Spindle Rotary Cutters		The spaces		
TW10 Series	1 Hr	.5 Hr to Modify PTO Length		
TW20 Series	1 Hr	.5 Hr to Modify PTO Length		
TW30 Series	1 Hr	.5 Hr to Modify PTO Length		
RH4 Economy Rotary Mower	1 Hr	.5 Hr to Modify PTO Length		
RH5 Economy Rotary Mower	1 Hr	.5 Hr to Modify PTO Length		
RH6 Economy Rotary Mower	1 Hr	.5 Hr to Modify PTO Length		
5' Rotary Cutter (160, 260)	1 Hr	.5 Hr for Offset Adaptor		
6' Rotary Cutter (172, 272, 472)	1 Hr	.5 Hr for Offset Adaptor		
7' Rotary Cutter (184, 284, 484)	1 Hr	1 Hr for Pull-Type		
GR Series (GR260, GR472, GR484)	1 Hr	1 Hr For Pull-Type, 1.5 Hrs for Shredder Kit		
Single Spindle Rotary Cutters		Thirtorran type, he the for emedder the		
SE8A Rotary Mower	1.5 Hrs	1 Hr for Pull-Type, .25 Hr for Spring Shock, .25 Hr for Check Chain		
TURBO 96 Super Duty Rotary Cutter	1.5 Hrs	1 Hr for Pull-Type, .25 Hr for Check Chain, .5 Hr for Offset Hitch		
SE10A Rotary Mower	1.5 Hrs	1 Hr for Pull-Type, .25 Hr for Spring Shock, .25 Hr for Check Chain		
TW120 Heavy-Duty Rotary Cutter	1.5 Hrs	1 Hr for Pull-Type, .25 Hr for Check Chain		
TR120 Super-Duty Rotary Cutter	1.5 Hrs	1 Hr for Pull-Type, .25 Hr for Check Chain		
TW144 Heavy-Duty Rotary Cutter	1.5 Hrs	1 Hr for Pull-Type, .25 Hr for Check Chain, .5 Hr Aux. Spindle Kit, .75 Hr Aux Arm Kit		
TW168 Heavy-Duty Rotary Cutter	1.5 Hrs	1 Hr for Pull-Type, 1 Hr Shredder Kit, .75 Hr for Axle Arm/Tire Kit		
Flex-Wing Rotary Cutters				
TS10 10' Flex-Wing Cutter	2 Hrs	.25 Hr for 2-Funct. Hyd. Kit, .5 Hr for 3-Funct. Hyd Kit		
TS12 Stealth 12' Flex-Wing Cutter	2 Hrs	.25 Hr for 2-Funct. Hyd. Kit, .5 Hr for 3-Funct. Hyd Kit		
2150 15 Medium-Duty Flex-Wing	2 Hrs	.25 Hr for Hydraulic Splitter Kit, .5 Hr for Precision Hitch		
3100 10' Medium-Duty Offset Cutter	2 Hrs	.25 Hr for Hydraulic Splitter Kit, .5 Hr for Precision Hitch		
3150 15' Medium-Duty Flex-Wing	2 Hrs	.25 Hr for Hydraulic Splitter Kit, .5 Hr for Precision Hitch		
4105 10' Heavy-Duty Offset Cutter	2 Hrs	.25 Hr for Hydraulic Splitter Kit, .5 Hr for Precision Hitch		
4150 15' "AG" Heavy-Duty Cutter	2 Hrs	.25 Hr for Hydraulic Splitter Kit, .5 Hr for Precision Hitch		
4155 15' "Pro" Heavy-Duty Cutter	2 Hrs	.25 Hr for Hydraulic Splitter Kit, .5 Hr for Precision Hitch		

Set-Op Times Continued	Base Eq.		
Model Flow Wing Retary Cuttors Continues	Set-Up	ADD Time For Optional Equipment Installation	
Flex-Wing Rotary Cutters Continued			
5100 10' Super-Duty Offset Cutter	2 Hrs	.25 Hr for Hydraulic Splitter Kit, .5 Hr for Precision Hitch	
5150 15' Super-Duty Flex-Wing	2 Hrs	.25 Hr for Hydraulic Splitter Kit, .5 Hr for Precision Hitch	
6140 14' Heavy-Duty Offset Cutter	2 Hrs	1.5 Hrs for Winch and Stand, .25 Hr for Ball Hitch, .5 Hr for Pintle Hitch	
6200 20' Heavy-Duty Flex-Wing	2 Hrs	1.5 Hrs for Winch and Stand, .75 Hr for Baffle Kit, .25 Hr for Ball Hitch, .5 Hr for Pintle Hitch, .25 Hr for Hydraulic Splitter Kit	
Ditch Bank & Boom Mowers			
MDB130 Mechanically Driven Ditch Bank Mower	1 Hr	.75 Hr for Side Mount Gauge Wheel	
DB150 Hydraulic Ditch Bank Cutter	2 Hrs	.5 Hr for Closed Center 3 Spool Valve, .5 Hr for Open Center 3 Spool Valve, .5 Hr for Front and Rear Double Chain Guards, .25 Hr for Rear Tail Wheel, .25 Hr for Side Gauge Wheel, .25 Hr for Hyd Valve Mounting Plate, .5 Hr for Hitch Adaptor Kit	
2160 Hydraulic Boom Cutter	3 Hrs	1 Hr for Hyd Relief Arm Kit, .25 Hr for Side Mount Gauge Wheel	
Landscape Equipment			
Pulverizer (Single Roller)	0	No Options	
Pulverizer (Double Roller)	0	No Options	
PG Series Plugger	0	No Options	
MPG Series Plugger	0	No Options	
PA Series Pasture Aerator	1.5 Hrs	No Options	
LLR Landscape Rake	0	No Options	
SBX Compact Box Blade	0	No Options	
SBX Medium-Duty Box Blade	0	No Options	
MBX Heavy-Duty Box Blade	0	No Options	
RO Roll-Over Box Blades	0	No Options	
DSP Pull-Type Dirt Scraper	1.5 Hrs	.25 Hr for Weight Box	
GS60, GS72, GS84, HDGS84, HDGS96 Grading Scrapers	1 Hr	No Options	
AP Plow	0	No Options	
Subsoiler Heavy-Duty (1 Shank)	0	No Options	
Subsoiler Heavy-Duty (2 Shank)	0	No Options	
Subsoiler Standard-Duty	0	No Options	
Lay Off Plow	0	No Options	
One Row Cultivator	0	No Options	
Lift-Type Disk Harrow (1D, 2D, 3D)	0	.5 Hr for Scraper Kit	
DHP8 Pull-Type Disk Harrow	2 Hrs	.75 Hr for Scraper Kit, .5 Hr for Dual Wheel Transport Kit	
DHP10 Pull-Type Disk Harrow	2.5 Hrs	.75 Hr for Scraper Kit, .5 Hr for Dual Wheel Transport Kit	
DHP12 Pull-Type Disk Harrow	2.75 Hrs	.75 Hr for Scraper Kit, .5 Hr for Dual Wheel Transport Kit	
Fuerst Broadcast Seeder/Spreader	2 Hrs	No Options	
Rebel Rotary Tillers	1 Hr		
SRT, SRD, SRM Rotary Tiller	1 Hr	.5 Hr for PTO Length Modification	
"P" Series 3-Point Post Hole Digger	1 Hr	.25 Hr for Parking Stand, .5 Hr for Hyd. Down Force Kit, .25 Hr for Auger Extension	
"N" Series Medium-Duty PHD	1 Hr	.25 Hr for Hyd. Hose Kit.	
"H" Series Heavy-Duty PHD	1 Hr	.25 Hr for Auger Extension	

O	Base Eq.	
Model	Set Up	ADD Time For Optional Equipment Installation
Rear Blades		
35, 50, 70 Rear Blades	1 Hr	.25 Hr for Skid Shoe Kit
850 Rear Blade	2 Hrs	.25 Hr for Skid Shoes, .25 Hr for Hose Holder Kit, .25 Hr for End Plate Kit, .25 Hr for Cushion Valve
950 Rear Blade	2 Hrs	.25 Hr for Skid Shoes, .25 Hr for End Plate Kit, .5 Hr for Gauge Wheel w/ Cylinder, .5 Hr for Gauge Wheel w/ Ratchet
1540 Rear Blade	2 Hrs	.25 Hr for Skid Shoes, .25 Hr for End Plate Kit, .5 Hr for Dual Gauge Wheels
2500 Rear Blade	2 Hrs	.25 Hr for Skid Shoes, .25 Hr for End Plate Kit, .5 Hr for Dual Gauge Wheels
3500 Rear Blade	2 Hrs	.25 Hr for Skid Shoes, .25 Hr for End Plate Kit, .5 Hr for Dual Gauge Wheels
Haying Equipment		
PT207 Tedder	2 Hrs	
PT405 Tedder	4 Hrs	
PT405H Tedder	4.5 Hrs	.5 Hr for Hydraulic Tilt Kit
PT419H Tedder	4.5 Hrs	
PT625H Tedder	7 Hrs	
ER Pull-Type Rakes	3 Hrs	
RHP8 Patriot Rake	3 Hrs	.75 Hr for Center Kicker Wheel, .5 Hr for Wind Shield Covers, 1.5 Hr Convert to 10 or 12 Wheel
RHP10 Patriot Rake	4 Hrs	.75 Hr for Center Kicker Wheel, .5 Hr for Wind Shield Covers
RHP12 Patriot Rake	4.5 Hrs	.75 Hr for Center Kicker Wheel, .5 Hr for Wind Shield Covers
VR8/VR10/VR12	6 Hrs	
VRX12/VRX14	8 Hrs	
BF Rake	12 Hrs	1 Hr for Dual Center Kicker Wheel, .75 Hr for Hyd Wing Kit, .5 Hr for Wind Shield Covers
RDF Rake	12 Hrs	1 Hr for Dual Center Kicker Wheel, .5 Hr for Rear Tandem Wheel Kit, .75 Hr for Rear Hyd. Opening Kit, .75 Hr for Hyd. Wing Kit, .5 Hr for Hyd. Double Acting Wheel Kit, .5 Hr for Wind Shield Covers
ACG10 Accumagrapple	0	
MBS456 Mega Bale Splitter	0	
Bale Unroller	0	
Bale Spears	0	
Grapples & Pallet Forks		
AGR	15 Min	
Skid Steer Grapples	15 Min	
ISO Euro Grapples	15 Min	
BRGR	15 Min	
BGR	15 Min	
PF Series	15 Min	
Tillage Equipment		
3000 25' Series Earthmaster VT	30 Hrs	Base Set-up includes Baskets
3000 31' Series Earthmaster VT	30 Hrs	Base Set-up includes Baskets
3000 34' Series Earthmaster VT	32 Hr	Base Set-up includes Baskets
65 Series Earthmaster 1165, 1465	16	
10 Series EM 1710, 2210F, 2510F	20 Hrs	
	*	

^{*}Note: Base equipment set-up includes: Remove from shipping configuration, assemble unit, Check all oils and Grease entire machine, Preset machine for operation, Operate machine.

*Note: Some equipment requires in-field adjustment for customer satisfaction. This chart does NOT include time for this service.

*Note: Items with "0" set-up time are shipped fully assembled.

*Note: As a service to our dealers, RHINO ships all wholegoods gearboxes WITH oil. (Level needs to be verified at set-up)

Product Warranty Information

Model	Warranty		
RSM5 Flail Mowers	1 Year Machine		
RSM6 Flail Mowers	1 Year Machine		
RSM6H Flail Mowers	1 Year Machine		
RSM7H Flail Mowers	1 Year Machine		
RHD96 Heavy-Duty Flail Mower	1 Year Machine		
RC115 Row Crop Shredder	1 Year Machine, 5 Year Ltd Gearbox		
RC118 Row Crop Shredder	1 Year Machine, 5 Year Ltd Gearbox		
RC120 Row Crop Shredder	1 Year Machine, 5 Year Ltd Gearbox		
RC125 Row Crop Shredder	1 Year Machine, 5 Year Ltd Gearbox		
FA513 Finishing Mower	1 Year Machine		
FA613 Finishing Mower	1 Year Machine		
FA713 Finishing Mower	1 Year Machine		
TX1500 Turf-Flex Finishing Mower	1 Year Machine		
TX1700 Turf-Flex Finishing Mower	1 Year Machine		
FX17 Flex-Flail Flex-Wing Finishing Mower	1 Year Machine		
FX21 Flex-Flail Flex-Wing Finishing Mower	1 Year Machine		
TW10 Series	1 Year Machine, 3 Year Ltd Gearbox		
TW20 Series	1 Year Machine, 5 Year Ltd Gearbox		
TW30 Series	1 Year Machine, 5 Year Ltd Gearbox		
RH4 Economy Rotary Mower	1 Year Machine, 3 Year Ltd Gearbox		
RH5 Economy Rotary Mower	1 Year Machine, 3 Year Ltd Gearbox		
RH6 Economy Rotary Mower	1 Year Machine, 3 Year Ltd Gearbox		
5' Rotary Cutter (160, 260)	1 Year Machine, 5 Year Ltd Gearbox		
6' Rotary Cutter (172, 272, 472)	1 Year Machine, 5 Year Ltd Gearbox		
7' Rotary Cutter (184, 284, 484)	1 Year Machine, 5 Year Ltd Gearbox		
GR Series (GR260, GR472, GR484)	1 Year Machine, 5 Year Ltd Gearbox		
SE8A Rotary Mower	1 Year Machine, 5 Year Ltd Gearbox		
TURBO 96 Super Duty Rotary Cutter	1 Year Machine, 5 Year Ltd Gearbox		
SE10A Rotary Mower	1 Year Machine, 5 Year Ltd Gearbox		
TW120 Heavy-Duty Rotary Cutter	1 Year Machine, 5 Year Ltd Gearbox		
TR120 Super-Duty Rotary Cutter	1 Year Machine, 5 Year Ltd Gearbox		
TW144 Heavy-Duty Rotary Cutter	1 Year Machine, 5 Year Ltd Gearbox		
TW168 Heavy-Duty Rotary Cutter	1 Year Machine, 5 Year Ltd Gearbox		

Model	Warranty	
TS10 10' Flex-Wing Cutter	1 Year Machine, 5 Year Ltd Gearbox (Non-Commercial)	
TS12 Stealth 12' Flex-Wing Cutter	1 Year Machine, 5 Year Ltd Gearbox (Non-Commercial)	
2150 15" Medium-Duty Flex-Wing Cutter	1 Year Machine, 6 Year Ltd Gearbox, 2 Year Seals	
3100 10' Medium-Duty Offset Flex-Wing Cutter	1 Year Machine, 6 Year Gearbox, 2 Year Seals	
3150 15' Medium-Duty Flex-Wing Cutter	1 Year Machine, 6 Year Gearbox, 2 Year Seals	
4105 10' Heavy-Duty Offset Flex-Wing Cutter	1 Yr Machine, 2 Yr Ltd Driveline, 6 Yr Gearbox, 2 Yr Seals	
4150 15' "AG" Heavy-Duty Flex-Wing Cutter	1 Year Machine, 6 Year Gearbox, 2 Year Seals	
4155 15' "Pro" Heavy-Duty Flex-Wing Cutter	1 Yr Machine, 2 Yr Ltd Driveline, 6 Yr Gearbox, 2 Yr Seals	
5100 10' Super-Duty Offset Flex-Wing Cutter	1 Yr Machine, 2 Yr Ltd Driveline, 6 Yr Gearbox, 2 Yr Seals	
5150 15' Super-Duty Flex-Wing Cutter	1 Yr Machine, 2 Yr Ltd Driveline, 6 Yr Gearbox, 2 Yr Seals	
6140 14' Heavy-Duty Offset Flex-Wing Cutter	1 Yr Machine, 2 Yr Ltd Driveline, 6 Yr Gearbox, 2 Yr Seals	
6200 20' Heavy-Duty Flex-Wing Cutter	1 Yr Machine, 2 Yr Ltd Driveline, 6 Yr Gearbox, 2 Yr Seals	
MDB130 Mechanically Driven Ditch Bank Mower	1 Year Machine, 6 Year Gearbox	
DB150 Hydraulic Ditch Bank Cutter	1 Year Machine	
2160 Hydraulic Boom Cutter	1 Year Machine (Non-Commercial)	
Pulverizer (Single Roller)	1 Year Machine	
Pulverizer (Double Roller)	1 Year Machine	
PG Series Plugger	1 Year Machine	
MPG Series Plugger	1 Year Machine	
PA Series Pasture Aerator	1 Year Machine	
LLR Landscape Rake	1 Year Machine	
CBX Compact Box Blade	1 Year Machine	
SBX Medium-Duty Box Blade	1 Year Machine	
MBX Heavy-Duty Box Blade	1 Year Machine	
RO Roll-Over Box Blades	1 Year Machine	
DSP Pull-Type Dirt Scraper	1 Year Machine	
GS60, GS72, GS84, HDGS84, HDGS96 Grading Scrapers	1 Year Machine	
AP Plow	1 Year Machine	
Subsoiler Heavy-Duty (1 & 2 Shank)	1 Year Machine	
Lay Off Plow	1 Year Machine	
One Row Cultivator	1 Year Machine	
Lift-Type Disk Harrow (1D, 2D, 3D)	1 Year Machine	
DHP8 Pull-Type Disk Harrow	1 Year Machine	
DHP10 Pull-Type Disk Harrow	1 Year Machine	

DHP8 Pull-Type Disk Harrow DHP10 Pull-Type Disk Harrow 1 Year Machine DHP12 Pull-Type Disk Harrow 1 Year Machine Fuerst Broadcast Seeder/Spreader 1 Year Machine Rebel Rotary Tillers 1 Year Machine SRT, SRD, SRM Rotary Tiller 1 Year Machine "P" Series 3-Point Post Hole Digger 1 Year Machine "N" Series Medium-Duty Post Hole Digger 1 Year Machine "H" Series Heavy-Duty Post Hole Digger 1 Year Machine Fuerst Flex Harrows 1 Year Machine 35, 50, 70 Rear Blades 1 Year Machine 950 Rear Blade 1 Year Machine 1540 Rear Blade 1 Year Machine		
DHP12 Pull-Type Disk Harrow Fuerst Broadcast Seeder/Spreader Rebel Rotary Tillers SRT, SRD, SRM Rotary Tiller "P" Series 3-Point Post Hole Digger "N" Series Medium-Duty Post Hole Digger "H" Series Heavy-Duty Post Hole Digger 1 Year Machine "H" Series Heavy-Duty Post Hole Digger 1 Year Machine Fuerst Flex Harrows 1 Year Machine 35, 50, 70 Rear Blades 1 Year Machine 1 Year Machine		
Fuerst Broadcast Seeder/Spreader Rebel Rotary Tillers 1 Year Machine SRT, SRD, SRM Rotary Tiller 1 Year Machine "P" Series 3-Point Post Hole Digger 1 Year Machine "N" Series Medium-Duty Post Hole Digger 1 Year Machine "H" Series Heavy-Duty Post Hole Digger 1 Year Machine Fuerst Flex Harrows 1 Year Machine 35, 50, 70 Rear Blades 1 Year Machine 350 Rear Blade 1 Year Machine 1540 Rear Blade 1 Year Machine 1 Year Machine		
Rebel Rotary Tillers 1 Year Machine SRT, SRD, SRM Rotary Tiller 1 Year Machine "P" Series 3-Point Post Hole Digger 1 Year Machine "N" Series Medium-Duty Post Hole Digger 1 Year Machine "H" Series Heavy-Duty Post Hole Digger 1 Year Machine Fuerst Flex Harrows 1 Year Machine 35, 50, 70 Rear Blades 1 Year Machine 850 Rear Blade 1 Year Machine 950 Rear Blade 1 Year Machine 1540 Rear Blade 1 Year Machine		
SRT, SRD, SRM Rotary Tiller "P" Series 3-Point Post Hole Digger "N" Series Medium-Duty Post Hole Digger "H" Series Heavy-Duty Post Hole Digger 1 Year Machine "Hear Machine 1 Year Machine		
"P" Series 3-Point Post Hole Digger 1 Year Machine "N" Series Medium-Duty Post Hole Digger 1 Year Machine "H" Series Heavy-Duty Post Hole Digger 1 Year Machine Fuerst Flex Harrows 1 Year Machine 35, 50, 70 Rear Blades 1 Year Machine 850 Rear Blade 1 Year Machine 950 Rear Blade 1 Year Machine 1540 Rear Blade 1 Year Machine		
"N" Series Medium-Duty Post Hole Digger 1 Year Machine "H" Series Heavy-Duty Post Hole Digger 1 Year Machine Fuerst Flex Harrows 1 Year Machine 35, 50, 70 Rear Blades 1 Year Machine 850 Rear Blade 1 Year Machine 950 Rear Blade 1 Year Machine 1540 Rear Blade 1 Year Machine		
"H" Series Heavy-Duty Post Hole Digger 1 Year Machine Fuerst Flex Harrows 1 Year Machine 35, 50, 70 Rear Blades 1 Year Machine 850 Rear Blade 1 Year Machine 950 Rear Blade 1 Year Machine 1540 Rear Blade 1 Year Machine		
Fuerst Flex Harrows 1 Year Machine 35, 50, 70 Rear Blades 1 Year Machine		
35, 50, 70 Rear Blades 1 Year Machine		
850 Rear Blade 1 Year Machine 950 Rear Blade 1 Year Machine 1540 Rear Blade 1 Year Machine		
850 Rear Blade 1 Year Machine 950 Rear Blade 1 Year Machine 1540 Rear Blade 1 Year Machine		
950 Rear Blade 1 Year Machine 1540 Rear Blade 1 Year Machine		
1540 Rear Blade 1 Year Machine		
2500 Rear Blade 1 Year Machine (Track Tractors Void Warrant	y)	
3500 Rear Blade 1 Year Machine (Track Tractors Void Warrant	1 Year Machine (Track Tractors Void Warranty)	
PT207 Tedder 1 Year Machine		
PT405 Tedder 1 Year Machine		
	1 Year Machine	
PT419H Tedder 1 Year Machine		
PT625H Tedder 1 Year Machine		
	1 Year Machine	
RHP8 Patriot Rake 1 Year Machine		
RHP10 Patriot Rake 1 Year Machine		
RHP12 Patriot Rake 1 Year Machine		
VR8 Rake 1 Year Machine		
VR10 Rake 1 Year Machine		
VR12 Rake 1 Year Machine		
VRX12Rake 1 Year Machine		
VRX14 Rake 1 Year Machine		
BF Rake 1 Year Machine		
RDF Rake 1 Year Machine		
ACG10 Accumagrapple 1 Year Machine		
MBS456 Mega Bale Splitter 1 Year Machine		
Bale Unroller 1 Year Machine		
Bale Spears 1 Year Machine		

1	2

	,	
AGR	1 Year Machine	
Skid Steer Grapples	1 Year Machine	
ISO Euro Grapples	1 Year Machine	
BRGR	1 Year Machine	
BGR	1 Year Machine	
PF Series	1 Year Machine	
3000 25' Series Earthmaster VT	1 Year Machine, 3 Year Ltd Frame	
3000 31' Series Earthmaster VT	1 Year Machine, 3 Year Ltd Frame	
3000 34' Series Earthmaster VT	1 Year Machine, 3 Year Ltd Frame	
65 Series Earthmaster 1165, 1465	1 Year Machine, 3 Year Ltd Frame	
10 Series Earthmaster 1710, 2210F, 2510F	1 Year Machine, 3 Year Ltd Frame	

LANDSCAPE EQUIPMENT MULTIPLE UNIT FREIGHT DISCOUNTS

PRODUCT FAMILY	MAX QTY PER PALLET	NOTES	FREIGHT	
CBX- Box Blade				
SBX - Box Blade	2	Any combination, any width	30% Discount	
MBX - Box Blade				
LLR - Landscape Rake	3	Any combination, any width	30% Discount	
35 - Rear Blade	2	Same model, any width	30% Discount	
50 - Rear Blade	2	Same model, any width	30% Discount	
70 - Rear Blade	2	Same model, any width	30% Discount	
850 - Rear Blade	2	Same model, any width; total of 3 pallets	30% Discount	
GS - Grading Scraper	2	Same model, any width	30% Discount	
HDGS - HD Grading Scraper	2	Same model, any width	30% Discount	
AP - All Purpose Plow	2	Same model, any width	30% Discount	
1D Disc			2004 5	
2D Disc	2	Any combination, any width	30% Discount	
3D Disc				
SS & HDSS - Sub Soiler All Types	6	Any combination	30% Discount	
LP - Layoff Plow			30% Discount	
Grapples	2	Any combination	30% Discount	
Pallet Fork	6	Any combination	30% Discount	
1RCV - One Row Cultivator	2	Any combination, any width	30% Discount	
Bale Spears	6	Any combination, any width	30% Discount	
Bale Unroller	2	Any combination	30% Discount	

RSM-H **Flail Mowers**

STANDARD EQUIPMENT & SPECIFICATIONS		
Model	RSM6H	RSM7H
Tractor Size (Min PTO HP):	35	35
Hitch Size:	CAT 1 & 2	CAT 1 & 2
Hitch Offset:	16" Hydraulic	16" Hydraulic
Mowing Width:	73"	86"
Overall Width:	80"	93"
Overall Length:	43"	43"
Mowing Height Range:	.35" - 3.5"	.35" - 3.5"
Rotor Diameter:	5.5"	5.5"
Rotor Speed (RPM):	2,150	2,150
Blades:	Fine Cut Brush Hammer	Fine Cut Brush Hammer
Number of Blades:	20 Hammers	24 Hammers
Blade Rotation:	Forward	Forward
Cutting Capacity:	2"	2"
Gearbox Rating (540 RPM):	60 HP	60 HP
Driveline Size:	CAT 4	CAT 4
Drive Belt:	"SPB" Size	"SPB" Size
Rear Roller Diameter:	5.5"	5.5"
Rear Gauge Wheel:	N/A	N/A
Skid Shoes:	Std	Std
Weight (Approx):	1,166 lbs	1,320 lbs

ORDERING SECTION

	Fait numbers shown are for complete machines	•	
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
BASE UNIT -	RSM FLAILS		
RSM6H006	6' Flail Mower, w/ Hydraulic Offset, Hammer Flails and Rear Roller	1,166	\$8,835
RSM7H007	7' Flail Mower, w/ Hydraulic Offset, Hammer Flails and Rear Roller	1,320	\$9,220









RHD96 Flail Mower



Note: RHD96 Models are Built to Order. Contact Customer Service for Lead Time.

STANDARD EQUI	PECIFICATION	
Model		RHD96
Mowing Width:		96"
Overall Width:		104"
Overall Length:		40"
Mowing Height:		1"- 6"
Hitch:		CAT 1 & 2
Cuttershaft Diameter:		4 1/2"
Blades:		Fine or Coarse Cut
Blade Rotation:		Forward
HP Required:		50
Gearbox Rating (540 F	RPM):	60
Knife Tip Speed (FPM)):	9,000
Mowing Capacity:		1"
Number of Knives:	Fine Cut Coarse Cut	118 Pairs 48 Pairs
Driveline Size:		CAT 4
Driveline Protection:		Slip Clutch
Drive Belt:		"C" Size
Deck Thickness:		10 Ga
Rear Roller Diameter:		6"
Skid Shoes:		Std
Weight (Approx):		1,170 lbs

ORDERING SECTION

Part Numbers shown are for a complete machine, less extra equipment.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)	
BASE UNIT - RH	D96			
07041750	RHD96, Fine Cut, Center Mount Hitch	1,170	\$9,450	
07041751	RHD96, Fine Cut, 12 1/2" Right Offset Hitch	1,170	\$9,450	
07041752	RHD96, Fine Cut, 24 1/2" Right Offset Hitch	1,170	\$9,450	
07041770	RHD96, Coarse Cut, Center Mount Hitch	1,170	\$9,450	
07041771	RHD96, Coarse Cut, 12 1/2" Right Offset Hitch	1,170	\$9,450	
07041772	RHD96, Coarse Cut, 24 1/2" Right Offset Hitch	1,170	\$9,450	
EXTRA EQUIPMENT				
701150	Lift Chains	7	\$108	
701057M	Caster Brackets w/ Laminated Tires and Wheels	233	\$1,900	
701056M	Caster Brackets w/ Pneumatic Tires and Wheels	165	\$1,600	





RC115 & RC118

Row Crop Flail Shredders

STANDARD EQUIPMENT & SPECIFICATIONS				
Model		RC115	RC118	
Cutting Width:		180"	216"	
Overall Width:		204"	240"	
Cutting Height:		1"-18"	1"-18"	
Hitch:		CAT 2 & 3 QH Lift	CAT 2 & 3 QH Lift	
		Semi-Mount or Pull-Type	Semi-Mount or Pull-Type	
Cuttershaft Diameter:		10 3/4"	10 3/4"	
Blades:		Hard-Surfaced	Hard-Surfaced	
HP Required:	Lift Semi-Mount Pull	120 100 100	130 110 110	
Tires:		(4) 6.70 x 15	(4) 6.70 x 15	
Wheel Hubs:		5-Bolt	5-Bolt	
Gearbox Rating (1000 RPM):		207 HP	207 HP	
Gearbox Warranty:		5 Year Limited	5 Year Limited	
Gearbox Oil (85W-140):		Factory Filled	Factory Filled	
Knife Tip Speed:		12,620 FPM	12,620 FPM	
Number of Blades:		168	200	
Driveline Size:		CAT 5 or 6	CAT 5 or 6	
Driveline Protection:		5 x 5 V, Banded Belt	5 x 5 V, Banded Belt	
Rotor Bearing Protection:		Anti-Wrap Seal Protector	Anti-Wrap Seal Protector	
Cuttershaft Bearings:		2 9/16" Triple Sealed	2 9/16" Triple Sealed	
Hood Thickness:		3/16", w/ Wear Liner	3/16", w/ Wear Liner	
End Plate Thickness:		1/4"	1/4"	
Safety Deflector- Lights:		Std	Std	
Weight (Approx):		4,425 lbs	4,785 lbs	

Unit shown with extra equipment.





RC115 & RC118 Continued

ORDERING SECTION

To order complete machine, select one item each each from groups 1- 4.

Order special paint and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE	UNIT - RC115, RC118		
00727121	RC115 Base Unit, 15' Row Crop Flail Shredder	4,425	\$23,750
00727122	RC118 Base Unit, 18' Row Crop Flail Shredder	4,785	\$25,850
GROUP 2. HITCH			
00727125	Lift-Type Hitch w/ 4 Fixed Axles*		\$4,470
00727126	Pull-Type Hitch w/ 4 Fixed Axles	210	\$6,475
00727127	Semi-Mount or Lift Type Hitch w/ 4 Swivel Axles*		\$7,110
GROUP 3. DRIVI	ELINE SELECTION - RC115, RC118		
00726673A	Lift or Semi-Mount, CAT 6 w/ 1 3/8" PTO Yoke	175	\$975
00726672A	Lift or Semi-Mount, CAT 6 w/ 1 3/4" PTO Yoke	185	\$1,175
00786844	Pull-Type, CAT 5 CV Driveline, 1 3/8" PTO Yoke	210	\$1,250
00786845	Pull-Type, CAT 5 CV Driveline, 1 3/4" PTO Yoke	240	\$1,250
GROUP 4. LIFT	SELECTION - RC115, RC118		
00554600P	Ratchet Jack Manual Lift Kit	12	\$135
00725933	Hydraulic Cylinder Lift Kit	50	\$425
SPECIAL PAINT	COLOR SELECTION - RHINO ORANGE IS STANDARD		
00787653	JD Green		\$150
00787654	Kubota Orange		\$150
00787655	Case IH Red		\$150
00787656	MF Red		\$150
00787657	NH Blue		\$150
CONTAINER FEI	ES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accomm	nodate Loading)	\$300 Net
00888892	Container Loading Fee (Single Charge Per Container Load)		\$325 Net

*Lift-Type and Semi-Mount units must be used on tractors equipped with Quick Hitches.





RC120

Row Crop Flail Shredders

STANDARD EQUIPMENT & SPECIFICATIONS				
Cutting Width:	240"			
Overall Width:	264"			
Cutting Height:	1"-18"			
Hitch:	CAT 2 & 3 QH Lift*			
	Semi-Mount or Pull-Type*			
Cuttershaft Diameter:	10 3/4"			
Blades:	Hard-Surfaced w/ Tungsten Carbide			
HP Required: Semi-Mount Pull	120			
Tires:	(4) 9.5L-15"			
Wheel Hubs:	6-Bolt			
Gearbox Rating (1000 RPM):	207 HP			
Gearbox Oil (85W-140):	Factory Filled			
Knife Tip Speed:	12620 FPM, Reverse Rotation			
Number of Blades:	216			
Driveline Size:	CAT 5 or 6			
Driveline Protection:	5 x 5 V, Banded Belt			
Rotor Bearing Protection:	Anti-Wrap Seal Protector			
Cuttershaft Bearings:	2 9/16"			
Hood Thickness:	3/16", w/ 3/16" Internal Wear Liners			
End Plate Thickness:	1/4"			
Safety Deflector- Light Kit:	Std			
Weight (Approx):	4,950 lbs			

*Tractor Quick Hitch must be used for Lift-type and Semi-Mount units.



Unit shown with extra equipment.





RC120 Continued

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 4.

Order special paint and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BAS	SE UNIT - RC120		
00727123	RC120 Base Unit, 20' Row Crop Flail Shredder	4,950	\$29,100
GROUP 2. HIT	CH SELECTION - RC120		
00727128	Lift-Type Hitch w/ 4 Fixed Axles*		\$4,550
00727129	Lift-Type Hitch w/ End Tow & w/ 4 Fixed Axles*	660	\$8,260
00727130	Pull-Type Hitch w/ 4 Fixed Axles	210	\$4,250
00727131	Pull-Type Hitch w/ End Tow & w/ 4 Fixed Axles	870	\$7,130
00727132	Semi-Mount or Lift Type Hitch w/ 4 Swivel Axles*		\$7,115
00727133	Semi-Mount or Lift Type Hitch w/ End Tow & w/ 4 Swivel Axles*	660	\$9,610
GROUP 3. DRI	VELINE SELECTION - RC120		
00726673A	Lift or Semi-Mount, CAT 6 w/ 1 3/8" PTO Yoke	175	\$975
00726672A	Lift or Semi-Mount, CAT 6 w/ 1 3/4" PTO Yoke	185	\$1,175
00786844	Pull-Type, CAT 5 CV Driveline, 1 3/8" PTO Yoke	210	\$1,250
00786845	Pull-Type, CAT 5 CV Driveline, 1 3/4" PTO Yoke	240	\$1,250
GROUP 4. LIFT	SELECTION - RC120		
00554600P	Ratchet Jack Manual Lift Kit	12	\$135
00725933	Hydraulic Cylinder Lift Kit	Included	\$425
SPECIAL PAIN	T COLOR SELECTION - RHINO ORANGE IS STANDARD		
00787653	JD Green		\$150
00787654	Kubota Orange		\$150
00787655	Case IH Red		\$150
00787656	MF Red		\$150
00787657	NH Blue		\$150
EXTRA EQUIP	MENT (MUST ORDER SEPARATELY)		
00727009	End Tow Kit, RC120 Pull-Type (Field Installation)	660	\$6,865
00727010	End Tow Kit, RC120 Semi-Mt or Lift-Type (Field Installation)	500	\$6,865
CONTAINER F	EES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)		\$300 Net
00888892	Container Loading Fee (Single Charge Per Container Load)		\$325 Net

^{*}Tractor Quick Hitch must be used for Lift-type and Semi-Mount units.





RC125Row Crop Flail Shredders

STANDARD FO	UIPMEN	IT & SPECIFICATIONS
Cutting Width:	·•	300"
Overall Width:		324"
Cutting Height:		1"-18"
Hitch:		Lift, Pull, or Semi-Mount Type
Cuttershaft Diameter:		10 3/4"
Blades:		Hard-Surfaced
HP Required:	Lift emi-Mount Pull	160 150 140
PTO Type:	Pull	1000 RPM
Tires:		(4) 9.5L-15
Gearbox Rating:		207 HP
Gearbox Oil (85W-140):		Factory Filled
Knife Tip Speed:		12,620 FPM, Reverse Rotation
Number of Blades:		272
Driveline Size:		CAT 5 or 6
Driveline Protection:		5 x 5 V, Banded Belt
Rotor Bearing Protection:		Anti-Wrap Seal Protector
Cuttershaft Bearings:		2 9/16"
Hood Thickness:		3/16", w/ 3/16" Internal Wear Liners
End Plate Thickness:		1/4"
Safety Deflector - Light Kit:		Std
Weight (Approx):		6,300 lbs

^{*}Tractor Quick Hitch must be used for Lift-Type and Semi-Mount units.



Unit shown with extra equipment.







ORDERING SECTION

To order complete machine, select one item each from groups 1 - 4. Order special paint and extra equipment as needed to complete machine. End tow kits shown in "Extra Equipment" must be ordered separately.

APPROX LIST				
CATALOG		SHIPPING	PRICE	
NUMBER	DESCRIPTION	WEIGHT (LBS)	(\$US)	
GROUP 1. E	BASE UNIT - RC125			
00727124	RC125 Base Unit, 25' Row Crop Flail Shredder	6150	\$36,750	
GROUP 2. H	HITCH SELECTION - RC125			
00727128	Lift-Type Hitch w/ 4 Fixed Axles*	In Base	\$4,550	
00727134	Lift-Type Hitch w/ End Tow & w/ 4 Fixed Axles*	450	\$8,275	
00727130	Pull-Type Hitch w/ 4 Fixed Axles	150	\$4,250	
00727135	Pull-Type Hitch w/ End Tow & w/ 4 Fixed Axles	780	\$7,135	
00727132	Semi-Mount or Lift Type Hitch w/ 4 Swivel Axles*	100	\$7,115	
00727136	Semi-Mount or Lift Type Hitch w/ End Tow & w/ 4 Swivel Axles*	450	\$9,615	
GROUP 3. L	IFT KIT - RC125 - AUTOMATICALLY ADDED TO SALES ORDER			
00725933	Hydraulic Cylinder Lift Kit	In Base	\$425	
GROUP 4. D	DRIVELINE SELECTION - RC125			
00726673A	Lift or Semi-Mount, CAT 6 Driveline w/ 1 3/8" PTO Yoke	175	\$975	
00726672A	Lift or Semi-Mount, CAT 6 Driveline w/ 1 3/4" PTO Yoke	185	\$1,175	
00786844	Pull-Type, CAT 5 CV Driveline, 1 3/8" PTO Yoke	210	\$1,250	
00786845	Pull-Type, CAT 5 CV Driveline, 1 3/4" PTO Yoke	240	\$1,250	
SPECIAL PA	AINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$150	
00787654	Kubota Orange		\$150	
00787655	Case IH Red		\$150	
00787656	MF Red		\$150	
00787657	NH Blue		\$150	

RC125 Continued on Next Page

*Tractor Quick Hitch must be used for Lift-Type and Semi-Mount units.







	ORDERING SECTION			
CATALOG NUMBER EXTRA EQ	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)	
LATRAEQ				
00727042	Pair of Fixed Axles for Pull & Lift-Type - Complete w/ Tires & Wheels (May Not Fit all Row Spacings) Not Recommended w/ End Tow Kit	199	\$1,920	
00727141	Pair of Swivel Axles for Semi-Mount or Lift-Type - Complete w/ Tires & Wheels (May not fit all row spacings) Not Recommended w/ End Tow Kit	229	\$2,700	
00726952	End Tow Kit, Pull-Type, (For Field Installation) (Order separately from machine)	580	\$6,800	
00726953	End Tow Kit, Semi-Mount or Lift, (For Field Installation) (Order separately from machine)	420	\$6,800	
CONTAINE	CONTAINER FEES - INTERNATIONAL SHIPMENTS			
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)		\$300 Net	
00888892	Container Loading Fee (Single Charge Per Container Load)		\$325 Net	







FA513, FA613, FA713 3-Pt Finishing Mowers

STANDARD EQUIPMENT & SPECIFICATIONS				
Model	FA513	FA613	FA713	
Mowing Width:	59"	71"	83"	
Overall Width:	63"	75"	87"	
Blade Number:	3	3	3	
Cutting Height:	3/4" - 4 1/4"	3/4" - 4 1/4"	1-1/2" - 4 1/2"	
Height Adjustment:	Bushing	Bushing	Bushing	
Hitch:	CAT 1	CAT 1	CAT 1	
Blades:	6mm x 60mm	6mm x 60mm	6mm x 60mm	
Blade Overlap:	1"	1"	1"	
PTO HP Required:	16 - 40	22 - 50	30 - 60	
Gearbox Ratio:	1:2.8	1:2.8	1:2.8	
Blade Tip Speed:	14,070 FPM	14,183 FPM	15,257 FPM	
Cutting Capacity (Max.):	Grass	Grass	Grass	
Driveline Size:	CAT 3 ASAE	CAT 3 ASAE	CAT 3 ASAE	
Drive Belt Section:	"B"	"B"	"B"	
Number of Drive Belts:	2	2	2	
Deck Thickness:	4mm (.157")	4mm (.157")	5mm (.197")	
Tires & Wheels:	Solid	Solid	Solid	
Anti-Scalp Roller:	Standard	Standard	Standard	
Discharge:	Rear	Rear	Rear	
Weight (Approx):	432 lbs	472 lbs	816 lbs	





ORDERING SECTION					
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)		
BASE UNIT - F	A513, FA613, FA713				
FA513001	FA Finish Mower, 60" - Rhino Orange	432	\$3,125		
FA613001	FA Finish Mower, 72" - Rhino Orange	472	\$3,285		
FA713001	FA Finish Mower, 84" - Rhino Orange	816	\$4,605		





STANDARD EQUIP	MENT & SPECIFIC	ATIONS
	FX17	FX21
Cutting Width:	198"	252"
Overall Width:	204"	258"
Overall Length:	156"	156"
Transport Width:	96"	96"
Transport Height:	88"	115"
Operating Wing Flex Range:	30° Up / 3	30° Down
Cutting Height Range:	1" - 6"	1" - 6"
Cutting Capacity:	Grass	Grass
HP Required (540 RPM):	40	45
Decks:	2 - 62", 1 - 88"	3 - 88"
Blade Tip Speed:	8,900 FPM	8,900 FPM
Number of Blades Per Head:		
62": Fine Cut/ Coarse Cut 88": Fine Cut / Coarse Cut	76 Pair / 36 Pair 108 Pair / 44 Pair	N/A / N/A 108 Pair / 44 Pair
Blade Rotation:	Forward	Forward
Mower Head Overlap:	6"	6"
Cuttershaft Diameter:	4 1/2" 4 1/2"	
Cuttershaft Bearings:	1 15/16", Self-Alig	gning Greaseable
Roller Diameter:	6"	6"
Main Drive Belt:	5 Groove, F	Power Band
Hood Thickness:	10 Ga	10 Ga
End Plate Thickness:	5/16", (3/8" l	nside Wings)
Main Driveline:	CAT 4, Cons	stant Velocity
Wing and Rear Driveline:	CAT 3 & CAT	4 Respectively
Transport Wheels:	11L-15	11L-15
Transport Wheels Width:	92"	92"
Automatic Wing Transport Lock:	Std	Std
Replaceable Skid Shoes:	Std	Std
Rear Deflectors:	Std	Std
Weight (Approx)	4,450 Lbs	4,674 Lbs

FLEX FLAIL® Flex-Wing Flail Mowers

Flex Flail[®] is a registered trademark of the Alamo Group Inc.

BUILT TO ORDER







	ORDERING SECTION		
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
BASE UNIT	- FX17, FX21		
07391732	FX17, Fine Cut Knives	4,450	\$47,000
07391722	FX17, Coarse Cut Knives	4,441	\$47,000
07392132	FX21, Fine Cut Knives	4,674	\$52,250
07392122	FX21, Coarse Cut Knives	4,665	\$52,250
EXTRA EQU	IIPMENT		
00778219	FX17 Reverse Rotation - Factory Installed	50	\$1,675
00778220	FX21 Reverse Rotation - Factory Installed	50	\$1,990
00778538	FX17 Rear Roller Scraper Kit	225	\$1,625
00778539	FX21 Rear Roller Scraper Kit	260	\$1,835

TWISTER 10 SERIES 4, 5, & 6 Economy

Sold in 2 Packs of Identical Units



STANDARD EQUIPMENT & SPECIFICATIONS					
Model	TW14	TW15	TW16		
Cutting Width:	48"	60"	72"		
Overall Width:	52 1/2"	64"	76 1/4"		
Overall Length:	87"	99"	111"		
Cutting Height (Min):	1 1/2"	1 1/2"	1 1/2"		
Hitch:	CAT 1 - Std	CAT 1 - Std	CAT 1 - Std		
Blade Carrier:	Infinity - Steel	Infinity - Steel	Infinity - Steel		
Blades :	1/2" x 3"	1/2" x 3"	1/2" x 3"		
PTO HP Required (Min):	20	20	25		
Gearbox Rating: *	60 HP	60 HP	60 HP		
Blade Tip Speed (FPM):	15,608 FPM	16,117 FPM	14,963 FPM		
Cutting Capacity:	1 "	1"	1"		
Driveline Size:	CAT 3	CAT 3	CAT 3		
Driveline Protection:	Shear Bolt or Slip Clutch	Shear Bolt or Slip Clutch	Shear Bolt or Slip Clutch		
Deck Thickness:	12 Ga	12 Ga	12 Ga		
Side Skirt:	10 Ga	10 Ga	10 Ga		
Tire and Wheel:	3.75" x 15" Solid Rubber Tire	3.75" x 15" Solid Rubber Tire	3.75" x 15" Solid Rubber Tire		
Safety Deflector:	Front Belt / Rear Steel Band	Front Belt / Rear Steel Band	Front Belt / Rear Steel Band		
Weight (Approx):	460 lbs	530 lbs	630 lbs		
* Gearbox Rating Based on Field Performance					







1 YEAR MACHINE
3 YEAR LTD GEARBOX Warranty

ORDERING SECTION - TW14

Order a base unit from Group 1 and a driveline from Group 2 to complete your TW14.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE	
	SE UNIT - TW14 (Sold in 2 packs of identical units)	WEIGHT (LBS)	EACH (\$US)	
TW14-1OR1	48" Economy Rotary Mower - Rhino Orange	460	\$1,312	
TW14-1GR1	48" Economy Rotary Mower - JD Green	460	\$1,312	
TW14-10R2	48" Economy Rotary Mower - Kubota Orange	460	\$1,312	
TW14-1RD3	48" Economy Rotary Mower - MF Red	460	\$1,312	
TW14-1BL1	48" Economy Rotary Mower - NH Blue	460	\$1,312	
TW14-1RD2	48" Economy Rotary Mower - Case IH Red	460	\$1,312	
GROUP 2. DRIVELINE - TW14				
00789314	Shear Bolt CAT 3 Driveline		\$107	
00759318C	Slip Clutch CAT 3 Driveline		\$261	

ORDERING SECTION - TW15

Order a base unit from Group 1 and a driveline from Group 2 to complete your TW15.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE EACH (\$US)	
GROUP 1. BAS	SE UNIT - TW15 (Sold in 2 packs of identical units)			
TW15-1OR1	60" Economy Rotary Mower - Rhino Orange	530	\$1,465	
TW15-1GR1	60" Economy Rotary Mower - JD Green	530	\$1,465	
TW15-1OR2	60" Economy Rotary Mower - Kubota Orange	530	\$1,465	
TW15-1RD3	60" Economy Rotary Mower - MF Red	530	\$1,465	
TW15-1BL1	60" Economy Rotary Mower - NH Blue	530	\$1,465	
TW15-1RD2	60" Economy Rotary Mower - Case IH Red	530	\$1,465	
GROUP 2. DRIVELINE - TW15				
00789318	Shear Bolt CAT 3 Driveline		\$125	
00759318C	Slip Clutch CAT 3 Driveline		\$261	

ORDERING SECTION - TW16

Order a base unit from Group 1 and a driveline from Group 2 to complete your TW16.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE EACH (\$US)	
	SE UNIT - TW16 (Sold in 2 packs of identical units)	WEIGHT (EBS)	Enton (¢00)	
TW16-1OR1	72" Economy Rotary Mower - Rhino Orange	630	\$1,685	
TW16-1GR1	72" Economy Rotary Mower - JD Green	630	\$1,685	
TW16-1OR2	72" Economy Rotary Mower - Kubota Orange	630	\$1,685	
TW16-1RD3	72" Economy Rotary Mower - MF Red	630	\$1,685	
TW16-1BL1	72" Economy Rotary Mower - NH Blue	630	\$1,685	
TW16-1RD2	72" Economy Rotary Mower - Case IH Red	630	\$1,685	
GROUP 2. DRIVELINE - TW16				
00789318	Shear Bolt CAT 3 Driveline		\$125	
00759318C	Slip Clutch CAT 3 Driveline		\$261	

26

TWISTER 20 SERIES

5', 6', & 7' Medium-Duty

STANDARD EQUIPMENT & SPECIFICATIONS				
Model	TW25	TW26	TW27	TW27DTW
Cutting Width:	60"	72"	84"	84"
Overall Width:	64 1/4"	76 1/4"	88 1/4"	88 1/4"
Overall Length:	108"	118"	135"	135"
Cutting Height (Min):	1 1/2"	1 1/2"	1 1/2"	1 1/2"
Hitch:	CAT 1/ CAT 2 Std. CAT 1/ CAT 2 Q.H. iMatch™*	CAT 1/ CAT 2 Std. CAT 1/ CAT 2 Q.H. iMatch™ *	CAT 2/ CAT 3 Std. CAT 2/ CAT 3 Q.H.	CAT 2/ CAT 3 Std. CAT 2/ CAT 3 Q.H.
Blade Carrier:	Infinity - Steel	Infinity - Steel	Infinity - Steel	Infinity - Steel
Blades:	1/2" x 3"	1/2" x 3"	1/2" x 3"	1/2" x 3"
PTO HP Required (Min):	25	35	45	45
Gearbox Rating: **	65 HP	65 HP	130 HP	130 HP
Blade Tip Speed (FPM):	14,335	14,963	14,369	14,369
Cutting Capacity:	2"	2"	2"	2"
Driveline Size:	CAT 3	CAT 3	CAT 4	CAT 4
Driveline Protection:	Slip Clutch	Slip Clutch	Slip Clutch	Slip Clutch
Deck Thickness:	12 Ga	12 Ga	12 Ga	12 Ga
Side Skirt:	7 Ga	7 Ga	7 Ga	7 Ga
Tire and Wheel:	4" x 8" Laminated	4" x 8" Laminated	4" x 8" Laminated	(2) 4" x 8" Laminated
Safety Deflector:	Deflectors or Chains	Deflectors or Chains	Deflectors or Chains	Deflectors or Chains
Weight (Approx): w/ Rubber Deflectors w/ Chains	720 lbs 760 lbs	800 lbs 865 lbs	1105 lbs 1180 lbs	1255 lbs 1330 lbs

^{*} Gearbox Rating Based on Field Performance

^{**} iMatch $^{\text{TM}}$ is a trademark of Deere & Company









ORDERING SECTION - TW25

- Oluci a base ulii ilolli Gibub i aliu a uualullu ilolli Gibub 2 ib bollibiele voul i vy2,	Order a base unit from Grou	up 1 and a guarding from (Group 2 to complete your TW25
---	-----------------------------	----------------------------	-------------------------------

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)		
GROUP 1. BAS	E UNIT - TW25 **FREE CUSTOM COLOR ON ORDERS OF 5 OR MC	ORE IDENTICAL UNITS!*	*		
TW25-1OR1	60" Medium-Duty Rotary Mower - Rhino Orange	700	\$2,199		
TW25-1GR1	60" Medium-Duty Rotary Mower - JD Green	700	\$2,289		
TW25-1OR2	60" Medium-Duty Rotary Mower - Kubota Orange	700	\$2,289		
TW25-1RD3	60" Medium-Duty Rotary Mower - MF Red	700	\$2,289		
TW25-1BL1	60" Medium-Duty Rotary Mower - NH Blue	700	\$2,289		
TW25-1RD2	60" Medium-Duty Rotary Mower - Case IH Red	700	\$2,289		
GROUP 2. GUARDING - TW25					
00792286	Rubber Deflector	20	\$105		
00792291	Single Chain Guards	60	\$205		
	ORDERING SECTION - TW26				

Order a base unit from Group 1 and a guarding from Group 2 to complete your TW26.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)		
GROUP 1. BA	GROUP 1. BASE UNIT - TW26 **FREE CUSTOM COLOR ON ORDERS OF 5 OR MORE IDENTICAL UNITS!**				
TW26-1OR1	72" Medium-Duty Rotary Mower - Rhino Orange	780	\$2,605		
TW26-1GR1	72" Medium-Duty Rotary Mower - JD Green	780	\$2,700		
TW26-1OR2	72" Medium-Duty Rotary Mower - Kubota Orange	780	\$2,700		
TW26-1RD3	72" Medium-Duty Rotary Mower - MF Red	780	\$2,700		
TW26-1BL1	72" Medium-Duty Rotary Mower - NH Blue	780	\$2,700		
TW26-1RD2	72" Medium-Duty Rotary Mower - Case IH Red	780	\$2,700		
GROUP 2. GU	ARDING - TW26				
00792365	Rubber Deflector	20	\$115		
00792370	Single Chain Guards	65	\$350		
	ORDERING SECTION - TW27				

ORDERING SECTION - TW27

Order a base unit from Group 1, guarding from Group 2, and tail wheel from Group 3 to complete your TW27.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)	
GROUP 1. BA	SE UNIT - TW27 **FREE CUSTOM COLOR ON ORDERS OF 5 OR MC	ORE IDENTICAL UNITS!*	*	
TW27-1OR1	84" Medium-Duty Rotary Mower - Rhino Orange	1080	\$3,560	
TW27-1GR1	84" Medium-Duty Rotary Mower - JD Green	1080	\$3,660	
TW27-1OR2	84" Medium-Duty Rotary Mower - Kubota Orange	1080	\$3,660	
TW27-1RD3	84" Medium-Duty Rotary Mower - MF Red	1080	\$3,660	
TW27-1BL1	84" Medium-Duty Rotary Mower - NH Blue	1080	\$3,660	
TW27-1RD2	84" Medium-Duty Rotary Mower - Case IH Red	1080	\$3,660	
GROUP 2. GUARDING - TW27				
00792436	Rubber Deflector	25	\$205	
00792441	Single Chain Guards	100	\$515	
GROUP 3. TIRE & WHEEL - TW27				
00792618	Single Tail Wheel 4" X 8" Laminated		\$370	
00792619	Dual Tail Wheel (2) 4" X 8" Laminated		\$720	

TWISTER 30 SERIES 5' & 6' Heavy-Duty STANDARD E

STANDARD EQUIPMENT & SPECIFICATIONS				
Model	TW35	TW36		
Cutting Width:	60"	72"		
Overall Width:	66 1/2"	78 1/2"		
Overall Length:	105"	121"		
Cutting Height (Min):	1 1/2"	1 1/2"		
Hitch:	CAT 1/ CAT 2 Std. CAT 1/ CAT 2 Q.H. iMatch™*	CAT 1/ CAT 2 Std. CAT 1/ CAT 2 Q.H. iMatch™*		
Blade Carrier:	Infinity - Cast	Infinity - Cast		
Blades:	1/2" x 4" Updraft	1/2" x 4" Updraft		
PTO HP Required (Min):	35	45		
Gearbox Rating: **	130 HP	130 HP		
Blade Tip Speed (FPM):	14,497	14,854		
Cutting Capacity:	3"	3"		
Driveline Size:	CAT 4	CAT 4		
Driveline Protection:	Slip Clutch	Slip Clutch		
Deck Thickness:	10 Ga	10 Ga		
Side Skirt:	1/4"	1/4"		
Tire and Wheel:	Laminated	Laminated		
Safety Deflector:	Deflectors or Chains	Deflectors or Chains		
Weight (Approx): w/ Rubber Deflectors w/ Chains	920 lbs 975 lbs	1075 lbs 1140 lbs		

^{*} $iMatch^{TM}$ is a trademark of Deere & Company

^{**} Gearbox Rating Based on Field Performance









ORDERING SECTION - TW35

Order a base unit from Group 1 and a guarding from Group 2 to complete your TW35.

Order extra equipment as needed


CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BA	SE UNIT - TW35		
TW35-1OR1	60" Heavy-Duty Rotary Mower - Rhino Orange		\$3,100
TW35-1GR1	60" Heavy-Duty Rotary Mower - JD Green		\$3,215
TW35-1OR2	60" Heavy-Duty Rotary Mower - Kubota Orange		\$3,215
TW35-1RD3	60" Heavy-Duty Rotary Mower - MF Red		\$3,215
TW35-1BL1	60" Heavy-Duty Rotary Mower - NH Blue		\$3,215
TW35-1RD2	60" Heavy-Duty Rotary Mower - Case IH Red		\$3,215
GROUP 2. GU	ARDING - TW35		
00792518	Rubber Deflector		\$270
00792521	Single Chain Guards		\$550
00792524	Double Chain Guards		\$775
EXTRA EQUIF	PMENT - TW35		
00791628	Round Pan Blade Carrier		\$265

ORDERING SECTION - TW36

Order a base unit from Group 1 and a guarding from Group 2 to complete your TW36.

Order extra equipment as needed

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BA	SE UNIT - TW36		
TW36-1OR1	72" Heavy-Duty Rotary Mower - Rhino Orange		\$3,500
TW36-1GR1	72" Heavy-Duty Rotary Mower - JD Green		\$3,615
TW36-1OR2	72" Heavy-Duty Rotary Mower - Kubota Orange		\$3,615
TW36-1RD3	72" Heavy-Duty Rotary Mower - MF Red		\$3,615
TW36-1BL1	72" Heavy-Duty Rotary Mower - NH Blue		\$3,615
TW36-1RD2	72" Heavy-Duty Rotary Mower - Case IH Red		\$3,615
GROUP 2. GU	ARDING - TW36		
00792562	Rubber Deflector		\$295
00792565	Single Chain Guards		\$700
00792568	Double Chain Guards		\$945
EXTRA EQUIF	PMENT - TW36		
00791628	Round Pan Blade Carrier		\$265



Blade Bolt Access Hole

272 & 472

Limited Availability! 6' Single Spindle Rotary Cutters



STANDARD EQUIPMENT & SPECIFICATIONS			
Model:	172	272	472
Mowing Width:	72"	72"	72"
Overall Width:	78"	79 1/2"	79 1/2"
Overall Length:	119"	121"	121"
Min Cutting Height:	1"	1 1/2"	1 1/2"
Hitch*:	CAT 1 & 2* / CAT 1 QH	CAT 1 & 2 / CAT 1 & 2 QH	CAT 1 & 2 / CAT 1 & 2 QH
PTO Type:	540 RPM	540 RPM	540 RPM
Blade Carrier:	Round Pan	Reinforced Pan	Reinforced Pan
Blades:	1/2" x 3" Ltouraft	1/2" x 4" Updraft	1/2" x 4" Updraft
Min PTO HP Required:	75	45	55
Gearbox Rating**:	65 HP	130 HP	210 HP
Gearbox Oil (85W-140):	Factory Filled	Factory Filled	Factory Filled
Output Shaft Diameter:	1.9/16"	2"	2 3/8"
Blade Tip Speed:	14,930 FPM	14,860 FPM	16,286 FPM
Cutting Capacity:	1 1/2" Max	2 1/2" Max	4 1/2" Max
Driveline Size:	CAT 3	CAT 4	CAT 5
Driveline Protection:	Slip Clutch	Slip Clutch	Slip Clutch
Side Skirt:	10 Ga x 9-1/4"	1/4" x 11"	1/4" x 11"
Tires & Wheels:	Laminated	Laminated	Laminated
Safety Deflector:	Deflectors or Chains	Deflectors or Chains	Single or Double Chains
Weight (Approx):	785 lbs	1,158 lbs	1,560 lbs

*Requires adaptor bushing sold seperately (Top Link) ** Gearbox Rating Based on Field Performance



Unit shown with extra equipment.





Model 272

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 3.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BAS		(110)	(,, ,, ,,
00272-3OR1	272 Rotary Cutter, 72", 540 RPM - Rhino Orange	1,158	\$3,375
00272-3GR1	272 Rotary Cutter, 72", 540 RPM - JD Green	1,158	\$3,500
00272-3OR2	272 Rotary Cutter, 72", 540 RPM - Kubota Orange	1,158	\$3,500
00272-3RD2	272 Rotary Cutter, 72", 540 RPM - Case IH Red	1,158	\$3,500
00272-3RD3	272 Rotary Cutter, 72", 540 RPM - MF Red	1,158	\$3,500
00272-3BL1	272 Rotary Cutter, 72", 540 RPM - NH Blue	1,158	\$3,500
GROUP 2. HITC	CH SELECTION - 272		
00787617	Standard Hitch (QH Compatible)		\$190
GROUP 3. GUA	RDING SELECTION - 272		
00787615	Rubber Deflector	35	\$170
00787563	Single Chain Guards	96	\$675
00787564	Double Chain Guards	160	\$940
REPLACEMEN	TITEMS (SEE NOTE)		

REPLACEMENT ITEMS (SEE NOTE)

NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.alamoag.com) for latest price and terms information.

PART NUMBER	DESCRIPTION	QUANTITY REQUIRED
00780882	Blades, Updraft CCW	2
B571044	Blade Bolt Kit	1
571045	Shoulder Bolt Washer	2
00780945	Washer, Squar ID	2
3570	Check Chains	1
00781256	Front Chain Guard	1
00785231	Rear Chain Guard	1
00785246	Front Double Chain Guard	1
00785247	Rear Double Chain Guard	1









ORDERING SECTION

To order complete machine, select one item each from groups 1 - 3.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)	
GROUP 1. BAS	E UNIT - 472			
00472-1OR1	472 Rotary Cutter, 72", 540 RPM - Rhino Orange	1,560	\$5,300	
00472-1GR1	472 Rotary Cutter, 72", 540 RPM - JD Green	1,560	\$5,580	
00472-1OR2	472 Rotary Cutter, 72", 540 RPM - Kubota Orange	1,560	\$5,580	
00472-1RD2	472 Rotary Cutter, 72", 540 RPM - Case IH Red	1,560	\$5,580	
00472-1RD3	472 Rotary Cutter, 72", 540 RPM - MF Red	1,560	\$5,580	
00472-1BL1	472 Rotary Cutter, 72", 540 RPM - NH Blue	1,560	\$5,580	
GROUP 2. HITC	CH SELECTION - 472			
00787565	Standard Hitch (QH Compatible)		\$225	
GROUP 3. GUARDING SELECTION - 472				
00787563	Single Chain Guards	100	\$675	
00787564	Double Chain Guards	160	\$940	
DEDI ACEMENT ITEMS (SEE NOTE)				

REPLACEMENT ITEMS (SEE NOTE)

NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.alamoag.com) for latest price and terms information.

PART NUMBER	DESCRIPTION	QUANTITY REQUIRED
00780882	Blades, Updraft CCW	2
B571044	Blade Bolt Kit	1
00778047	Washer	2
571045	Shoulder Bolt Washer	2
00781256	Front Single Chain Guard	1
00785231	Rear Single Chain Guard	1
00785246	Front Double Chain Guard	1
00785247	Rear Double Chain Guard	1
3570	Check Chains	1





Limited

Limited

Availability!

284 & 484

7' Single Spindle Rotary Cutters

STANDARD EQUIPMENT & SPECIFICATIONS			
Model:	184	284	484
Mowing Width:	84"	84"	84"
Overall Width:	88 1/2"	90 1/2"	90 1/2"
Overall Length:	130"	138 1/2" Lift	138 1/2" Lift
		154 1/2" Pull	154 1/2" Pull
Min Cutting Height:	1 1/4"	1 1/2"	1 1/2"
Hitch:	CAT 2 & 3, CAT 1, 2, 8 3 QH	CAT 2 & 3, CAT 1, 2, & 3 QH	CAT 2 & 3, CAT 1, 2, & 3 QH
PTO Type:	540 RPM	540 RPM	540 RPM
Blade Carrier:	Round Fari	Reinforced Pan	Reinforced Pan
Blades:	1/2" x 4" D) draft	1/2" x 4" Updraft	1/2" x 4" Updraft
Min PTO HP Required:	45	60 (Lift)	60 (Lift)
	**	45 (Pull)	50 (Pull)
Gearbox Rating*:	O) HP	130 HP	210 HP
Gearbox Oil (85W-140):	Factory Filled	Factory Filled	Factory Filled
Output Shaft Diameter:	2"	2"	2 3/8"
Blade Tip Speed:	1 6,030 FPM	16,328 FPM	15,675 FPM
Cutting Capacity:	1 1/2" Max	2 1/2" Max	4 1/2" Max
Driveline Size:	CAT 4	CAT 4	CAT 5
Driveline Protection:	Slip Clutch	Slip Clutch	Slip Clutch
Side Skirt:	10 Ga x 9 1/4"	1/4" x 11"	1/4" x 11"
Tires & Wheels:	Laminated	Optional	Optional
Safety Deflector:	Deflectors or Chains	Deflectors or Chains	Single or Double Chains
Weight (Approx):	1,128 lbs	1,265 lbs Lift / 1,427 lbs Pull	1,823 lbs

*Requires adaptor bushing sold seperately (Top Link)
** Gearbox Rating Based on Field Performance









ORDERING SECTION

To order complete machine, select one item each from groups 1, 2, 3 (Pull-Type Only) & 4.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BAS	E UNIT - 284		
00284-3OR1	284 Rotary Cutter, 84", 540 RPM - Rhino Orange	1,198	\$4,500
00284-3GR1	284 Rotary Cutter, 84", 540 RPM - JD Green	1,198	\$4,650
00284-3OR2	284 Rotary Cutter, 84", 540 RPM - Kubota Orange	1,198	\$4,650
00284-3RD2	284 Rotary Cutter, 84", 540 RPM - Case IH Red	1,198	\$4,650
00284-3RD3	284 Rotary Cutter, 84", 540 RPM - MF Red	1,198	\$4,650
00284-3BL1	284 Rotary Cutter, 84", 540 RPM - NH Blue	1,198	\$4,650
GROUP 2. HITC	CH SELECTION - 284		
00787587	Lift-Type Hitch (QH Compatible)		\$385
00787588	Pull-Type Hitch (Includes Tongue, Jack, Driveline, Intermediate Driveline w/ Clutch & Shielding, Spring Shock Absorber)	128	\$3,280
GROUP 3A. AX	LE & TIRE SELECTION - 284 LIFT-TYPE ONLY (INCLUDES TIRES & V	WHEELS)	
00787589	1 Laminated Tire & Axle, 15"	75	\$350
00787590	2 Laminated Tires & Axles, 15"	150	\$705
	LE & TIRE SELECTION - 284 - PULL-TYPE ONLY LE, HUB & SPINDLE, HYDRAULIC LIFT)		
00787575	2 Laminated Tires & Wheels 6" x 9" x 20.75"	150	\$505
00787576	2 Rhino Trax Tires & Wheels 25.6" x 7" x 18"	240	\$810
00787577	2 Pneumatic Used Airplane Tires & Wheels 27.75" x 8.75" x 14.5" 24 ply	150	\$670
GROUP 4. GUA	RDING SELECTION - 284		
00787584	Rubber Deflector	38	\$205
00787571	Single Chain Guards	95	\$755
00787572	Double Chain Guards	110	\$965
REPLACEMEN	T ITEMS (SEE NOTE)		

NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.alamoag.com) for latest price and terms information.

PART NUMBER	DESCRIPTION	QUANTITY REQUIRED
0582010330	Blades, Updraft CCW	2
B571044	Blade Bolt Kit	1
00778047	Washer, Square ID	2
571045	Washer, Shoulder Bolt	2







ORDERING SECTION

To order complete machine, select one item each from groups 1, 2, 3 (Pull-Type Only) & 4.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASI	E UNIT - 484		
00484-1OR1	484 Rotary Cutter, 84", 540 RPM - Rhino Orange	1,823	\$5,070
00484-1GR1	484 Rotary Cutter, 84", 540 RPM - JD Green	1,823	\$5,250
00484-1OR2	484 Rotary Cutter, 84", 540 RPM - Kubota Orange	1,823	\$5,250
00484-1RD2	484 Rotary Cutter, 84", 540 RPM - Case IH Red	1,823	\$5,250
00484-1RD3	484 Rotary Cutter, 84", 540 RPM - MF Red	1,823	\$5,250
00484-1BL1	484 Rotary Cutter, 84", 540 RPM - NH Blue	1,823	\$5,250
GROUP 2. HITC	H SELECTION - 484		
00787573	Lift-Type Hitch (Includes 2 Laminated Tires & Wheels, Driveline)		\$1,690
00787574	Pull-Type Hitch (Includes Tongue, Jack, Driveline, Intermediate Driveline w/ Clutch & Shielding, Spring Shock Absorber)	128	\$3,505
	SELECTION - 484 - PULL-TYPE ONLY LE, HUB & SPINDLE, HYDRAULIC LIFT)		
00787575	2 Laminated Tires & Wheels 6" x 9" x 20.75"	150	\$505
00787576	2 Rhino Trax Tires & Wheels 25.6" x 7" x 18"	240	\$810
00787577	2 Pneumatic Used Airplane Tires & Wheels 27.75" x 8.75" x 14.5" 24 ply	150	\$670
GROUP 4. GUA	RDING SELECTION - 484		
00787571	Single Chain Guards	95	\$755
00787572	Double Chain Guard	110	\$965
REPLACEMENT	TITEMS (SEE NOTE)		

REPLACEMENT ITEMS (SEE NOTE)

NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.alamoag.com) for latest price and terms information.

PART NUMBER	DESCRIPTION	QUANTITY REQUIRED
0582010330	Blades, Updraft CCW	2
B571044	Blade Bolt Kit	1
00778047	Washer, Square ID	2
571045	Washer, Shoulder Bolt	2
00781265	Front Chain Guard	1
00781264	Rear Chain Guard	1
00785248	Front Double Chain Guard	1
00785249	Rear Double Chain Guard	1





GR SERIES Rotary Cutters

STANDARD EQUIPMENT & SPECIFICATIONS			
Model:	GR472	GR484 Lift	GR484 Pull
Cutting Width:	72"	84"	84"
Overall Width:	79 1/2"	90 1/2"	90 1/2"
Overall Length:	121"	138 1/2"	154 1/2"
Min Cutting Height:	1 1/2"	1 1/2"	1 1/2"
Hitch*:	CAT 1 & 2 / CAT 1 & 2 QH	CAT 1 & 2 / CAT 1, 2, & 3 QH	Pull
Blade Carrier:	Shredder Bar	Shredder Bar	Shredder Bar
Blades:	1/2" x 4" Flat	1/2" x 4" Flat	1/2" x 4" Flat
Min PTO HP Required:	55	60	45
Gearbox Rating**:	210 HP	210 HP	210 HP
Gearbox Oil (85W-140):	Factory Filled	Factory Filled	Factory Filled
Output Shaft Diameter:	2 3/8"	2 3/8"	2 3/8"
PTO Type:	540 RPM	540 RPM	540 RPM
Blade Tip Speed:	11,705 FPM	10,326 FPM	10,326 FPM
Cutting Capacity (Max):	4 1/2"	4 1/2"	4 1/2"
Driveline Size:	CAT 4	CAT 5	CAT 5
Driveline Protection:	Slip Clutch	Slip Clutch	Slip Clutch
Deck Thickness:	7 Ga	7 Ga	7 Ga
Side Skirt***:	1/4" x 11"	1/4" x 11"	1/4" x 11"
Tires & Wheels:	Laminated	Optional	Optional
Suspension:	N/A	N/A	Spring Pod
Safety Deflector:	Single or Double Chains	Single or Double Chains	Single or Double Chains
Weight (Approx):	1,560 lbs	1,860 lbs	2,250 lbs

*Requires adaptor bushing sold seperately (Top Link)

**Gearbox Rating Based on Field Performance

***1/2" Think Impact Zone



Unit shown with extra equipment.





Limited Availability! Model GR472



ORDERING SECTION

To order complete machine, select one item each from groups 1 - 3.

Order shredder kit from group 4 if needed.

CATALOG		APPROX SHIPPING	LIST PRICE	
NUMBER	DESCRIPTION	WEIGHT (LBS)	(\$US)	
GROUP 1. BASE	UNIT - GR472			
GR472-1OR1	GR472 Rotary Cutter, 72", 540 RPM - Rhino Orange	1,560	\$5,840	
GR472-1GR1	GR472 Rotary Cutter, 72", 540 RPM - JD Green	1,560	\$6,120	
GR472-1OR2	GR472 Rotary Cutter, 72", 540 RPM - Kubota Orange	1,560	\$6,120	
GR472-1RD2	GR472 Rotary Cutter, 72", 540 RPM - Case IH Red	1,560	\$6,120	
GR472-1RD3	GR472 Rotary Cutter, 72", 540 RPM - MF Red	1,560	\$6,120	
GR472-1BL1	GR472 Rotary Cutter, 72", 540 RPM - NH Blue	1,560	\$6,120	
GROUP 2. HITCH SELECTION - GR472				
00787565	Quick Hitch		\$225	
GROUP 3. GUARDING SELECTION - GR472				
00787563	Single Chain Guards		\$675	
00787564	Double Chain Guards		\$940	
GROUP 4. SHREDDER KIT - GR472				
00787464	Shredder Kit		\$705	
REPLACEMENT ITEMS (SEE NOTE)				

NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.alamoag.com) for latest price and terms information.

PART NUMBER	DESCRIPTION	QUANTITY REQUIRED
00757827	Blades, Flat Revolving	2
B571044	Blade Bolt Kit	1
571045	Washer, Shoulder Bolt	2
3571MSP	Check Chain	1





Limited Availability! Model GR484



ORDERING SECTION

To order complete machine, select one item each from groups 1, 2, 3 (Pull-Type Only) & 4. Order shredder kit from group 5 if needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BA	SE UNIT - GR484		
GR484-1OR1	GR484 Rotary Cutter, 84", 540 RPM - Rhino Orange		\$6,125
GR484-1GR1	GR484 Rotary Cutter, 84", 540 RPM - JD Green		\$6,405
GR484-1OR2	GR484 Rotary Cutter, 84", 540 RPM - Kubota Orange		\$6,405
GR484-1RD2	GR484 Rotary Cutter, 84", 540 RPM - Case IH Red		\$6,405
GR484-1RD3	GR484 Rotary Cutter, 84", 540 RPM - MF Red		\$6,405
GR484-1BL1	GR484 Rotary Cutter, 84", 540 RPM - NH Blue		\$6,405
GROUP 2. HIT	CH SELECTION - GR484		
00787573	Lift-Type Hitch (Includes Laminated Tires)		\$1,690
00787574	Pull-Type Hitch (Includes Tongue, Jack, Driveline, Intermediate Driveline w/ Clutch & Shielding, Spring Shock Absorber)		\$3,505
	E SELECTION - GR484 - PULL-TYPE ONLY XLE & HYDRAULIC LIFT)		
00787575	2 Laminated Tires & Wheels 6" x 9" x 20.75"	150	\$505
00787576	2 Rhino Trax Tires & Wheels 25.6" x 7" x 18"	240	\$810
00787577	2 Pneumatic Used Airplane Tires & Wheels 27.75" x 8.75" x 14.5" 24 ply	150	\$670
GROUP 4. GUARDING SELECTION - GR484			
00787571	Single Chain Guards		\$755
00787572	Double Chain Guard		\$965
GROUP 5. SHREDDER KIT SELECTION - GR484			
00787465	Shredder Kit		\$715
REPLACEMEN	NT ITEMS (SEE NOTE)		

REPLACEMENT ITEMS (SEE NOTE)

NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.alamoag.com) for latest price and terms information.

PART NUMBER	DESCRIPTION	QUANTITY REQUIRED
00757827	Blades, Flat Revolving CCW	2
B571044	Blade Bolt Kit	1
571045	Washer, Shoulder Bolt	2





SE8A

Rotary Mower

Limited Availability!



Units shown with extra equipment.



STANDARD EQUIPMEN	T & SPECIFICATIONS
Cutting Width:	94"
Overall Width:	99 3/8"
Overall Length:	103"
Cutting Height:	1 1/4" - 12"
Height Adjustment:	Ratchet Jack (Lift)
	Cylinder (Pull, Semi-Mt)
Jack Stand:	Std (Pull)
Hitch:	CAT 2, Pull, or Semi-Mt
Blade Carrier:	Pan
Blades:	.401" x 3" Updraft
Blade Overlap:	4"
Min HP Required:	45 (Lift) / 30 (Pull)
Gearbox Rating*:	
Center Outboard	100 HP 70 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Dia.:	raciory rilleu
	•
•	2"
Blade Tip Speed:	2" 12,315 FPM
Blade Tip Speed: Cutting Capacity:	2" 12,315 FPM 1"
Blade Tip Speed: Cutting Capacity: Driveline Size:	2" 12,315 FPM 1" CAT 4
Blade Tip Speed: Cutting Capacity: Driveline Size: Driveline Protection:	2" 12,315 FPM 1" CAT 4 Slip Clutch
Blade Tip Speed: Cutting Capacity: Driveline Size: Driveline Protection: Deck Thickness:	2" 12,315 FPM 1" CAT 4 Slip Clutch 10 Ga
Blade Tip Speed: Cutting Capacity: Driveline Size: Driveline Protection: Deck Thickness: Side Skirt:	2" 12,315 FPM 1" CAT 4 Slip Clutch 10 Ga 10 Ga x 8 1/2"
Blade Tip Speed: Cutting Capacity: Driveline Size: Driveline Protection: Deck Thickness:	2" 12,315 FPM 1" CAT 4 Slip Clutch 10 Ga

*Gearbox Rating Based on Field Performance





SE8A Continued

ORDERING SECTION

To order complete machine, select one item each from groups 1 & 2. Order special paint and extra equipment as needed.

CATALOG		APPROX SHIPPING WEIGHT	LIST PRICE
NUMBER	DESCRIPTION	(LBS)	(\$US)
GROUP 1. B	ASE UNIT - SE8A		
00787828	SE8A Rotary Cutter, 96", 540 RPM, Lift-Type Hitch	1,161	\$5,720
00787829	SE8A Rotary Cutter, 96", 540 RPM, Pull-Type Hitch	1,196	\$7,690
00787830	SE8A Rotary Cutter, 96", 540 RPM, Semi-Mount Hitch	1,211	\$6,950
GROUP 2. G	UARDING SELECTION - SE8A		
00787834	Rubber Deflectors	In base	\$200
00787835	Single Chain Guard	169	\$765
SPECIAL PA	INT COLOR SELECTION - RHINO ORANGE IS STANDARD		
00787653	JD Green		\$150
00787654	Kubota Orange		\$150
00787655	Case IH Red		\$150
00787656	MF Red		\$150
00787657	NH Blue		\$150
EXTRA EQU	EXTRA EQUIPMENT (DEALER INSTALLED OPTIONS)		
00759191	Spring Shock Absorber (Pull-Type Only)	25	\$255
00603500	CAT 1 Hitch Pins (2 Pins)	2	\$25
REPLACEMI	ENT ITEMS (See Note)		

REPLACEMENT ITEMS (See Note)

NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See Rhino-Ag E-Commerce site (www.alamoag.com) for latest price and terms information.

PART NUMBER	DESCRIPTION	QUANTITY REQUIRED
00761977	Blades, CCW Suction	2
00761985	Blades, CW Suction	2
00761402	Blade Bolt, 7/8" x 3"	4
00761535	Washer, 7/8"	4
00750226	Nut, 7/8" Toplock	4






TURBO 96

Super-Duty Rotary Mower

STANDARD EQUIPMEN	T & SPECIFICATIONS
Cutting Width:	97"
Overall Width:	104"
Overall Length:	101" (Lift, Semi-Mount)
	136" (Pull)
Cutting Height:	1 1/2" - 12"
Height Adjustment:	Ratchet Jack (Lift) Cylinder (Semi-Mount, Pull)
Jack Stand:	Std (Pull)
Hitch:	CAT 2, CAT 2 & 3 QH
	Semi-Mount, Pull
Amount of Offset: S-M Hitch	11" R or L
Blade Carrier:	Reinforced Pan
Blades:	1/2" x 3 1/2" Updraft
Blade Overlap:	4"
HP Required:	55 (Lift);
	30 (Semi-Mount, Pull)
Gearbox Rating*: 540 RPM	Center: 120 HP Outboard: 110 HP
Gearbox Oil: 85W-140	Factory Filled
Output Shaft Dia.:	2"
Blade Tip Speed: 540 RPM 1000 RPM	
Cutting Capacity:	2"
Axle Protection: Pull-Type	Spring Shock Absorber
Driveline Size:	CAT 4
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga (Upper & Lower)
Side Skirt:	1/4" x 10"
Tires & Wheels:	See Note
Safety Tow Chain:	Std (Pull)
Safety Deflector:	See Group 5
*Goarboy Pating Racod	on Field Berformanes





Pull-Type Unit shown with extra equipment.

*Pull-Type & Hydraulic Semi-Mt configurations include Spring Shock Absorber and Hydraulic Lift Cylinder as standard equipment.

Note: Machines equipped with Lift or Semi-Mount-Type hitch use 4" x 8" x 20" Laminated Tires. Pull-Type hitch models use 21" x 7" x 12" Foam Filled Tires.





Turbo 96 Continued

ORDERING SECTION

To order complete machine, select as follows:
Lift-Type: order one item each from groups 1, 2, 3, & 5.
Pull-Type: order one item each from groups 1, 2, 3, 4 & 5.
Semi-Mount Type: order from groups 1 & 5.
Order special paint and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
	ASE UNIT - TURBO 96	((+)
00787788	TR96 Rotary Cutter, 96", Lift-Type Hitch	1,915	\$4,750
00787789	TR96 Rotary Cutter, 96", 540/540 CV RPM Pull-Type Hitch	2,100	\$6,100
00787790	TR96 Rotary Cutter, 96", 540 RPM Semi-Mount w/ Hydraulic Offset Hitch	1,915	\$9,425
00789231	TR96 Rotary Cutter, 96", 540 RPM Semi-Mount w/o Hydraulic Offset Hitch	1,800	\$8,250
GROUP 2. GI	EARBOX RPM SELECTION - TURBO 96 - (LIFT OR PULL-TYPE)		
00787795	540 RPM Lift-Type		\$2,460
00787796	1000 RPM, 1 3/8" - 21 Lift-Type		\$2,590
00787797	540/540CV Pull-Type		\$2,785
GROUP 3. DI	RIVELINE SELECTION - TURBO 96 - (LIFT OR PULL-TYPE)		
00775385	Driveline, 540 RPM, Lift-Type Hitch	175	\$635
00775390	Driveline, 1000 RPM, Lift-Type Hitch	175	\$635
00778130	Driveline, 540 RPM, Pull-Type Hitch	210	\$535
00787965	Driveline, 540 RPM CV, Pull-Type Hitch	240	\$925
GROUP 4. TI	RE SELECTION - TURBO 96 - PULL-TYPE ONLY)		
00787659	21" x 7" x 12" New Foam Filled Tire, Wheel & Hub (Order 2 or 4 - Price Shown is for quantity of 1)		\$425
GROUP 5. GI	UARDING SELECTION - TURBO 96		
00787783	Rubber Deflectors	50	\$170
00787784	Single Chain Guards	95	\$425
00788304	Double Chain Guards	110	\$750
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$150
00787654	Kubota Orange		\$150
00787655	Case IH Red		\$150
00787656	MF Red		\$150
00787657	NH Blue		\$150







CATALOG		APPROX SHIPPING	LIST PRICE
NUMBER	DESCRIPTION	WEIGHT (LBS)	(\$US)
EXTRA EQUIPM	IENT (DEALER INSTALLED OPTIONS)		
00763420	Offset Adapter (Lift-Type Only) (17" offset to one side)		\$999
3571M	Check Chains (Lift-Type or Semi-Mount)		\$245
CONTAINER FE	ES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading) \$100 No		\$100 Net
00888892	Container Loading Fee (Single Charge per Container Load) \$275 Net		\$275 Net
REPLACEMENT	FITEMS - AVAILABLE THROUGH RHINOAG E-COMME	RCE	

NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See Rhino-Ag E-Commerce site (www.alamoag.com) for latest price and terms information.

PART NUMBER	DESCRIPTION	QUANTITY REQUIRED
00778627	Front Chain Guard	1
00761646	Rear Chain Guard	1
00778629	Front Double Chain Guard	1
00769177	Rear Double Chain Guard	1
00769802	High Lift Blade Kit	1
00753842	Blades, CCW Suction	2
00753841	Blades, CW Suction	2
8264	Blade Bolt Kit	2
00778047	Washer, Blade Bolt	4





SE10ARotary Mower





Units shown with extra equipment.

STANDARD EQUIPMEN	T & SPECIFICATIONS
Cutting Width:	118"
Overall Width:	124 3/8"
Overall Length:	116"
Cutting Height:	1 1/4" - 12"
Height Adjustment:	Ratchet Jack (Lift)
	Cylinder (Pull, Semi-Mt)
Jack Stand:	Std (Pull)
Hitch:	CAT 2 & 3 QH
	Pull, Semi-Mt
Blade Carrier:	Pan
Blades:	.401" x 3" Updraft
Blade Overlap:	4"
HP Required:	55 (Lift)
	45 (Pull)
Gearbox Rating*: Center	100 HP
Outboard	70 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Dia.:	2"
Blade Tip Speed:	15,339 FPM
Cutting Capacity:	1"
Driveline Size:	CAT 4
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga
Side Skirt:	10 Ga x 9 1/2"
Tires & Wheels:	See Note
Safety Tow Chain:	Std (Pull)
Safety Deflector:	See Group 3
*Coorbox Poting Posed	on Field Dorformones

*Gearbox Rating Based on Field Performance

Note: Machines with Lift and Semi-Mount Type hitch use 4 x 8 x 20 Laminated tires. Pull-Type hitch models use 21" Foam Filled Tires.

ORDERING SECTION

To order complete machine, select one item each from groups 1, 2 (Pull-Type only), & 3. Order special paint and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. B	BASE UNIT - SE10A		
00787838	SE10A Rotary Cutter, 120", 540 RPM, Lift-Type Hitch	1,625	\$7,965
00787839	00787839 SE10A Rotary Cutter, 120", 540 RPM, Pull-Type Hitch 1,933 \$6,		\$6,900
00787840	SE10A Rotary Cutter, 120", 540 RPM, Semi-Mount Type Hitch	1,886	\$8,180







CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 2. TIRE	& AXLE SELECTION - SE10A - PULL-TYPE ONLY		
00787842	21" New Foam Filled Tire & Axle		\$2,415
00788188	Laminated Tire & Axle	150	\$2,310
GROUP 3. GUA	RDING SELECTION - SE10A		
00787843	Rubber Deflectors	In Base	\$365
00787844	Single Chain Guard	169	\$920
SPECIAL PAINT	COLOR SELECTION - RHINO ORANGE IS STANDARD		
00787653	JD Green		\$150
00787654	Kubota Orange		\$150
00787655	Case IH Red		\$150
00787656	MF Red		\$150
00787657	NH Blue		\$150
EXTRA EQUIPM	IENT (DEALER INSTALLED OPTIONS)		
00759191	Spring Shock Absorber - Pull-Type Only	25	\$255
3571M	Check Chain - Lift-Type Only	8	\$245
CONTAINER FE	ES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accomi	modate Loading)	\$100 Net
00888892	Container Loading Fee (Single Charge per Container Load)		\$275 Net
REPLACEMENT	TITEMS (SEE NOTE)		1

REPLACEMENT ITEMS (SEE NOTE)

NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.alamoag.com) for latest price and terms information.

PART NUMBER	DESCRIPTION	QUANTITY REQUIRED
00761977	Blades, CCW Suction	2
00761985	Blades, CW Suction	2
00761402	Blade Bolt, 7/8" x 3"	4
00761535	Washer, 7/8"	4
00750226	Nut, 7/8" Toplock	4
00771911	Front Chain Guard	1
00771914	Rear Chain Guard	1





TW120 Heavy-Duty Rotary Cutter



Pull-Type Unit shown with extra equipment.

STANDARD EQUIPM	MENT & SPECIFICATIONS
Cutting Width:	120"
Overall Width:	127"
Overall Length:	116" (Lift), 156" (Pull)
Cutting Height:	2" - 12"
Height Adjustment:	Ratchet Jack (Lift)
	Hydraulic Cylinder (Pull)
Jack Stand:	Standard (Pull)
Hitch:	CAT 2 & 3 QH, Pull
Blade Carrier:	Pan
Blades:	1/2" x 4" Updraft
Blade Overlap:	4"
HP Required:	60 (Lift)
	50 (Pull)
Gearbox Rating*:	Center: 120 HP Outboard: 100 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Dia:	2 3/8"
Blade Tip Speed: 540 RPM 1000 RPM	15,423 FPM 16,166 FPM
Axle Protection:	Spring Shock Absorber (Pull)
Cutting Capacity (Max):	2"
Driveline Size:	CAT 4 w/ 1 3/8" PTO Yoke
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga
Side Skirt:	1/4" x 10"
Tires & Wheels:	2 Laminated (Lift) 2 Foam Filled Aircraft (Pull)
Safety Tow Chain:	Standard (Pull)
Safety Deflector:	See Group 5

*Gearbox Rating Based on Field Performance

ORDERING SECTION

To order complete Lift-Type machine, order one item each from groups 1, 2, 3, & 5. To order complete Pull-Type machine, order one item each from groups 1, 2, 3, 4, & 5. Order special paint and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)	
GROUP 1. BA	SE UNIT - TW120			
00787848	TW120 Rotary Cutter, 120", 540/1000 RPM, Lift-Type Hitch	1,955	\$6,550	
00787849	TW120 Rotary Cutter, 120", 540 RPM, Pull-Type Hitch	2,321	\$7,500	
GROUP 2. GEARBOX RPM SELECTION - TW120				
00787858	540 RPM Lift & Pull-Type		\$2,770	
00787859	1000 RPM Lift-Type		\$2,770	





TW120 Continued

		ABBBOY	
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 3. DR	IVELINE SELECTION - TW120		
00775385	Lift-Type, 540 RPM	175	\$635
00775390	Lift-Type, 1000 RPM, 1 3/8" - 21	175	\$635
00787856	Pull-Type, 540 RPM	210	\$885
00787857	Pull-Type, 540 CV RPM	240	\$885
GROUP 4. TIR	RE SELECTION - TW120 - (PULL-TYPE ONLY)		
00787659	21" New Foam Filled Tire, Wheel & Hub (Order 2 or 4 - Price Shown is for quantity of 1)		\$425
00778803	Auxiliary Spindle Kit - Required when ordering 4 Tires & Wheels	38	\$375
GROUP 5. GU	ARDING SELECTION - TW120		
00787853	Rubber Deflectors		\$275
00787854	Single Chain Guards	141	\$685
00787855	Double Chain Guards (Available on "Build-to-Order" basis.)	159	\$1,000
SPECIAL PAII	NT COLOR SELECTION - RHINO ORANGE IS STANDARD		
00787653	JD Green		\$150
00787654	Kubota Orange		\$150
00787655	Case IH Red		\$150
00787656	MF Red		\$150
00787657	NH Blue		\$150
EXTRA EQUIF	PMENT		
3571M	Check Chains (Lift-Type)	8	\$245
CONTAINER I	FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommoda	ate Loading)	\$100 Net
00888892	Container Loading Fee (Single Charge per Container Load) \$275 N		\$275 Net
REPLACEME	NT ITEMS - AVAILABLE THROUGH RHINOAG E-COMMERCE		

Model TW120 Replacement Items: (See RhinoAg e-commerce site for terms and latest price information)

PART NUMBER	DESCRIPTION	QUANTITY REQUIRED
00762181	Front Chain Guard	1
00762182	Rear Chain Guard	1
00769005	Front Double Chain Guard	1
00769006	Rear Double Chain Guard	1
8589	Blades, Updraft (Pair) CCW	1
8590	Blades, Updraft (Pair) CW	1
8264	Blade Bolt Kit	2
00758579	Washer, Blade Bolt	4
00778803	Auxiliary Spindle Kit (Pull-Type, Requires 2 Additional Tires & Wheels)	1
00766898	Axle Arm Assembly Kit (Pull-Type, Requires 2 Additional Tires & Wheels)	1

TURBO 120

Super-Duty Rotary Cutter



Semi-Mount with Hydraulic Offset Unit shown with extra equipment.

Note: Machines with Lift-Type, Semi-Mount, and Semi-Mount with hydraulic offset hitch use 4 x 8 x 20 Laminated tires. Pull-Type hitch models use 21" Foam Filled tires.

*Pull-Type & Semi-Mt configurations include Spring Shock Absorber and Hydraulic Lift Cylinder as standard equipment.





STANDARD EQUIPM	ENT & SPECIFICATIONS
Cutting Width:	120"
Overall Width:	127"
Overall Length:	116" (Lift); 156" (Pull), 116" (Offset)
Cutting Height:	1" - 12"
Height Adjustment:	Ratchet Jack (Lift) Hydraulic Cylinder (Pull)
Jack Stand:	Std (Pull)
Hitch:	CAT 2 & 3 QH, Pull, Semi-Mt
Offset (S-M Hitch):	15" R or L
Blade Carrier:	Pan
Blades:	1/2" x 4", Updraft
Blade Overlap:	4"
HP Required:	80 (Lift) 55 (Pull/Semi)
Gearbox Rating*: Center Outboard	210 HP 205 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Diameter:	2 3/8"
Blade Tip Speed: 540 RPM 1000 RPM	16,063 FPM
1000 111 111	16,167 FPM
Cutting Capacity (Max):	,
	16,167 FPM
Cutting Capacity (Max):	16,167 FPM 3"
Cutting Capacity (Max): Driveline Size:	16,167 FPM 3" CAT 4 Slip Clutch 10 Ga (Upper & Lower)
Cutting Capacity (Max): Driveline Size: Driveline Protection:	16,167 FPM 3" CAT 4 Slip Clutch
Cutting Capacity (Max): Driveline Size: Driveline Protection: Deck Thickness:	16,167 FPM 3" CAT 4 Slip Clutch 10 Ga (Upper & Lower) 1/4" x 10" See Group 4
Cutting Capacity (Max): Driveline Size: Driveline Protection: Deck Thickness: Side Skirt: Tires & Wheels: Axle Protection:	16,167 FPM 3" CAT 4 Slip Clutch 10 Ga (Upper & Lower) 1/4" x 10" See Group 4 Spring Shock Absorber (Pull)
Cutting Capacity (Max): Driveline Size: Driveline Protection: Deck Thickness: Side Skirt: Tires & Wheels:	16,167 FPM 3" CAT 4 Slip Clutch 10 Ga (Upper & Lower) 1/4" x 10" See Group 4

*Gearbox Rating Based on Field Performance





To order complete machine, select as follows:
Lift-Type: order one item each from groups 1, 2, 3, & 5.
Pull-Type: order one item each from groups 1, 2, 3, 4 & 5.
Semi-Mount Type: order from groups 1, 2, 3, & 5.
Order special paint and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. B	ASE UNIT - TR120		
00787732	TR120 Rotary Cutter, 120", 540/1000 RPM Lift-Type Hitch	2,451	\$7,170
00787733	TR120 Rotary Cutter, 120", 540/540 CV RPM Pull-Type Hitch	2,889	\$8,755
00787734	TR120 Rotary Cutter, 120", 540/1000 RPM Semi-Mount w/ Hydraulic Offset Hitch	2,634	\$7,745
00789232	TR120 Rotary Cutter, 120", 540/1000 RPM Semi-Mount w/o Hydraulic Offset Hitch	2,510	\$7,160
GROUP 2. G	EARBOX RPM SELECTION - TR120		
00787729	540 RPM Lift & Semi-Mount Type		\$3,440
00787730	1000 RPM Lift & Semi-Mount Type		\$3,440
00787731	540 RPM Pull-Type		\$2,670
GROUP 3. DI	RIVELINE SELECTION - TR120		
00775385	Driveline, 540 RPM, Lift and Semi-Mount Type Hitch	175	\$635
00775390	Driveline, 1000 RPM, 1 3/8" - 21 Lift and Semi-Mount Type Hitch	175	\$635
00778130	Driveline, 540 RPM, Pull-Type Hitch	210	\$535
00787965	Driveline, 540 RPM CV, Pull-Type Hitch	240	\$925
GROUP 4. TI	RE SELECTION - TR120 - PULL-TYPE ONLY		
00787659	21" New Foam Filled Tire, Wheel & Hub (Order 2 or 4 - Price Shown is for quantity of 1)		\$425
GROUP 5. G	UARDING SELECTION - TR120		
00787724	Rubber Deflectors		\$315
00787725	Single Chain Guards	141	\$755
00788305	Double Chain Guards	159	\$1,065
SPECIAL PA	INT COLOR SELECTION - RHINO ORANGE IS STANDARD		
00787653	JD Green		\$150
00787654	Kubota Orange		\$150
00787655	Case IH Red		\$150
00787656	MF Red		\$150
00787657	NH Blue		\$150







CATALOG NUMBER	DESCRIPTION THE TABLE PRINCIPLE OF TRANSPORTED TO THE PRINCIP	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)	
EXTRA EQUI	PMENT (DEALER INSTALLED OPTIONS)			
3571M	Check Chains (Lift-Type)		\$245	
CONTAINER FEES - INTERNATIONAL SHIPMENTS				
00888891 Container Processing Fee (Each Unit is Processed to Accommodate Loading)		\$100 Net		
00888892	Container Loading Fee (Single Charge per Container Load)		\$275 Net	

REPLACEMENT ITEMS - AVAILABLE THROUGH RHINOAG E-COMMERCE

Model TR120 Replacement Items:

(See RhinoAg e-commerce site (alamoag.com) for terms and latest price information)

PART NUMBER	DESCRIPTION	QUANTITY REQUIRED
00778541	Front Chain Guard	1
00762182	Rear Chain Guard	1
00778542	Front Double Chain Guard	1
00769006	Rear Double Chain Guard	1
8589	Blades, Updraft (Pair) CCW	1
8590	Blades, Updraft (Pair) CW	1
8264	Blade Bolt Kit	2
00778047	Washer, Blade Bolt	4





TW144

Heavy-Duty Rotary Cutter

STANDARD EQUIPMEN	IT & SPECIFICATIONS
Cutting Width:	144"
Overall Width:	151"
Overall Length:	130" (Lift), 168" (Pull)
Cutting Height:	2" - 12"
Self-Leveling Height Adjustment:	Ratchet Jack (Lift) Hydraulic Cylinder (Pull)
Jack Stand:	Std (Pull)
Hitch:	CAT 2 & 3 QH, Pull
Blade Carrier:	Pan
Blades:	1/2" x 4" Updraft
Blade Overlap:	4"
HP Required:	70 (Lift) 55 (Pull)
Gearbox Rating*: Center: Outboard:	120 HP 100 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Diameter:	2 3/8"
Blade Tip Speed:	15,523 FPM
Cutting Capacity :	2"
Axle Protection:	Spring Shock Absorber (Pull)
Driveline Size:	CAT 4
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga
Side Skirt:	1/4" x 10"
Tires & Wheels:	See Note
Safety Tow Chain:	Std (Pull)
Light Kit:	Std

*Gearbox Rating Based on Field Performance

Note: Machines with Lift-Type hitch use 4 x 8 x 20 Laminated tires. Pull-Type hitch models use 21" Foam Filled tires.

*Pull-Type configurations include Spring Shock Absorber and Hydraulic Lift Cylinder as standard equipment.



Lift-Type
Unit shown with extra equipment.







To order complete machine, select one item each from groups 1 - 3.

Order special paint and extra equipment as needed

CATALOG		APPROX SHIPPING	LIST PRICE
NUMBER	DESCRIPTION	WEIGHT (LBS)	(\$US)
GROUP 1. B	SASE UNIT - TW144		
00787814	TW144 Rotary Cutter Base, 540 RPM	2,177	\$8,420
00788051	TW144 Rotary Cutter, Base 1000 RPM	2,177	\$8,420
GROUP 2. H	IITCH SELECTION - TW144		
00787812	TW144 Lift-Type Hitch (Includes Driveline)		\$3,030
00787813	TW144 Pull-Type Hitch (Includes Driveline)	275	\$4,285
GROUP 2B. DRIVELINE SELECTION - TW144 - (AUTOMATICALLY CHOSEN DEPENDING ON CHOICES FROM GROUP 1 AND GROUP 2 ABOVE. PRICE IS INCLUDED IN GROUP 2.)			
00775369	Driveline, 540 RPM, Lift-Type Hitch		
00775351	Driveline, 540 RPM, Pull-Type Hitch		
00775435	Driveline, 1000 RPM, 1 3/8" - 21 Lift-Type Hitch		
00775352	00775352 Driveline, 1000 RPM, 1 3/8" - 21 Pull-Type Hitch		
GROUP 3. G	SUARDING SELECTION - TW144		
00787815	Rubber Deflectors		\$350
00787816	Single Chain Guards	95	\$795
00787821	Double Chain Guards	109	\$1,250
SPECIAL PA	SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD		
00787653	JD Green	_	\$150
00787654	Kubota Orange		\$150
00787655	Case IH Red		\$150
00787656	MF Red		\$150
00787657	NH Blue		\$150







CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
EXTRA EQU	IIPMENT		
3571M	Check Chains (Lift-Type)	8	\$245
00778803	Auxiliary Spindle & Tire Kit (Pull-Type Only, converts unit to 2 tires per axle)	38	\$375
00766898	Axle Arm Assembly Kit (Pull-Type Only, converts unit to 4 axles w/ 1 tire each)		\$1,325
CONTAINER FEES - INTERNATIONAL SHIPMENTS			
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading) \$100 Net		\$100 Net
00888892	888892 Container Loading Fee (Single Charge per Container Load) \$275 Net		\$275 Net
DEDLACEMENT ITEMS: AVAILABLE TURQUICU BUINGAC E COMMERCE			

REPLACEMENT ITEMS - AVAILABLE THROUGH RHINOAG E-COMMERCE

Model TW144 Replacement Items:

(See RhinoAg e-commerce site (www.alamoag.com) for terms and latest price information)

PART NUMBER	DESCRIPTION	QUANTITY REQUIRED
8588	Blades, Updraft (Pair) CCW	1
00761273	Single Blades, Updraft, CW 2	
8264	Blade Bolt Kit	2
00758579	Washer, Blade Bolt	4
00761239	Front Chain Guard	1
00761242	Rear Chain Guard	1
00769007	Front Double Chain Guard	1
00769008	Rear Double Chain Guard	1





TW168

Heavy-Duty Rotary Shredder



Unit shown with extra equipment.

*Pull-Type configurations include Spring Shock Absorber and Hydraulic Lift Cylinder as standard equipment.

STANDARD EQUIPMENT	& SPECIFICATIONS
Cutting Width:	168"
Overall Width:	176"
Overall Length:	112" (Lift) 155" (Pull)
Cutting Height:	1" - 14"
Height Adjustment:	Ratchet Jack (Lift) Cylinder (Pull)
Jack Stand:	Std (Pull)
Hitch:	Lift CAT 2 QH & 3 QH, or Pull
Blade Carrier:	Bar
Blades:	1/2" x 4" Flat (Others Optional)
Blade Overlap:	4"
HP Required:	80 (Lift) 50 (Pull)
Gearbox Rating*: (540 RPM) (1000 RPM)	125 HP 140 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Diameter:	2 3/8"
Blade Tip Speed: (540 RPM) (1000 RPM)	13,300 FPM 13,200 FPM
Cutting Capacity (Max):	2"
Axle Protection (Pull-Type):	Spring Shock Absorber
Driveline Size:	CAT 4
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga
Side Skirt:	1/4" x 11"
Tires & Wheels:	Foam Filled 21" x 7" 12"
Safety Tow Chain:	Std (Pull)
Light Kit:	Std
*O I D - t' D - t	E' 11D (

^{*}Gearbox Rating Based on Field Performance







To order complete machine, select one item each from groups 1 - 3.

Order special paint and extra equipment as needed

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BAS	SE UNIT - TW168		
00787803	TW168 - Lift-Type Hitch		\$11,750
00787804	TW168 - Pull-Type Hitch		\$11,700
GROUP 2. GE	ARBOX RPM SELECTION - TW168		
00787808	540 RPM - Pull-Type		\$2,365
00787809	1000 RPM - Lift or Pull-Type		\$2,410
GROUP 3. DRI	VELINE SELECTION - TW168		
00775390	Lift-Type, 1000 RPM Driveline, 1 3/8" - 21 Spline		\$635
00793199	Lift-Type 1000 RPM Driveline 1 3/4" -20 Spline		\$1,030
00775351	Pull-Type, 540 RPM Driveline, 1 3/8" - 6 Spline		\$635
00775352	Pull-Type, 1000 RPM Driveline, 1 3/8" - 21 Spline		\$635
SPECIAL PAIN	IT COLOR SELECTION - RHINO ORANGE IS STANDA	ARD	
00787653	JD Green		\$150
00787654	Kubota Orange		\$150
00787655	Case IH Red		\$150
00787656	MF Red		\$150
00787657	NH Blue		\$150
EXTRA EQUIP	MENT		
00763464	Shredding Attachment (30", 38", & 40" Rows)	250	\$1,225
00763511	Lift-Type - Axle Arms w/ (2) Foam Filled tires. Converts unit to 4 axles w/ 1 tire each.	365	\$2,620
00763510	Pull-Type - Axle Arms w/ (2) Foam Filled tires. Converts unit to 4 axles w/ 1 tire each.	352	\$1,300
CONTAINER F	EES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)		\$100 Net
00888892	Container Loading Fee (Single Charge per Container I	_oad)	\$275 Net






Vew! TS10

Flex-Wing Rotary Cutter



Unit shown with extra equipment.
*Cutting Height dependent on Tire Size.



BLADE ROTATION

STANDARD EQUIPMENT & SPECIFICATIONS	
Cutting Width:	120"
Transport Width:	93"
Transport Height:	68"
Overall Width:	126"
Overall Length:	162"
Cutting Height: *	1" - 15"
Height Adjustment:	3 1/2" x 8" Hyd Cylinder
Jack Stand:	Std
Hitch:	Pull Type, Parallel Clevis
Blade Carrier:	Infinity - Steel
Blades:	1/2" x 3" High Lift
Blade Overlap:	6"
Tractor PTO HP Range:	25 - 60
Gearbox Oil (85W-140):	Factory Filled Lucas Oil
Output Shaft Diameter:	1 9/16"
Blade Tip Speed: Center 540 RPM Wing 540 RPM	13,028 13,680
Cutting Capacity:	2"
Driveline ASABE: Main Wing	CAT 4 CV CAT 3 SC
Deck Thickness:	12 Ga
Side Skirt:	1/4" x 10"
Tires & Wheels: (4 or 6)	See Group 2
Wing Lift:	2" x 14" Hyd Cylinder
Wing Flex (Degrees):	90° Up, 22° Down
Safety Tow Chain:	Std
Safety Deflectors:	See Group 3
Tongue Weight (Approx):	720 lbs
Weight (Approx):	2,190 lbs
Gearbox Rating Based	d on Field Performance

Gearbox Rating Based on Field Performance

TS10 is NOT intended for Commercial or Government use.





To order complete machine, select one item each from groups 1 - 3.

Order extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 1A. BAS		
Features 1 Yea	ar Machine Warranty & 5 Year Gearbox Warranty!	
TS10-3OR1	TS10 Flex-Wing Cutter, Rhino Orange	\$10,975
TS10-3GR1	TS10 Flex-Wing Cutter, JD Green	\$11,140
TS10-3OR2	TS10 Flex-Wing Cutter, Kubota Orange	\$11,140
TS10-3RD2	TS10 Flex-Wing Cutter, Case IH Red	\$11,140
TS10-3RD3	TS10 Flex-Wing Cutter, MF Red	\$11,140
TS10-3BL1	TS10 Flex-Wing Cutter, NH Blue	\$11,140
GROUP 1B. SPE	ECIAL EDITION BASE UNIT - TS10	
Features 2 Yea	ar Machine Warranty & 7 Year Gearbox Warranty!	
TS10-3BK1	TS10 Flex-Wing Cutter, Black Rhino Edition	\$12,595
GROUP 2. TIRE	SELECTION - TS10	
00025200	Laminated 6" x 9" x 20.75"	
	4 Tires (2 Center, 2 Wing)	\$1,004
	6 Tires (4 Center, 2 Wing)	\$1,506
00793165	Rhino Trax Foam Filled 7" x 12" x 20.5"	
	4 Tires (2 Center, 2 Wing)	\$1,360
	6 Tires (4 Center, 2 Wing)	\$2,040
GROUP 3. GUAI	RDING SELECTION - TS10	
00793127	Rubber Deflectors	\$565
00793128	Single Chain Guards	\$920
EXTRA EQUIPMENT (DEALER INSTALLED OPTIONS)		
00790287	2-Function Hydraulic Kit - 2 remote - wings plumbed together	\$99
00790288	3-Function Hydraulic Kit - 3 remote - all cylinders function seperately	\$160
	Attention: The TS10 is plumbed to require 1 tractor remote valve.	S H -

Hydraulics are phased so the entire unit level lifts before the wings raise. The above kits allow hydraulic functions to be operated separately, but require 2 or 3 tractor remote valves.

REPLACEMENT ITEMS (SEE NOTE)

NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.rhinoparts.com) for latest price and terms information.

Part Number	Description
00781343	Blades, Updraft CCW
00793152	Blades, Updraft CCW
00793133	Blades, Updraft CW
00786548	Blade Bolt Kit




TS12 Flex-Wing Rotary Cutter



Unit shown with extra equipment.

TS12 is NOT intended for Commercial or Government use.



BLADE ROTATION

STANDARD EQUIPME	NT & SPECIFICATIONS
Cutting Width:	144"
Transport Width:	97"
Transport Height:	65"
Overall Width:	155"
Overall Length:	148"
Cutting Height: *	2" - 12"
Self-Leveling Height Adjustment:	3 1/2" x 3" Hyd Cylinder
Jack Stand:	Std
Hitch:	Pull - Swivel
Blade Carrier:	Wing Pan 🥻
Blades:	1/2" x 3"
Blade Overlap:	6"
HP Required:	35 - 60 PTO
Gearbox Rating: ** Divider Center & Wing	160 HP 65 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Diameter:	1 9/16"
Blade Tip Speed: Center 540 RPM Wing 540 RPM	14,504 FPM 13,925 FPM
Cutting Capacity:	1 1/2" Diameter
Driveline Size: Main Wing	CAT 4 Equal Angle CAT 3
Driveline Protection:	Slip Clutch
Deck Thickness:	12 Ga
Center: Wings:	10 Ga Bottom, 12 Ga Top Double 12 Ga
Side Skirt:	1/4" x 11 1/2"
Tires & Wheels: (4 or 6)	Foam Filled Aircraft or Laminated Tires
Wing Flex (Degrees):	88° Up / 25° Dn
Safety Tow Chain:	Std
LED Light Kit:	Std
Safety Deflectors:	Chain Guards
Wheel Base:	126 1/4"
Tongue Weight:	748 lbs
Weight (Approx):	2,750 lbs
**Gearbox Rating Based on Field Performance	





^{*}Cutting Height dependent on Tire Size.





To order complete machine, select one item each from groups 1 - 3. Order special paint & extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE	E UNIT - TS12	
TS125403	TS12 Flex-Wing Cutter, 540 RPM	\$12,925
GROUP 2. TIRE	SELECTION - TS12	
00025200	Laminated 6" x 9" x 20.75"	
	4 Tires (2 Center, 2 Wing)	\$1,004
	6 Tires (4 Center, 2 Wing)	\$1,506
00793165	Rhino Trax Foam Filled 7" x 12" x 20.5"	
	4 Tires (2 Center, 2 Wing)	\$1,360
	6 Tires (4 Center, 2 Wing)	\$2,040
GROUP 3. GUA	RDING SELECTION - TS12	
00790297	Single Chain Guards	\$1,035
SPECIAL PAINT	COLOR SELECTION (RHINO ORANGE IS STANDA	RD)
00787653	JD Green	\$150
00787654	Kubota Orange	\$150
00787655	Case IH Red	\$150
00787656	MF Red	\$150
00787657	NH Blue	\$150
EXTRA EQUIPMENT (DEALER INSTALLED OPTIONS)		
00790287	2-Function Hydraulic Kit	\$99
00790288	3-Function Hydraulic Kit	\$160
Attention: The standard TS12 is plumbed to require 1 tractor remote valve. Hydraulics are phased so the entire unit level lifts before the wings raise. The above kits allow hydraulic functions to be operated separately, but require 2 or 3 tractor remote valves.		

REPLACEMENT ITEMS (SEE NOTE)

NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.alamoag.com) for latest price and terms information.

Part	
Number	Description
00781341	Blades, Updraft CCW
00790107	Blades, Updraft CW
00786548	Blade Bolt Kit






2150

Medium-Duty Flex-Wing Rotary Cutter



Unit shown with extra equipment.

BLADE ROTATION



STANDARD EQUIPM	MENT & SPECIFICATIONS	
Cutting Width:	180"	
Transport Width:	116"	
Transport Height:	75"	
Overall Width:	187"	
Overall Length:	172"	
Cutting Height:*	2"- 14"	
Height Adjustment:	2 1/2" x 8" Hyd Cylinder	
Jack Stand:	Std	
Hitch:	Clevis	
Blade Carrier:	Infinity	
Blades:	1/2" x 4" Parallel Lift	
Blade Overlap:	6"	
HP Required:	50	
Gearbox Rating**: Divider Center & Wing Gearbox Oil (85W-140):	160 HP 130 HP Factory Filled	
Output Shaft Dia:	2"	
Blade Tip Speed: Center 540 RPM 1000 RPM Wing 540 RPM 1000 RPM	14,861 FPM 15,570 FPM 14,861 FPM 15,776 FPM	
Cutting Capacity:	2 1/2"	
Driveline Size: Main Wing	CAT 5 CV CAT 4	
Driveline Protection:	Slip Clutch	
Deck Thickness: Center Wing	10 Ga 10 Ga (Top), 7 Ga (Bottom) 10 Ga (Top & Bottom)	
Side Skirt:	1/4" x 12 3/8"	
Tire Selections:	See Group 3	
Wing Flex (Degrees):	25° Down, 87° Up, 45° Operational	
Weight (Approx):	4,290 lbs (w/ Single Chains & 6 Rhino Trax Tires)	
Tongue Weight:	1,430 lbs	
Safety Tow Chain:	Std	
LED Light Kit:	Std	
Safety Deflectors:	See Group 4	
*Cutting Hoight d	anandant on Tira Ciza	

*Cutting Height dependent on Tire Size.
**Gearbox Rating Based on Field Performance





To order complete machine, select one item each from groups 1 - 4.

Order special paint & extra equipment as needed.

	Order special paint & extra equipme	LIST
CATALOG		PRICE
NUMBER	DESCRIPTION	(\$US)
GROUP 1. B	ASE UNIT - 2150	
2150N5403	2150 Flex-Wing Cutter, 540 RPM	\$13,800
2150R5403	2150 Flex-Wing Cutter, 540 RPM w/ Deck F	Rings \$14,275
2150N1003	2150 Flex-Wing Cutter, 1000 RPM	\$13,800
2150R1003	2150 Flex-Wing Cutter, 1000 RPM w/ Deck	Rings \$14,275
GROUP 2. D	RIVELINE SELECTION - 2150	
00789371	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,200
00789372	1000 RPM w/ 1 3/8"- 21 Spline Driveline	\$1,200
00778932	1000 RPM w/ 1 3/4"- 20 Spline Driveline	\$1,459
	RE & WHEEL SELECTION - 2150 00790303 HUB & SPINDLE BUNDLE)	
00791365	Rhino Trax Foam Filled 25.6" x 7" x 18"	
	4 Tires (2 Center, 2 Wing)	\$1,700
	6 Tires (4 Center, 2 Wing)	\$2,550
	8 Tires (4 Center, 4 Wing)	\$3,400
00787512	Foam Filled 21" x 7" x 12"	
	4 Tires (2 Center, 2 Wing)	\$1,360
	6 Tires (4 Center, 2 Wing)	\$2,040
	8 Tires (4 Center, 4 Wing)	\$2,720
00788719	Foam Filled 25.5" x 8" x 14"	
	4 Tires (2 Center, 2 Wing)	\$1,780
	6 Tires (4 Center, 2 Wing)	\$2,670
	8 Tires (4 Center, 4 Wing)	\$3,560
00025200	Laminated 6" x 9" x 20"	
	4 Tires (2 Center, 2 Wing)	\$1,004
	6 Tires (4 Center, 2 Wing)	\$1,506
	8 Tires (4 Center, 4 Wing)	\$2,008
00791863	Laminated 6.5" x 14" x 25.5"	04.400
	4 Tires (2 Center, 2 Wing)	\$1,108
	6 Tires (4 Center, 2 Wing)	\$1,662
00701629	8 Tires (4 Center, 4 Wing)	\$2,216
00791638	20 Ply Pneumatic 25.5" x 8" x 14"	¢4 200
	4 Tires (2 Center, 2 Wing) 6 Tires (4 Center, 2 Wing)	\$1,300 \$1,950
	8 Tires (4 Center, 4 Wing)	\$2,600
	o mes (4 Cemer, 4 wing)	\$∠,000

2150 Continued



CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 4. GI	JARDING SELECTION - 2150	
00790576	Rubber Deflectors	\$810
00790577	Single Chain Guards	\$1,560
00790578	Front Chain Guard & Rear Deflectors	\$1,350
SPECIAL PAI	NT COLOR SELECTION (RHINO ORANGE IS STANDARD)	
00787653	JD Green	\$150
00787654	Kubota Orange	\$150
00787655	Case IH Red	\$150
00787656	MF Ferguson Red	\$150
00787657	NH Blue	\$150
00789484	Galvanizing	\$2,650
EXTRA EQUIPMENT - 2150		
00791628	Round Pan Blade Carrier (Price shown is for quantity of 1. Order quantity of 3 for 2150 applications.)	\$265 Each
00787326	Hydraulic Splitter Kit (Plumbs both wings to 1 tractor remote valve)	\$49
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net





STANDARD EQUIPMENT & SPECIFICATIONS Warranty: 1 Yr Machine. 2 Yr Seals & Driveline. 6 Yr Gearbox 126" **Cutting Width: Transport Width:*** 88" **Transport Height:*** 80" Overall Width:* 133" Overall Length:* 176" **Cutting Height:*** 2" - 14" **Height Adjustment:** Hydraulic Cylinder Std Jack Stand: Hitch: Pull **Blade Carrier:** Infinity Blades: 1/2" x 4" Parallel Lift 6" **Blade Overlap: HP Required:** 50 Gearbox Rating**: 160 HP Divider Center & Wing 110 HP Gearbox Oil (85W-140): Factory Filled **Output Shaft Dia:** 2" Blade Tip Speed: Center 540 RPM 14,861 FPM 15,570 FPM 1000 RPM Wing 540 RPM 14,861 FPM 1000 RPM 15,776 FPM **Cutting Capacity:** 3" **Driveline Size:** CAT 4 CV Main Wing CAT 4 Slip Clutch **Driveline Protection: Deck Thickness:** 10 Ga Side Skirt: 1/4" x 9 5/8" Tires & Wheels: See Group 4 90° Up / 25° Dn Wing Flex (Degrees): **Safety Tow Chain:** Std

Std See Group 5

^{**}Gearbox Rating Based on Field Performance



LED Light Kit:

Safety Deflectors:


3100Medium-Duty Offset Flex-Wing Rotary Cutter



Unit shown with extra equipment.

Double chain guards are highly recommended if the intended use is for highway, right of way, parks, greenbelt mowing, and all other applications where humans, dwellings, vehicles, or livestock could be within 300 feet of the mower.

Blade Rotation for offset Flex-Wing Rotary Cutters have been designed to move cut material toward the wing for highway mowing purposes.





^{*} Dependent on tire size

To order complete machine, select one item each from groups 1 - 5. Order walking axle, special paint, and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. B	ASE UNIT - 3100	
3100N5404	3100 Offset Flex-Wing Cutter, 540 RPM	\$14,630
3100R5404	3100 Offset Flex-Wing Cutter, 540 RPM w/ Deck Rings	\$15,050
3100N1004	3100 Offset Flex-Wing Cutter, 1000 RPM	\$14,630
3100R1004	3100 Offset Flex-Wing Cutter, 1000 RPM w/ Deck Rings	\$15,050
GROUP 2. H	ITCH SELECTION - 3100	
00791558	Std Pivoting Hitch	\$295
00791652	Pintle Hitch (Does NOT Include Tractor Half)	\$300
00791728	Precision Hitch (Attaches to Tractor Drawbar)	\$1,060
GROUP 3. D	RIVELINE SELECTION - 3100	
00791881	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,150
00791882	1000 RPM w/ 1 3/8"- 21 Spline Driveline	\$1,150
00791883	1000 RPM w/ 1 3/4"- 20 Spline Driveline	\$1,325
	RE & WHEEL SELECTION - 3100 00790303 HUB & SPINDLE BUNDLE)	
00791365A	HD Rhino Trax Foam Filled 25.6" x 7" x 18"	
	5 Tires (4 Center, 1 Wing)	\$2,125
	6 Tires (4 Center, 2 Wing)	\$2,550
00787512	Foam Filled 21" x 7" x 12"	1
	5 Tires (4 Center, 1 Wing)	\$1,700
	6 Tires (4 Center, 2 Wing)	\$2,040
00788719	Foam Filled 25.5" x 8" x 14"	
	5 Tires (4 Center, 1 Wing)	\$2,225
	6 Tires (4 Center, 2 Wing)	\$2,670
00025200	Laminated 6" x 9" x 20"	
	5 Tires (4 Center, 1 Wing)	\$1,255
	6 Tires (4 Center, 2 Wing)	\$1,506
00791863	Laminated 6.5" x 14" x 25.5"	
	5 Tires (4 Center, 1 Wing)	\$1,385
	6 Tires (4 Center, 2 Wing)	\$1,662
GROUP 5. G	UARDING SELECTION - 3100	
00791586	Rubber Deflectors	\$485
00791526	Single Chain Guards	\$1,350
00791527	Double Chain Guards	\$1,905









CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
WALKING AX	(LE OPTION	
00791673	Center Walking Axle Only (Select 5 or 6 Tire Option)	\$815
00791674	Center & Wing Walking Axle (Select 6 Tire Option)	\$1,215
SPECIAL PAI	INT COLOR SELECTION - RHINO ORANGE IS STANDARD	
00787653	JD Green	\$150
00787654	Kubota Orange	\$150
00787655	Case IH Red	\$150
00787656	MF Red	\$150
00787657	NH Blue	\$150
EXTRA EQUIPMENT		
00791628	Round Pan Blade Carrier (Price shown is for quantity of 1. Order quantity of 2 for 3100 applications.)	\$265
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net






3150

Medium-Duty Flex-Wing Rotary Cutter




Unit shown with extra equipment.

Double chain guards are highly recommended if the intended use is for highway, right of way, parks, greenbelt mowing, and all other applications where humans, dwellings, vehicles, or livestock could be within 300 feet of the mower.



BLADE ROTATION 15' FLEX-WINGS



STANDARD EQUIPMENT &	SPECIFICATIONS	
Cutting Width:	180"	
Transport Width:*	96"	
Transport Height:*	80"	
Overall Width:*	187"	
Overall Length:*	176"	
Cutting Height:*	2" - 14"	
Height Adjustment:	Hydraulic Cylinder	
Jack Stand:	Std	
Hitch:	Pull	
Blade Carrier:	Infinity	
Blades:	1/2" x 4" Parallel Lift	
Blade Overlap:	6"	
PTO HP Required:	50	
Gearbox Rating**:		
Divider	160 HP	
Center & Wing	130 HP	
Gearbox Oil (85W-140):	Factory Filled	
Output Shaft Diameter:	2"	
Blade Tip Speed:		
Center 540 RPM	14,861 FPM	
1000 RPM	15,570 FPM	
Wing 540 RPM	14,861 FPM	
1000 RPM	15,776 FPM	
Cutting Capacity:	3"	
Driveline Size:		
Main	CAT 4 CV	
Wing	CAT 4	
Driveline Protection:	Slip Clutch	
Deck Thickness:	10 Ga	
Side Skirt:	1/4"	
Tires & Wheels:	See Group 4	
Wing Flex (Degrees):	90° Up / 25° Dn	
Safety Tow Chain:	Std	
LED Light Kit:	Std	
Safety Deflectors:	See Group 5	
Tongue Weight:	1,610 lbs	
Weight (Approx):	5,190 lbs	

* Dependent on tire size

**Gearbox Rating Based on Field Performance





3150 Continued

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 5. Order walking axle, special paint, and extra equipment as needed.

CATALOG		LIST PRICE
NUMBER CROUDA BA	DESCRIPTION	(\$US)
3150N5404	SE UNIT - 3150 3150 Flex-Wing Cutter, 540 RPM	\$15,910
3150R5404	3150 Flex-Wing Cutter, 540 RPM w/ Deck Rings	\$15,910
3150N1004	3150 Flex-Wing Cutter, 1000 RPM	\$15,910
3150R1004	3150 Flex-Wing Cutter, 1000 RPM w/ Deck Rings	\$15,910
	CH SELECTION - 3150	\$10,550
00791558	Std Pivoting Hitch	\$295
00791652	Pintle Hitch (Does NOT Include Tractor Half)	\$300
00791728	Precision Hitch (Attaches to Tractor Drawbar)	\$1,060
	IVELINE SELECTION - 3150	Ψ1,000
00791881	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,150
00791882	1000 RPM w/ 1 3/8"- 21 Spline Driveline	\$1,150
00791883	1000 RPM w/ 1 3/4"- 20 Spline Driveline	\$1,325
GROUP 4. TIRE & WHEEL SELECTION - 3150 (INCLUDES 00790303 HUB & SPINDLE BUNDLE)		
00791365A	HD Rhino Trax Foam Filled 25.6" x 7" x 18"	
	6 Tires (4 Center, 2 Wing)	\$2,550
	8 Tires (4 Center, 4 Wing)	\$3,400
00787512	Foam Filled 21" x 7" x 12"	
	6 Tires (4 Center, 2 Wing)	\$2,040
	8 Tires (4 Center, 4 Wing)	\$2,720
00788719	Foam Filled 25.5" x 8" x 14"	
	6 Tires (4 Center, 2 Wing)	\$2,670
	8 Tires (4 Center, 4 Wing)	\$3,560
00025200	Laminated 6" x 9" x 20"	·
	6 Tires (4 Center, 2 Wing)	\$1,506
	8 Tires (4 Center, 4 Wing)	\$2,008
00791863	Laminated 6.5" x 14" x 25.5"	
	6 Tires (4 Center, 2 Wing)	\$1,662
	8 Tires (4 Center, 4 Wing)	\$2,216
GROUP 5. GU	ARDING SELECTION - 3150	
00791587	Rubber Deflectors	\$630
00791528	Single Chain Guards	\$1,570
00791529	Double Chain Guards	\$2,230





CATALOG		LIST PRICE
NUMBER	DESCRIPTION	(\$US)
WALKING AXI	LE OPTION	
00791673	Center Walking Axle Only (Select 6 or 8 Tire Option)	\$815
00791675	Center & Wing Walking Axle (Select 8 Tire Option)	\$1,630
SPECIAL PAIN	IT COLOR SELECTION (RHINO ORANGE IS STANDARD)	
00787653	JD Green	\$150
00787654	Kubota Orange	\$150
00787655	Case IH Red	\$150
00787656	MF Red	\$150
00787657	NH Blue	\$150
00789484	Galvanizing	\$2,650
EXTRA EQUIPMENT		
00787326	Hydraulic Splitter Kit (Plumbs both wings to 1 tractor remote valve)	\$49
00791628	Round Pan Blade Carrier (Price shown is for quantity of 1. Order quantity of 3 for 3150 applications.)	\$265
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net






"PRO" Heavy-Duty Offset Flex-Wing Rotary Cutter



Unit shown with extra equipment.

Double chain guards are highly recommended if the intended use is for highway, right of way, parks, greenbelt mowing, and all other applications where humans, dwellings, vehicles, or livestock could be within 300 feet of the mower.

Blade rotation on offset Flex-Wing cutters is designed to move cut material toward the wing for highway mowing applications.





STANDARD EQUIPMENT & SPECIFICATIONS Cutting Width: 126" Transport Width:* 88" Transport Height:* 80" Overall Width:* 133" Overall Length:* 183"

2" - 14"

Hydraulic Cylinder

Std Pull

Blade Carrier:

Infinity

Blades:

1/2" x 4" Parallel Lift

Cutting Height:*

Jack Stand:

Hitch:

Height Adjustment:

Blade Overlap: 6"
HP Required: 60 PTO
Gearbox Rating**:

Divider 250 HP
Center & Wing 225 HP
Gearbox Oil (85W-140): Factory Filled
Output Shaft Diameter: 3"

Cutting Capacity: 4 1/2"

Driveline Size:

Main
CAT 5 CV
Wing
CAT 5

Driveline Protection: Slip Clutch Deck Thickness: 7 Ga Side Skirt: 1/4" Wheel Hubs: Service Free Tires & Wheels: See Group 4 90° Up/ 25° Dn Wing Flex (Degrees): **Safety Tow Chain:** Std **LED Light Kit:** Std **Safety Deflectors:** See Group 5

* Dependent on tire size

5,400 lbs

**Gearbox Rating Based on Field Performance



Weight (Approx):


4105 Continued



ORDERING SECTION

To order complete machine, select one item each from groups 1 - 5. Order walking axle, special paint, and extra equipment as needed.

CATALOG			LIST PRICE
NUMBER	DESCR	IPTION	(\$US)
GROUP 1. B	ASE UNIT - 4105		
4105N5404	4105 Flex-Wing Cutter, 540 R	PM	\$18,995
4105R5404	4105 Flex-Wing Cutter, 540 R	PM w/ Deck Rings	\$19,675
4105N1004	4105 Flex-Wing Cutter, 1000	RPM	\$18,995
4105R1004	4105 Flex-Wing Cutter, 1000	RPM w/ Deck Rings	\$19,675
GROUP 2. H	ITCH SELECTION - 4105		
00791558	Std Pivoting Hitch		\$295
00791652	Pintle Hitch (Does NOT Include	de Tractor Half)	\$300
00791728	Precision Hitch (Attaches to T	ractor Drawbar)	\$1,060
GROUP 3. D	RIVELINE SELECTION - 4105		
00791581	540 RPM w/ 1 3/8" - 6 Spline Driveline		\$1,310
00791582	1000 RPM w/ 1 3/8"- 21 Splin	e Driveline	\$1,310
00791583	1000 RPM w/ 1 3/4"- 20 Spline Driveline \$1,350		\$1,350
	IRE & WHEEL SELECTION - 4 00790303 HUB & SPINDLE BI		
00791365A	HD Rhino Trax Foam Filled 25	5.6" x 7" x 18"	
	5 Tires (4 Center, 2 Wing)		\$2,125
	6 Tires (4 Center, 4 Wing)		\$2,550
00788719	Foam Filled 25.5" x 8" x 14"		
	5 Tires (4 Center, 1 Wing)		\$2,225
	6 Tires (4 Center, 2 Wing)		\$2,670
00791863	Laminated 6.5" x 14" x 25.5"		
	5 Tires (4 Center, 1 Wing)		\$1,385
	6 Tires (4 Center, 2 Wing)		\$1,662
GROUP 5. G	UARDING SECTION - 4105		
00791526	Single Chain Guards		\$1,350
00791527	Double Chain Guards		\$1,905









CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
WALKING AX	(LE OPTION	
00791673	Center Walking Axle Only (Select 5 or 6 Tire Option)	\$815
00791674	Center & Wing Walking Axle (Select 6 Tire Option)	\$1,215
SPECIAL PAI	NT COLOR SELECTION (RHINO ORANGE IS STANDARD)	
00787653	JD Green	\$150
00787654	Kubota Orange	\$150
00787655	Case IH Red	\$150
00787656	MF Red	\$150
00787657	NH Blue	\$150
EXTRA EQUIPMENT		
00791628	Round Pan Blade Carrier (Price shown is for quantity of 1. Order quantity of 2 for 4105 applications.)	\$265
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net






4150

"Ag" Heavy-Duty Flex-Wing Rotary Cutter



Unit shown with extra equipment.

Double Chain Guards are highly recommended if the intended use is for highway, right of way, parks, greenbelt mowing, and all other applications where humans, dwellings, vehicles, or livestock could be within 300 feet of the mower.



der		
221	YEAR	MACHINE
× 2	YFAR	LTD DRIVELINE
\$6	YEAR	G EARBOX
32	YEAR	S EALS

STANDARD EQUIPMEN	
Cutting Width:	180"
Transport Width:*	96"
Transport Height:*	80"
Overall Width:*	187"
Overall Length:*	183"
Cutting Height:*	2" - 14"
Height Adjustment:	Hydraulic Cylinder
Jack Stand:	Std
Hitch:	Pull
Blade Carrier:	Infinity
Blades:	1/2" x 4" Parallel Lift
Blade Overlap:	6"
PTO HP Required:	60
Gearbox Rating**:	
Divider	250 HP
Center & Wing	225 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Dia:	3"
Blade Tip Speed: Center 540 RPM 1000 RPM Wing 540 RPM 1000 RPM	16,286 FPM 16,380 FPM 16,422 FPM 15,983 FPM
Cutting Capacity:	4"
Driveline Size: Main Wing	CAT 5 CV CAT 4
Driveline Protection:	Slip Clutch
Deck Thickness:	7 Ga
Side Skirt:	1/4"
Tires & Wheels:	See Group 4
Wing Flex (Degrees):	90° Up / 25° Dn
Safety Tow Chain:	Std
LED Light Kit:	Std
Safety Deflectors:	See Group 5
Tongue Weight:	1,840 lbs
Weight (Approx):	5,395 lbs

* Dependent on tire size

**Gearbox Rating Based on Field Performance







To order complete machine, select one item each from groups 1 - 5. Order walking axle, special paint, and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)		
	SE UNIT - 4150	(\$03)		
4150N5404	4150 Flex-Wing Cutter, 540 RPM	\$19,515		
4150R5404	4150 Flex-Wing Cutter, 540 RPM w/ Deck Rings	\$20,175		
4150N1004	4150 Flex-Wing Cutter, 1000 RPM	\$19,515		
4150R1004	4150 Flex-Wing Cutter, 1000 RPM w/ Deck Rings	\$20,175		
GROUP 2. HIT	CH SELECTION - 4150	· · · · · · · · · · · · · · · · · · ·		
00791558	Std Pivoting Hitch	\$295		
00791652	Pintle Hitch (Does NOT Include Tractor Half)	\$300		
00791728	Precision Hitch (Attaches to Tractor Drawbar)	\$1,060		
GROUP 3. DR	IVELINE SELECTION - 4150			
00791578	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,255		
00791579	1000 RPM w/ 1 3/8"- 21 Spline Driveline	\$1,255		
00791580	1000 RPM w/ 1 3/4"- 20 Spline Driveline			
	RE & WHEEL SELECTION - 4150 0790303 HUB & SPINDLE BUNDLE)			
00791365A	HD Rhino Trax Foam Filled 25.6" x 7" x 18"			
	6 Tires (4 Center, 2 Wing)	\$2,550		
	8 Tires (4 Center, 4 Wing)	\$3,400		
00788719	Foam Filled 25.5" x 8" x 14"	'		
	6 Tires (4 Center, 2 Wing)	\$2,670		
	8 Tires (4 Center, 4 Wing)	\$3,560		
00791863	Laminated 6.5" x 14" x 25.5"			
	6 Tires (4 Center, 2 Wing)	\$1,662		
	8 Tires (4 Center, 4 Wing)	\$2,216		
GROUP 5. GUARDING SELECTION - 4150				
00791528	Single Chain Guards	\$1,570		
00791529	Double Chain Guards	\$2,230		










TIOO COMMINAC		
CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
WALKING AXLI	E OPTION	
00791673	Center Walking Axle Only (Select 6 or 8 Tire Option)	\$815
00791675	Center & Wing Walking Axle (Select 8 Tire Option)	\$1,630
SPECIAL PAIN	COLOR SELECTION - RHINO ORANGE IS STANDARD	
00787653	JD Green	\$150
00787654	Kubota Orange	\$150
00787655	Case IH Red	\$150
00787656	MF Red	\$150
00787657	NH Blue	\$150
00789484	Galvanizing	\$2,650
EXTRA EQUIPM	MENT	
00787326	Hydraulic Splitter Kit (operates both wings from 1 tractor remote)	\$49
00791628	Round Pan Blade Carrier (Price shown is for quantity of 1. Order quantity of 3 for 4150 applications)	\$265
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net






4155

"PRO" Heavy-Duty Flex-Wing Rotary Cutter



Unit shown with extra equipment.

Double chain guards are highly recommended if the intended use is for highway, right of way, parks, greenbelt mowing, and all other applications where humans, dwellings, vehicles, or livestock could be within 300 feet of the mower.





STANDARD EQUIPMENT & SPECIFICATIONS Cutting Width: 180" 96" **Transport Width:*** Transport Height:* 80" 187" Overall Width:* 183" Overall Length:* 2" - 14" **Cutting Height: * Height Adjustment:** Hydraulic Cylinder Jack Stand: Std Hitch: Pull **Blade Carrier:** Infinity Blades: 1/2" x 4" Parallel Lift

6"

60

CAT 5

5.455 lbs

Gearbox Rating**:
Divider
Center & Wing
250 HP
225 HP

Blade Overlap: PTO HP Required:

Gearbox Oil (85W-140): Factory Filled
Output Shaft Dia.: 3"

Blade Tip Speed:

Center 540 RPM 16,286 FPM
1000 RPM 16,380 FPM
Wing 540 RPM 16 422 FPM

Wing 540 RPM 16,422 FPM 15,983 FPM 15,983 FPM 4 1/2"

Driveline Size: "Lube 4 Life"

Main CAT 5 CV

Wing

Driveline Protection: Slip Clutch 7 Ga **Deck Thickness:** Side Skirt: 1/4" Tires & Wheels: See Group 4 90° Up / 25° Dn Wing Flex (Degrees): Std Safety Tow Chain: **Safety Deflectors:** See Group 5 Std **LED Light Kit: Tongue Weight:** 1,870 lbs

Weight (Approx): 5,45

* Dependent on tire size

**Gearbox Rating Based on Field Performance







To order complete machine, select one item each from groups 1 - 5. Order walking axle, special paint, and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)			
	GROUP 1. BASE UNIT - 4155				
4155N5404	4155 Flex-Wing Cutter, 540 RPM	\$22,250			
4155R5404	4155 Flex-Wing Cutter, 540 RPM w/ Deck Rings	\$23,150			
4155N1004	4155 Flex-Wing Cutter, 1000 RPM	\$22,250			
4155R1004	4155 Flex-Wing Cutter, 1000 RPM w/ Deck Rings	\$23,150			
GROUP 2. HIT	CH SELECTION - 4155				
00791558	Std Pivoting Hitch	\$295			
00791652	Pintle Hitch (Does NOT Include Tractor Half)	\$300			
00791728	Precision Hitch (Attaches to Tractor Drawbar)	\$1,060			
GROUP 3. DRIV	VELINE SELECTION - 4155				
00791581	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,310			
00791582	1000 RPM w/ 1 3/8"- 21 Spline Driveline	\$1,310			
00791583	1000 RPM w/ 1 3/4"- 20 Spline Driveline				
	E & WHEEL SELECTION - 4155 790303 HUB & SPINDLE BUNDLE)				
00791365A	HD Rhino Trax Foam Filled 25.6" x 7" x 18"				
	6 Tires (4 Center, 2 Wing)	\$2,550			
	8 Tires (4 Center, 4 Wing)	\$3,400			
00788719	Foam Filled 25.5" x 8" x 14"				
	6 Tires (4 Center, 2 Wing)	\$2,670			
	8 Tires (4 Center, 4 Wing)	\$3,560			
00791863	Laminated 6.5" x 14" x 25.5"				
	6 Tires (4 Center, 2 Wing)	\$1,662			
	8 Tires (4 Center, 4 Wing)	\$2,216			
GROUP 5. GUARDING SELECTION - 4155					
00791528	Single Chain Guards	\$1,570			
00791529	Double Chain Guards	\$2,230			










CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
WALKING AXL		(ΨΟΟ)
00791673	Center Walking Axle Only (Select 6 or 8 Tire Option)	\$815
00791675	Center & Wing Walking Axle (Select 8 Tire Option)	\$1,630
SPECIAL PAIN	T COLOR SELECTION - RHINO ORANGE IS STANDARD	
00787653	JD Green	\$150
00787654	Kubota Orange	\$150
00787655	Case IH Red	\$150
00787656	MF Red	\$150
00787657	NH Blue	\$150
00789484	Galvanizing	\$2,650
EXTRA EQUIPMENT		
00787326	Hydraulic Splitter Kit (operates both wings from 1 tractor remote)	\$49
00791628	Round Pan Blade Carrier (Price shown is for quantity of 1. Order quantity of 3 for 4155 applications.)	\$265
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net





New Full length Skid Shoe shown.






5100

Super-Duty Offset Flex-Wing Rotary Cutter



Double chain guards are highly recommended if the intended use is for highway, right of way, parks, greenbelt mowing, and all other applications where humans, dwellings, vehicles, or livestock could be within 300 feet of the mower.


Blade Rotation for offset Flex-Wing rotary cutters have been designed to move cut material toward the wing for highway mowing purposes.



STANDARD EQUIPMENT	& SPECIFICATIONS		
Cutting Width:	126"		
Transport Width:	88"		
Transport Height:*	80"		
Overall Width:	133"		
Overall Length:	187"		
Cutting Height:	2" - 14"		
Height Adjustment:	Hydraulic Cylinder		
Jack Stand:	Std		
Hitch:	Pull		
Blade Carrier:	Infinity		
Blades:	1/2" x 5" Parallel Lift		
Blade Overlap:	6"		
HP Required:	70 PTO		
Gearbox Rating**:			
Divider	250 HP		
Center & Wing	225 HP		
Gearbox Oil (85W-140):	Factory Filled		
Output Shaft Diameter:	er: 3"		
Blade Tip Speed:			
Center 540 RPM 1000 RPM Wing 540 RPM 1000 RPM	13,704 FPM 13,169 FPM		
Cutting Capacity:	5"		
Driveline Size:			
Main Wing	CAT 6 CV CAT 6		
Driveline Protection:	Slip Clutch		
Deck Thickness:	1/4"		
Side Skirt: 1/4"			
Tires & Wheels:	See Group 4		
Wing Flex (Degrees):	90° Up/ 25° Dn		
Safety Tow Chain:	Std		
LED Light Kit:	Std		
Safety Deflectors:	See Group 5		
* Dependent on tire size			

* Dependent on tire size

**Gearbox Rating Based on Field Performance










To order complete machine, select one item each from groups 1 - 5. Order walking axle, special paint, and extra equipment as needed.

CATALOG		LIST PRICE		
NUMBER	DESCRIPTION	(\$US)		
GROUP 1. B	GROUP 1. BASE UNIT - 5100			
5100N5404	5100 Flex-Wing Cutter, 540 RPM	\$21,030		
5100R5404	5100 Flex-Wing Cutter, 540 RPM w/ Deck Rings	\$21,730		
5100N1004	5100 Flex-Wing Cutter, 1000 RPM	\$21,030		
5100R1004	5100 Flex-Wing Cutter, 1000 RPM w/ Deck Rings	\$21,730		
GROUP 2. HI	TCH SELECTION - 5100	'		
00791558	Std Pivoting Hitch	\$295		
00791652	Pintle Hitch (Does NOT Include Tractor Half)	\$300		
00791728	Precision Hitch (Attaches to Tractor Drawbar)	\$1,060		
GROUP 3. DI	RIVELINE SELECTION - 5100			
00791368	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,350		
00791369	1000 RPM w/ 1 3/8"- 21 Spline Driveline	\$1,350		
00791370	1000 RPM w/ 1 3/4"- 20 Spline Driveline	\$1,400		
	RE & WHEEL SELECTION - 5100 00787716 HUB & SPINDLE BUNDLE)			
00791365A	HD Rhino Trax Foam Filled 25.6" x 7" x 18"			
	5 Tires (4 Center, 2 Wing)	\$2,125		
	6 Tires (4 Center, 4 Wing)	\$2,550		
00788719	Foam Filled 25.5" x 8" x 14"			
	5 Tires (4 Center, 1 Wing)	\$2,225		
	6 Tires (4 Center, 2 Wing)	\$2,670		
00791863	Laminated 6.5" x 14" x 25.5"	<u> </u>		
	5 Tires (4 Center, 1 Wing)	\$1,385		
	6 Tires (4 Center, 2 Wing)	\$1,662		
GROUP 5. GUARDING SELECTION - 5100				
00791526	Single Chain Guards	\$1,350		
00791527	Double Chain Guards	\$1,905		









CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
WALKING AX		(\$00)
00791673	Center Walking Axle Only (Select 5 or 6 Tire Option)	\$815
00791674	Center & Wing Walking Axle (Select 6 Tire Option)	\$1,215
SPECIAL PAI	NT COLOR SELECTION (RHINO ORANGE IS STANDARD)	
00787653	JD Green	\$150
00787654	Kubota Orange	\$150
00787655	Case IH Red	\$150
00787656	MF Red	\$150
00787657	NH Blue	\$150
EXTRA EQUI	PMENT	
00791628	Round Pan Blade Carrier (Price shown is for quantity of 1. Order quantity of 2 for 5100 applications.)	\$265
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net







Super-Duty Flex-Wing Rotary Cutter



Unit shown with extra equipment.

Double chain guards are highly recommended if the intended use is for highway, right of way, parks, greenbelt mowing, and all other applications where humans, dwellings, vehicles, or livestock could be within 300 feet of the mower.





STANDARD EQUIPMENT	& SPECIFICATIONS
Cutting Width:	180"
Transport Width:*	96"
Transport Height:*	80"
Overall Width:*	187"
Overall Length:*	183"
Cutting Height:*	2" - 14"
Height Adjustment:	Hydraulic Cylinder
Jack Stand:	Std
Hitch:	Pull
Blade Carrier:	Infinity
Blades:	1/2" x 5" Parallel Lift
Blade Overlap:	6"
PTO HP Required:	70
Gearbox Rating**:	
Divider	250 HP
Center & Wing Gearbox Oil (85W-140):	225 HP
, ,	Factory Filled 3"
Output Shaft Dia.: Blade Tip Speed:	3
Center 540 RPM 1000 RPM	13,436 FPM 13,704 FPM
Wing 540 RPM 1000 RPM	13,169 FPM 13,367 FPM
Cutting Capacity:	5"
Driveline Size:	<u> </u>
Main Wing	CAT 6 CV CAT 6
Driveline Protection:	Slip Clutch
Deck Thickness:	1/4"
Side Skirt:	1/4"
Tires & Wheels:	See Group 4
Wing Flex (Degrees):	90° Up / 25° Dn
Safety Tow Chain:	Std
LED Light Kit:	Std

* Dependent on tire size

See Group 5

1,970 lbs

5,635 lbs

Safety Deflectors:

Tongue Weight:

Weight (Approx):

**Gearbox Rating Based on Field Performance







To order complete machine, select one item each from groups 1 - 5. Order walking axle, special paint, and extra equipment as needed.

CATALOG		LIST		
CATALOG NUMBER	DESCRIPTION	PRICE (\$US)		
	GROUP 1. BASE UNIT - 5150			
5150N5404	5150 Flex-Wing Cutter, 540 RPM	\$25,900		
5150R5404	5150 Flex-Wing Cutter, 540 RPM w/ Deck Rings	\$26,650		
5150N1004	5150 Flex-Wing Cutter, 1000 RPM	\$25,900		
5150R1004	5150 Flex-Wing Cutter, 1000 RPM w/ Deck Rings	\$26,650		
GROUP 2. DRIV	/E SELECTION - 5150			
00791558	Std Pivoting Hitch	\$295		
00791652	Pintle Hitch (Does NOT Include Tractor Half)	\$300		
00791728	Precision Hitch (Attaches to Tractor Drawbar)	\$1,060		
GROUP 3. DRIV	/ELINE SELECTION - 5150			
00791368	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,350		
00791369	1000 RPM w/ 1 3/8"- 21 Spline Driveline	\$1,350		
00791370	1000 RPM w/ 1 3/4"- 20 Spline Driveline			
	GROUP 4. TIRE & WHEEL SELECTION - 5150 (INCLUDES 00787716 HUB & SPINDLE BUNDLE)			
00791365A	HD Rhino Trax Foam Filled 25.6" x 7" x 18"			
	6 Tires (4 Center, 2 Wing)	\$2,550		
	8 Tires (4 Center, 4 Wing)	\$3,400		
00788719	Foam Filled 25.5" x 8" x 14"			
	6 Tires (4 Center, 2 Wing)	\$2,670		
	8 Tires (4 Center, 4 Wing)	\$3,560		
00791863	Laminated 6.5" x 14" x 25.5"			
	6 Tires (4 Center, 2 Wing)	\$1,662		
	8 Tires (4 Center, 4 Wing)	\$2,216		
GROUP 5. GUA	GROUP 5. GUARDING SELECTION - 5150			
00791528	Single Chain Guards	\$1,570		
00791529	Double Chain Guards	\$2,230		









CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
WALKING AXL	E OPTION	
00791673	Center Walking Axle Only (Select 6 or 8 Tire Option)	\$815
00791675	Center & Wing Walking Axle (Select 8 Tire Option)	\$1,630
SPECIAL PAIN	COLOR SELECTION - RHINO ORANGE IS STANDARD	
00787653	JD Green	\$150
00787654	Kubota Orange	\$150
00787655	Case IH Red	\$150
00787656	MF Red	\$150
00787657	NH Blue	\$150
00789484	Galvanizing	\$2,650
EXTRA EQUIPM	MENT	
00787326	Hydraulic Splitter Kit (operates both wings from 1 tractor remote)	\$49
00791628	Round Pan Blade Carrier (Price shown is for quantity of 1. Order quantity of 3 for 5150 applications)	\$265
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net






6140 14' Heavy-Duty Offset Flex-Wing Rotary Cutter



Unit shown with extra equipment.

Double chain guards are highly recommended if the intended use is for highway, right of way, parks, greenbelt mowing, and all other applications where humans, dwellings, vehicles, or livestock could be within 300 feet of the mower.



STANDARD EQUIPMEN	T & SPECIFICATIONS
Cutting Width:	162"
Transport Width:	106"
Transport Height:	100"
Overall Width:	170"
Overall Length:	216"
Cutting Height:*	2" - 16"
Height Adjustment:	Hydraulic Cylinder
Jack Stand:	Std
Hitch:	Pull
Blade Carrier:	Wing Pan or Oval Pan
Blades:	1/2" x 4"
Blade Types Available:	Updraft, Flat
Blade Overlap:	6"
HP Required:	80 PTO Min
Gearbox Rating**: Power Divider Center & Wing	250 HP 225 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Diameter:	3"
Blade Tip Speed: Center 540 RPM 1000 RPM Wing 540 RPM 1000 RPM	15,675 FPM 16,054 FPM 15,703 FPM 15,804 FPM
Cutting Capacity (Max):	4 1/2" Dia
Driveline Size: Main Wing	CAT 6 CV CAT 6
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga Top/ Bottom
Side Skirt:	1/4" x 12"
Tires & Wheels:	See Group 4
Wing Flex (Degrees):	90° Up/ 22° Down
Deck Rings:	Std
Safety Tow Chain:	Std
Safety Deflectors:	See Group 3
LED Light Kit:	Std
* Dependent	on tire size

* Dependent on tire size

**Gearbox Rating Based on Field Performance








To order complete machine, select one item each from groups 1 - 4. Order special paint & extra equipment as needed.

	Order special paint & extra equipment as needed.		
CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)	
GROUP 1. BASE	GROUP 1. BASE UNIT - 6140		
6140W5403	6140 Flex-Wing Cutter, 540 RPM, Dog Bone Pan Carrier	\$21,150	
6140P5403	6140 Flex-Wing Cutter, 540 RPM, Oval Pan Carrier	\$22,450	
6140W10003	6140 Flex-Wing Cutter, 1000 RPM, Dog Bone Pan Carrier	\$21,780	
6140P10003	6140 Flex-Wing Cutter, 1000 RPM, Oval Pan Carrier	\$23,060	
GROUP 2. DRIV	ELINE SELECTION - 6140	,	
00786843	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,260	
00786844	1000 RPM w/ 1 3/8"- 21 Spline Driveline	\$1,250	
00786845	1000 RPM w/ 1 3/4"- 20 Spline Driveline	\$1,250	
GROUP 3. GUA	RDING SELECTION - 6140		
00787750	Single Chain Guards	\$1,480	
00787751	Double Chain Guards	\$3,340	
	& WHEEL SELECTION - 6140 87716 HUB & SPINDLE BUNDLE)		
00791365A	HD Rhino Trax Foam Filled 25.6" x 7" x 18"		
	5 Tires (4 Center, 2 Wing)	\$2,125	
	6 Tires (4 Center, 4 Wing)	\$2,550	
00788719	Foam Filled 25.5" x 8" x 14"		
	5 Tires (4 Center, 1 Wing)	\$2,225	
	6 Tires (4 Center, 2 Wing)	\$2,670	
00791863	Laminated 6.5" x 14" x 25.5"		
	5 Tires (4 Center, 1 Wing)	\$1,385	
	6 Tires (4 Center, 2 Wing)	\$1,662	
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green	\$150	
00787654	Kubota Orange	\$150	
00787655	Case IH Red	\$150	
00787656	MF Red	\$150	
00787657	NH Blue	\$150	









		LIST
CATALOG		PRICE
NUMBER	DESCRIPTION	(\$US)

EXTRA EQUIPMENT- REVERSE ROTATION DRIVE

00788906	Reverse Rotation Exchange Kit-540 PTO RPM	\$575
00788907	Reverse Rotation Exchange Kit-1000 PTO RPM	\$575

*Reverse Rotation Kit moves cut material to the wing. NOTE: Machines with Reverse Rotation Kits above cannot be ordered through the online order system. Contact Rhino Customer Service to order machines with the Reverse Rotation drive.


EXTRA EQUIPMENT - FACTORY INSTALLED OPTIONS

00778917	Center Section Walking Axle Kit (5 Tires Required)	\$850
0811270500	Winch & Stand (to Manually Fold Wing)	\$800
00769178	Ball Hitch (2 5/16" Ball)	\$625
00773869	Pintle Hitch Kit (Requires Tractor Drawbar Modification)	\$880

CONTAINER FEES - INTERNATIONAL SHIPMENTS

00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net








6200 *Effective July 1, 2018*

Heavy-Duty Flex-Wing Rotary Cutter



Unit shown with extra equipment.

These rotary cutters may be set up with single or double chain guards. For most agricultural applications, single chain guards may be used. If the intended use is for highway, right of way, parks, or greenbelt mowing, or all other mowing where human, dwellings, vehicles, or livestock could be within 300 feet of the mower, double chain guards should be ordered and used.



YEAR MACHINE

Year Gearbox

Year Seals

YEAR LTD DRIVELINE

* Dependent on tire size

STANDARD EQUIPMENT & SPECIFICATIONS

1 Yr Machine, 2 Yr Seals & Driveline, 6 Yr Gearbox

240"

115"

100"

248"

216" 2" - 16"

Hydraulic Cylinder

Std

Pull

Wing Pan, Oval Pan, or Shredder Bar

> 1/2" x 4" Updraft 6"

> > 80 PTO

80 PTO Min

2920 lbs

250 HP

225 HP

Factory Filled

3"

15675 FPM

16054 FPM

15703 FPM

15804 FPM

4-1/2"

CAT 6 CV

CAT 6 HD

Slip Clutch

10 Ga Top / Bottom

1/4" x 12"

See Group 4

90° Up/ 22° Down

Std

Std

See Group 3

Std

Warranty:

Cutting Width:

Overall Width:

Overall Length:

Cutting Height:*
Height Adjustment:

Jack Stand:

Blade Carrier:

Blade Overlap:

HP Required:

Blade Types Available:

Tractor Drawbar Load:

Gearbox Oil (85W-140):

Output Shaft Diameter:

Cutting Capacity (Max):

Driveline Protection:

Wing Flex (Degrees):

Safety Tow Chain:

Safety Deflectors:

LED Light Kit:

Deck Thickness:

Tires & Wheels:

Side Skirt:

Deck Rings:

Power Divider

Center & Wing

Center 540 RPM

Wing 540 RPM

1000 RPM

1000 RPM

Main Wing

Gearbox Rating**:

Blade Tip Speed:

Driveline Size:

Hitch:

Blades:

Transport Width:

Transport Height:

^{**}Gearbox Rating Based on Field Performance







To order complete machine, order one item each from groups 1 - 4. Order special paint & extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRI (\$US)
GROUP 1. BAS		(ψοο)
6200W5403	6200 Flex-Wing Cutter, 540 RPM, Dog Bone Pan Carrier	\$26,300
6200P5403	6200 Flex-Wing Cutter, 540 RPM, Oval Pan Carrier	\$27,175
6200W10003	6200 Flex-Wing Cutter, 1000 RPM, Dog Bone Pan Carrier	\$26,925
6200P10003	6200 Flex-Wing Cutter, 1000 RPM, Oval Pan Carrier	\$27,825
6200S10003	6200 Flex-Wing Cutter,1000 RPM, Shredder Bar Carrier, Baffle kit	\$27,175
6200R10003	6200 Flex-Wing Cutter,1000 RPM, Row Crop (30" Row Spacing), Bar Carrier, Baffle Kit, 9.5L-15 FL-D Highway Implement Tires qty 4)	\$29,075
GROUP 2. DRIV	VE SELECTION - 6200	
00786843	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,260
00786844	1000 RPM w/ 1 3/8"- 21 Spline Driveline	\$1,250
00786845	1000 RPM w/ 1 3/4"- 20 Spline Driveline	\$1,250
GROUP 3. GUA	ARDING SELECTION - 6200	
00787745	Single Chain Guards	\$1,675
00787746	Double Chain Guards	\$4,080
	E & WHEEL SELECTION - 6200 - (NOT REQUIRED FOR 6200R10003) 787716 HUB & SPINDLE BUNDLE)	
00791365A	HD Rhino Trax Foam Filled 25.6" x 7" x 18"	
	6 Tires (4 Center, 2 Wing)	\$2,550
	8 Tires (4 Center, 4 Wing)	\$3,400
00788719	Foam Filled 25.5" x 8" x 14"	
	6 Tires (4 Center, 2 Wing)	\$2,670
	8 Tires (4 Center, 4 Wing)	\$3,560
00791863	Laminated 6.5" x 14" x 25.5"	
	6 Tires (4 Center, 2 Wing)	\$1,662
	8 Tires (4 Center, 4 Wing)	\$2,216
	T COLOR SELECTION (RHINO ORANGE IS STANDARD)	
00787653	JD Green	\$150
00787654	Kubota Orange	\$150
00787655	Case IH Red	\$150
00787656	MF Red	\$150
00787657	NH Blue	\$150
0 0789486	Galvanizing	\$3,500
1 YEAR M	ACHINE	
1 YEAR M 2 YEAR L 6 YEAR G	rd D riveline	
6 YEAR G	FARBOX	
2 YEAR S	EARBOX EALS	
L I LAK 3	EALS	







CATALOG NUMBER EXTRA EQUI	DESCRIPTION PMENT (FACTORY INSTALLED OPTIONS)	LIST PRICE (\$US)
0811270500	Winch & Stand (To Manually Fold Wings)	\$800
00778712	Baffle Kit Assembly	\$680
00769178	Ball Hitch (2 5/16" Ball)	\$625
00773869	Pintle Hitch Kit (Requires Tractor Drawbar Modification)	\$880
00778917	Center Section Walking Axle Kit (6 Tires Required)	\$850
00787326	Hydraulic Splitter Kit (Operates both wings from 1 tractor remote)	\$49
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net





MDB130 Mechanically Driven Ditch Bank Mower







Shown with optional front right gauge wheel.

STANDARD EQUIPMENT & SPECIFICATIONS		
Cutting Width:	60"	
Transport Width:	60"	
Overall Width (Skid to Skid):	69 1/2"	
Overall Length (Guard - Guard):	83 1/4"	
Cutting Height:	1 1/2" - 12"	
Hitch:	CAT 2 Std & CAT 3 Std	
Blade Carrier:	Infinity - Cast	
Blades:	1/2" x 4"	
Blade Rotation:	Counter Clockwise	
PTO HP Required (Min):	90 w/ 25% of Weight on Front Wheels	
Min Tractor Weight:	8,000 lbs	
Gearbox HP: Center Deck	100 130	
Tractor PTO Speed:	540 RPM 1000 RPM	
Drive Type:	Mechanical	
Mechanical Breakaway:	Std	
Blade Tip Speed: 540 RPM 1000 RPM	13,904 14,128	
Horizontal Reach (Max):	130"	
Cutting Capacity (Max):	2"	
Driveline Size:	CAT 4	
Overload Protection:	Slip Clutch	
Deck Thickness:	10 Ga	
Side Skirt:	7 Ga x 9 1/8"	
Range of Head Movement:	40° Up / 40° Down	
Skid Shoes:	Replaceable/ Bolt on	
Optional Gauge Wheel(s) (Max 3)	See Extra Equipment	
Safety Guarding:	Single Chains	
Weight (Approx):	1,900 lbs	
• ,	1,000 100	

ORDERING SECTION APPROX LIST **CATALOG SHIPPING PRICE NUMBER DESCRIPTION** WEIGHT (LBS) (\$US) **BASE UNIT - MDB130** MDB130540 MDB130 Ditch Bank Mower, w/ Chain Guards - 540 RPM 1 3/8 6 Spline \$10,725 2,150 MDB130 Ditch Bank Mower, w/ Chain Guards - 1000 RPM 1 3/8 21 Spline MDB130100 2,150 \$10,725 **EXTRA EQUIPMENT** 00792126 Side Mount Gauge Wheel (4" x 8" Laminated) - Front Right 75 \$605 Side Mount Gauge Wheel (4" x 8" Laminated) - Rear Right or Rear Left 00792140 72 \$500 **For use on Serial #10058 or greater** 00791628 Round Pan for Infinity Carrier 70 \$265





STANDARD FOLLIRMS	ENT & SPECIFICATIONS
Cutting Width:	60"
Transport Width:	119"
Overall Width (Head):	65 1/4"
Overall Length (Head):	71 3/8"
Cutting Height (Min):	1"
Hitch:	CAT 2 & 3 QH Compatible w/ Adapter kit (See Extra Equipment)
Speed Increaser:	Driveline Mounted
Blade Carrier:	Pan
Blades:	1/2" x 4" Updraft
Blade Rotation:	Clockwise
HP Required:	60 w/ Adequate Front Wt.
Tractor PTO Speed:	540 RPM
Oil Reservoir Capacity:	55 Gallons-Factory Filled
Max System Pressure:	3,000 PSI
Blade Tip Speed:	16,870 FPM
Horizontal Reach (Max):	158" From Center of Tractor
Extension Cylinder Stroke:	30"
Cutting Capacity (Max):	1"
Driveline Size:	CAT 4
Overload Protection:	Relief Valve
Deck Thickness:	10 Ga
Side Skirt:	10 Ga x 9 1/4"
Range of Head Movement:	85° Up / 90° Dn
Hydraulic Pump Capacity:	18.32 GPM
Skid Shoes:	Replaceable
Safety Deflectors:	Rubber Deflectors or Chain Guards
Weight (Approx):	2,140 lbs w/ Oil

DB150 Hydraulic Ditch Bank Rotary Cutter



Unit shown with extra equipment.

DB150 Units are built to order. Contact Customer Service for Availability.



ORDERING SECTION			
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
BASE UNIT -	DB150		,
DB156101	DB150 Ditch Bank Mower, w/ Rubber Deflectors	2,050	\$14,999
DB156501	DB150 Ditch Bank Mower, w/ Chain Guards	2,140	\$15,450
DB156701	DB150 Ditch Bank Mower, w/ Double Chain Guards	2,240	\$15,960
EXTRA EQUIPMENT			
00777523	Rear Mount Tailwheel	85	\$625
00775786	Side Mount Gauge Wheel	40	\$720
00776352	Lower Hitch Position Quick-Hitch Adapter Kit	12	\$475



92

2160

Hydraulic Boom Rotary Cutter

Not Intended for Commercial Contractor Use.



Unit shown with extra equipment.

Rhino 2160 Models are built to order. Contact Customer Service for Availability.

A Protective Cage is required for use on non-cab tractor applications and may require some tractor modifications. Order Protective Cage Kit below for all Non-Cab tractor applications.

1 YEAR MACHINE Warranty

STANDARD EQUIPME	NT & SPECIFICATIONS	
Cutting Width:	60"	
Transport Width:	113"	
Overall Width (Head):	69"	
Overall Length (Head):	71 3/8"	
Cutting Height (Min):	1 3/4"	
Support Stand:	Std	
Hitch:	CAT 2 & 3 QH	
Blade Carrier:	Pan	
Blades:	1/2" x 4" Updraft	
Blade Rotation:	Clockwise	
HP Required:	110 PTO w/ Adequate Front & Side Weights	
PTO Type:	540 RPM Only	
Oil Reservoir Capacity:	55 Gallons Factory Filled	
Max Operating Pressure:	3,000 PSI	
Breakaway Pressure:	2,750 PSI	
Blade Tip Speed:	16,870 FPM	
Horizontal Reach (Max):	21'	
Vertical Reach (Max):	22' 6"	
Down Reach (Max):	11' 6"	
Cutting Capacity (Max):	2"	
Driveline Size:	CAT 4	
Overload Protection:	Hydraulic Relief Valve	
Deck Thickness:	10 Ga	
Side Skirt:	10 Ga x 9 1/4"	
Range of Head Movement:	190 Degrees	
Hydraulic Pump Rating:	18.32 GPM	
Protective Cage*:	Required for Non-Cab Tractors	
Safety Deflectors:	Rubber Belting	
Weight (Approx):	2,700 lbs (w/ Oil)	
Gearbox Rating Based on Field Performance		

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 2. Order operator protective cage for non-cab tractor applications.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. B	ASE UNIT - 2160		
07226054	Rhino 2160, 60" Cutter, 540 RPM	2,460	\$26,175
GROUP 2. H	YDRAULIC VALVE KIT SELECTION - 2160		
00765473	Direct Connect - Needs 4 tractor remotes	5	\$1,425
00770017	Electro-Hydraulic Cylinder Control Valve Kit - Needs 1 tractor remote and uses 4 solenoids with joystick control (Tractors must have mechanical levers for hydraulic activation)	40	\$3,300
OPERATOR PROTECTIVE CAGE - 2160 - REQUIRED FOR NON-CAB TRACTORS			
00765754K	Operator Protective Cage for Non-Cab Tractors	174	\$1,830
EXTRA EQUIPMENT			
00765478	Hyd. Relief Arm Kit (Required for Non-Quick Hitch Tractors to lock 3pt in place)	91	\$735
00775786	Side Mount Gauge Wheel	40	\$720

PULVERIZERS (SINGLE ROLLER)



PVS (Spike Shanks)



PVB (Bar Shanks)

SPECIFICATIONS	PVS (Single Roller)	PVB (Single Roller)
Overall Height:	34 7/8"	34 7/8"
Overall Width:	60", 66", 72", 84"	60", 66", 72", 84"
Overall Depth:	24"	24"
Hitch:	3 pt CAT 1 & CAT 1 QH	3 pt CAT 1 & CAT 1 QH
Lower Hitch Pin Height:	15 3/8"	15 3/8"
Weight (Approx):	530 lbs (60") 560 lbs (66") 590 lbs (72") 650 lbs (84")	550 lbs (60") 580 lbs (66") 610 lbs (72") 670 lbs (84")
Type of Shanks:	Spikes (Non-Reversible)	Bars (Reversible)
Shank Size:	5/8" Square x 8"	1/2" x 2 x 12 1/2"
Number of Shanks:		
Spikes (PVS)	27 (60") 29 (66") 33 (72") 37 (84")	N/A
Bars (PVB)	N/A	21 (60") 23 (66") 25 (72") 29 (84")
Spike/Bar Spacing	4 1/4"	5 1/2"
Horse Power (2WD-4WD):	Up to 60	Up to 60
Roller Bearing Size:	1"	1"

Pulverizers are priced as complete machines and are shipped fully assembled.

		ORDERING SECTION		
CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BA	SE UNIT - PV	S & PVB		
PVS600-CY1	PVS	Pulverizer, Single Roller, 60" Wide (Spike Shanks)	530	\$1,810
PVS660-CY1		Pulverizer, Single Roller, 66" Wide (Spike Shanks)	560	\$1,979
PVS720-CY1		Pulverizer, Single Roller, 72" Wide (Spike Shanks)	590	\$2,167
PVS840-CY1		Pulverizer, Single Roller, 84" Wide (Spike Shanks)	650	\$2,582
PVB600-CY1	PVB	Pulverizer, Single Roller, 60" Wide (Bar Shanks)	550	\$1,810
PVB660-CY1		Pulverizer, Single Roller, 66" Wide (Bar Shanks)	580	\$1,979
PVB720-CY1		Pulverizer, Single Roller, 72" Wide (Bar Shanks)	610	\$2,167
PVB840-CY1		Pulverizer, Single Roller, 84" Wide (Bar Shanks)	670	\$2,582





PULVERIZERS (DOUBLE ROLLER)

SPECIFICATIONS	PVS (Double Roller)	PVB (Double Roller)		
Overall Height:	34 7/8"	34 7/8"		
Overall Width:	60", 66", 72", 84"	60", 66", 72", 84"		
Overall Depth:	24"	24"		
Hitch:	3 pt CAT 1 & CAT 1 QH	3 pt CAT 1 & CAT 1 QH		
Lower Hitch Pin Height:	15 3/8"	15 1/8"		
Weight (Approx):	640 lbs (60") 680 lbs (66") 720 lbs (72") 790 lbs (84")	660 lbs (60") 700 lbs (66") 740 lbs (72") 810 lbs (84")		
Type of Shanks:	Spikes (Non-Reversible)	Bars (Reversible)		
Shank Size:	5/8" Square x 8"	1/2" x 2 x 12 1/2"		
Number of Shanks:				
Spikes (PVS)	27 (60") 29 (66") 33 (72") 37 (84")	N/A		
Bars (PVB)	N/A	21 (60") 23 (66") 25 (72") 29 (84")		
Spike/Bar Spacing	4 1/4"	5 1/2"		
Horse Power (2WD-4WD):	Up to 60	Up to 60		
Roller Bearing Size:	1"	1"		
Pulverizers are priced as complete machines and are shipped fully				



PVS (Spike Shanks)



PVB (Bar Shanks)

Pulverizers are priced as complete machines and are shipped fully assembled.

ORDERING SECTION				
CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BAS	SE UNIT - PV	S & PVB		
PVS602-CY1	PVS	Pulverizer, Double Roller, 60" Wide (Spike Shanks)	640	\$2,286
PVS662-CY1		Pulverizer, Double Roller, 66" Wide (Spike Shanks)	680	\$2,467
PVS722-CY1		Pulverizer, Double Roller, 72" Wide (Spike Shanks)	720	\$2,793
PVS842-CY1		Pulverizer, Double Roller, 84" Wide (Spike Shanks)	790	\$3,273
PVB602-CY1	PVB	Pulverizer, Double Roller, 60" Wide (Bar Shanks)	660	\$2,286
PVB662-CY1		Pulverizer, Double Roller, 66" Wide (Bar Shanks)	700	\$2,467
PVB722-CY1		Pulverizer, Double Roller, 72" Wide (Bar Shanks)	740	\$2,793
PVB842-CY1		Pulverizer, Double Roller, 84" Wide (Bar Shanks)	810	\$3,273



PG SERIES

PLUGGERS

(CORE TYPE AERATOR)

SPECIFICATIONS	PG600	PG720
Overall Height:	39 1/4"	39 1/4"
Overall Width:	64 1/2"	76 1/2"
Overall Depth:	25"	25"
Working Width:	60"	72"
Hitch:	3 pt CAT 1 & CAT 1 QH	3 pt CAT 1 & CAT 1 QH
Lower Hitch Pin Height:	19 3/4"	19 3/4"
Weight (Approx):	350 lbs	390 lbs
Number of Hubs:	8	10
Type of Spoons:	3/4" Closed Design	Hardened Spoons
Number of Spoons:	64	80
Spoon Spacing:	8"	8"
Horse Power (2WD-4WD):	Up to 60	Up to 60
Axle Shaft Diameter:	1 1/4"	1 1/4"
Weight Rack:	Std	Std

The PG Series Pluggers are priced as complete machines and are shipped fully assembled.



	ORDERING SECTION				
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)		
GROUP 1. BASE UNIT - PG					
PG600-1CY1	PG Plugger, Lift-Type, 60" Wide (8 Hubs, 64 Spoons)	350	\$3,220		
PG720-1CY1	PG Plugger, Lift-Type, 72" Wide (10 Hubs, 80 Spoons)	390	\$3,649		
EXTRA EQUIPMENT					
95159	Knife, Slicing (Requires 4 per Hub)		\$26		





MPG SERIES PLUGGERS

(HEAVY-DUTY CORE AERATOR)

SPECIFICATIONS	MPG600	MPG720
Overall Height:	41 7/8"	41 7/8"
Overall Width:	67 1/2"	79 1/2"
Overall Depth:	25"	25"
Working Width:	60"	72"
Hitch:	3 pt CAT 1 & CAT 1 QH	3 pt CAT 1 & CAT 1 QH
Lower Hitch Pin Height:	22 3/8"	22 3/8"
Weight (Approx):	460 lbs	500 lbs
Number of Hubs:	10	12
Type of Spoons:	3/4" Closed Design	Hardened Spoons
Number of Spoons:	80	96
Spoon Spacing:	7"	7"
Horse Power (2WD-4WD):	Up to 60	Up to 60
Axle Shaft Diameter:	1 1/4"	1 1/4"
Weight Rack:	Std	Std
Parking Stand:	Std	Std

The MPG Series Pluggers are priced as complete machines and are shipped fully assembled.



	ORDERING SECTION				
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)		
GROUP 1. BASE UNIT - MPG					
MPG600-CY1	MPG Plugger, Lift-Type, 60" Wide (10 Hubs, 80 Spoons)	460	\$3,365		
MPG720-CY1	MPG Plugger, Lift-Type, 72" Wide (12 Hubs, 96 Spoons)	500	\$3,846		
EXTRA EQUIPMENT					
95159	Knife, Slicing (Requires 4 per Hub)		\$26		





PA SERIES PASTURE AERATORS

SPECIFICATIONS	PA8	PA10		
Tractor HP Required:	40-90			
Working Width:	86" 116"			
Overall Height (w/ tines on ground):	44.2	5"		
Overall Width:	97.38"	127.63"		
Overall Length:	136" in transp	ort position		
Weight (Approx) (w/o added weight):	1,700 lbs	2,200 lbs		
Weight Box:	Std (Welded to Frame)	Std (Welded to Frame)		
Max Weight Box Capacity:	2,200 lbs (Not Supplied)	2,900 lbs (Not Supplied)		
Number of Tines:	24 LH & 24 RH	32 LH & 32 RH		
Tine Material:	Forged & Heat Treated Steel			
Tine Hub Spacing:	7.5"			
Tine Penetration:	Up to 8.125" depending on ground condition			
Frame Construction:	4" Square Tubing; All Welded Construction			
Hitch Type:	Heavy-Duty Pull-Type w/ Clevis Hitch - 1.25" Max Pin Dia			
Main Tongue Beam:	4" Squ	are		
Hitch Jack:	10" Top Wind Jack - Mounted to Frame			
Rotor Tine Support Hangers:	1" x 7" Heavy-D	outy Hangers		
Rotor Bearings:	Heavy-Duty Grea	sable Bearings		
Rotor Bearing Protection:	.375" x 3.5" Me	etal Housing		
Rotor Angle Adjustment:	2.5 Degrees, 5 Degr	rees, 7.5 Degrees		
Tire and Wheel:	9.5L x 15 8 Ply Tires on 15"- 5 Bolt Wheels			
Tine Depth Control:	Add Spacer Donuts to Cylinder Rod - Included			
Hydralic Cylinder:	3.5" x 8"			
Transport Lock	Manual Cylinder Lock			
Rear Axle Pivot: Greaseable				
The PA Series Pasture Aerator Units are shipped in one crate for dealer assembly.				



PA Series Continued

ORDERING SECTION				
CATALOG NUMBER		DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. B	ASE UNIT - PA	A8 & PA10		
PA8-1OR1	PA8	Pasture Aerator, 8 Ft. Wide - Rhino Orange	1,700	\$11,756
PA8-1RD3		Pasture Aerator, 8 Ft. Wide - MF Red	1,700	\$11,756
PA8-1GR1		Pasture Aerator, 8 Ft. Wide - JD Green	1,700	\$11,756
PA8-1OR2		Pasture Aerator, 8 Ft. Wide - Kubota Orange	1,700	\$11,756
PA8-1BL1		Pasture Aerator, 8 Ft. Wide - NH Blue	1,700	\$11,756
PA8-1CY1		Pasture Aerator, 8 Ft. Wide - CAT Yellow	1,700	\$11,756
PA10-1OR1	PA10	Pasture Aerator, 10 Ft. Wide - Rhino Orange	2,200	\$14,111
PA10-1RD3		Pasture Aerator, 10 Ft. Wide - MF Red	2,200	\$14,111
PA10-1GR1		Pasture Aerator, 10 Ft. Wide - JD Green	2,200	\$14,111
PA10-1OR2		Pasture Aerator, 10 Ft. Wide - Kubota Orange	2,200	\$14,111
PA10-1BL1		Pasture Aerator, 10 Ft. Wide - NH Blue	2,200	\$14,111
PA10-1CY1		Pasture Aerator, 10 Ft. Wide - CAT Yellow	2,200	\$14,111





LLR

Landscape Rakes

STANDARD EQUIPMENT & SPECIFICATIONS			
Model	LLR60	LLR72	LLR84
Rake Width:	60"	72"	84"
Rake Height:	15"	15"	15"
Hitch:	CAT 1 QH	CAT 1 QH	CAT 1 QH
Max PTO HP:	35	35	35
Kingpin Diameter:	1 1/4"	1 1/4"	1 1/4"
Adjustment Type:	Manual		
Pivot: Forward Reverse	5 - Up to 30 Degrees 3 - Up to 18 Degrees	5 - Up to 30 Degrees 3 - Up to 18 Degrees	5 - Up to 30 Degrees 3 - Up to 18 Degrees
Tine Material:	High Carbon Spring Steel	High Carbon Spring Steel	High Carbon Spring Steel
Tine Size:	5/16" x 1"	5/16" x 1"	5/16" x 1"
Tine Spacing:	1"	1"	1"
Weight (Approx):	205 lbs	225 lbs	245 lbs

	ORDERING SECTION				
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)		
GROUP 1. BAS	SE UNIT - LLR				
LLR60-1CY1	60 Landscape Rake - CAT Yellow	205	\$902		
LLR72-1CY1	72" Landscape Rake - CAT Yellow	225	\$975		
LLR84-1CY1	84" Landscape Rake - CAT Yellow	245	\$1,120		
EXTRA EQUIPMENT					
50047898	Gauge Wheel Kit	20	\$318		
	FREIGHT DISCOUNTS ON PACKS OF 3 (See page 12 for details)				









STANDARD EQUIPMENT & SPECIFICATIONS				
Model	CBX48	CBX60		
Overall Height	29 1/2"	29 1/2"		
Overall Width	48"	60"		
Overall Depth	23 1/2"	23 1/2"		
Box Depth	17 11/16"	17 11/16"		
Number of Scarifiers	4	5		
Number of Plow Bolts	8	10		
Weight	240 lbs	280 lbs		
Lower Hitch Pin Height	13 5/8"			
Cutting Edge	g Edge 2 - 3/8" x 6" Bolt on, Reversible, & Replaceal			
Hitch	3 pt CAT 0 & CAT 1 Q.H.			
HP Required	24 - 40			
Side Plates	3/16"			



ORDERING SECTION						
CATALOG NUMBER	MOUNT TYPE	DESCRIPTION	LIST PRICE (\$US)			
CBX48						
CBX48-1OR1	3 PT	Compact 4' Box Blade - Rhino Orange	\$829			
CBX48-1GR1	3 PT	Compact 4' Box Blade - JD Green	\$829			
CBX48-1OR2	3 PT	Compact 4' Box Blade - Kubota Orange	\$829			
CBX48-1RD3	3 PT	Compact 4' Box Blade - MF Red	\$829			
CBX48-1BL1	3 PT	Compact 4' Box Blade - NH Blue	\$829			
CBX60			· · · · · · · · · · · · · · · · · · ·			
CBX60-1OR1	3 PT	Compact 5' Box Blade - Rhino Orange	\$928			
CBX60-1GR1	3 PT	Compact 5' Box Blade - JD Green	\$928			
CBX60-1OR2	3 PT	Compact 5' Box Blade - Kubota Orange	\$928			
CBX60-1RD3	3 PT	Compact 5' Box Blade - MF Red	\$928			
CBX60-1BL1	3 PT	Compact 5' Box Blade - NH Blue	\$928			
	FREIGHT DISCOUN	TS ON PACKS OF 2 (See page 12 for details)				



SBX

Medium Duty Box Blades

STANDARD EQUIPMENT & SPECIFICATIONS						
Model	SBX48	SBX60	SBX65	SBX72	SBX78	SBX84
Working Width:	48"	60"	65"	72"	78"	84"
Overall Width:	49"	61"	66"	73"	79"	85"
Moldboard Height:	18"	18"	18"	18"	18"	18"
Box Depth:	24"	24"	24"	24"	24"	24"
Overall Depth:	27 1/2"	27 1/2"	27 1/2"	27 1/2"	27 1/2"	27 1/2"
Overall Height:	35 1/4"	35 1/4"	35 1/4"	35 1/4"	35 1/4"	35 1/4"
Cutting Edges:	1/2" x 6"					
Scarifier Size:	3/4" x 2 1/2"					
Number of Scarifiers:	4	5	5	6	6	6
Hitch:	CAT 1 QH					
Max Tractor HP (2WD):	50	50	50	50	50	50
Max Tractor HP (FWA):	45	45	45	45	45	45
End Plate Thickness:	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"
Weight (Approx):	430 lbs	490 lbs	510 lbs	550 lbs	580 lbs	610 lbs

SBX Box Blades are priced as complete units and are shipped fully assembled.

		ORDERING SECTION		
CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BAS	SE UNIT - SB	X		
SBX48-1OR1	SBX48	4' Blade, w/ Scarifier Shanks - Rhino Orange	430	\$998
SBX48-1GR1		4' Blade, w/ Scarifier Shanks - JD Green	430	\$998
SBX48-1OR2		4' Blade, w/ Scarifier Shanks - Kubota Orange	430	\$998
SBX48-1RD3		4' Blade, w/ Scarifier Shanks - MF Red	430	\$998
SBX48-1BL1		4' Blade, w/ Scarifier Shanks - NH Blue	430	\$998
SBX48-1BK1		4' Blade, w/ Scarifier Shanks - Black	430	\$998
SBX60-1OR1	SBX60	5' Blade, w/ Scarifier Shanks - Rhino Orange	490	\$1,126
SBX60-1GR1		5' Blade, w/ Scarifier Shanks - JD Green	490	\$1,126
SBX60-1OR2		5' Blade, w/ Scarifier Shanks - Kubota Orange	490	\$1,126
SBX60-1RD3		5' Blade, w/ Scarifier Shanks - MF Red	490	\$1,126
SBX60-1BL1		5' Blade, w/ Scarifier Shanks - NH Blue	490	\$1,126
SBX60-1BK1		5' Blade, w/ Scarifier Shanks - Black	490	\$1,126
SBX65-1OR1	SBX65	5' 5" Blade, w/ Scarifier Shanks - Rhino Orange	510	\$1,192
SBX65-1GR1		5' 5" Blade, w/ Scarifier Shanks - JD Green	510	\$1,192
SBX65-1OR2		5' 5" Blade, w/ Scarifier Shanks - Kubota Orange	510	\$1,192
SBX65-1RD3		5' 5" Blade, w/ Scarifier Shanks - MF Red	510	\$1,192
SBX65-1BL1		5' 5" Blade, w/ Scarifier Shanks - NH Blue	510	\$1,192
SBX65-1BK1		5' 5" Blade, w/ Scarifier Shanks - Black	510	\$1,192





SBX Box Blades Continued

	ORDERING SECTION		
MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
		550	\$1,248
SBATZ			\$1,248
			\$1,248
			\$1,248
	6' Blade w/ Scarifier Shanks - NH Blue	550	\$1,248
	6' Blade w/ Scarifier Shanks - Black	550	\$1,248
SBX78	6' 6" Blade w/ Scarifier Shanks - Rhino Orange	580	\$1,331
	6' 6" Blade w/ Scarifier Shanks - JD Green	580	\$1,331
	6' 6" Blade w/ Scarifier Shanks - Kubota Orange	580	\$1,331
	6' 6" Blade w/ Scarifier Shanks - MF Red	580	\$1,331
	6' 6" Blade w/ Scarifier Shanks - NH Blue	580	\$1,331
	6' 6" Blade w/ Scarifier Shanks - Black	580	\$1,331
SBX84	7' Blade w/ Scarifier Shanks - Rhino Orange	610	\$1,433
	7' Blade w/ Scarifier Shanks - JD Green	610	\$1,433
	7' Blade w/ Scarifier Shanks - Kubota Orange	610	\$1,433
	7' Blade w/ Scarifier Shanks - MF Red	610	\$1,433
	7' Blade w/ Scarifier Shanks - NH Blue	610	\$1,433
	7' Blade w/ Scarifier Shanks - Black	610	\$1,433
	SBX72	BUNIT - Continued - SBX SBX72 6' Blade w/ Scarifier Shanks - Rhino Orange 6' Blade w/ Scarifier Shanks - JD Green 6' Blade w/ Scarifier Shanks - Kubota Orange 6' Blade w/ Scarifier Shanks - MF Red 6' Blade w/ Scarifier Shanks - NH Blue 6' Blade w/ Scarifier Shanks - Black SBX78 6' 6" Blade w/ Scarifier Shanks - Rhino Orange 6' 6" Blade w/ Scarifier Shanks - JD Green 6' 6" Blade w/ Scarifier Shanks - Kubota Orange 6' 6" Blade w/ Scarifier Shanks - NH Blue 6' 6" Blade w/ Scarifier Shanks - NH Blue 6' 6" Blade w/ Scarifier Shanks - NH Blue 6' 6" Blade w/ Scarifier Shanks - Black SBX84 7' Blade w/ Scarifier Shanks - Rhino Orange 7' Blade w/ Scarifier Shanks - JD Green 7' Blade w/ Scarifier Shanks - Kubota Orange 7' Blade w/ Scarifier Shanks - MF Red	MODEL DESCRIPTION WEIGHT (LBS) E UNIT - Continued - SBX SBX72 6' Blade w/ Scarifier Shanks - Rhino Orange 550 6' Blade w/ Scarifier Shanks - JD Green 550 6' Blade w/ Scarifier Shanks - Kubota Orange 550 6' Blade w/ Scarifier Shanks - MF Red 550 6' Blade w/ Scarifier Shanks - NH Blue 550 6' Blade w/ Scarifier Shanks - NH Blue 550 SBX78 6' 6" Blade w/ Scarifier Shanks - Rhino Orange 580 6' 6" Blade w/ Scarifier Shanks - JD Green 580 6' 6" Blade w/ Scarifier Shanks - Hhino Orange 580 6' 6" Blade w/ Scarifier Shanks - Hhino Orange 580 6' 6" Blade w/ Scarifier Shanks - MF Red 580 6' 6" Blade w/ Scarifier Shanks - NH Blue 580 6' 6" Blade w/ Scarifier Shanks - NH Blue 580 6' 6" Blade w/ Scarifier Shanks - NH Blue 580 SBX84 7' Blade w/ Scarifier Shanks - Rhino Orange 610 7' Blade w/ Scarifier Shanks - JD Green 610 7' Blade w/ Scarifier Shanks - Kubota Orange 610 7' Blade w/ Scarifier Shanks - Kubota Orange 610 7' Blade w/ Scarifier Shanks - Kubota Orange 610 7' Blade w/ Scarifier Shanks - Kubota Orange 610 7' Blade w/ Scarifier Shanks - Kubota Orange 610 7' Blade w/ Scarifier Shanks - Kubota Orange 610 7' Blade w/ Scarifier Shanks - Kubota Orange 610 7' Blade w/ Scarifier Shanks - MF Red 610 7' Blade w/ Scarifier Shanks - MF Red 610





1 YEAR MACHINE Warranty

MBXHeavy-Duty Box Blades

STAN	STANDARD EQUIPMENT & SPECIFICATIONS						
Model	MBX60	MBX72	MBX84	MBX96			
Overall Width:	61"	73"	85"	97"			
Working Width:	60"	72"	84"	96"			
Moldboard Height:	18"	18"	18"	18"			
Box Depth:	24"	24"	24"	24"			
Overall Depth:	27 1/2"	27 1/2"	27 1/2"	27 1/2"			
Overall Height:	35 1/4"	35 1/4"	35 1/4"	35 1/4"			
Cutting Edges:	1/2" x 6"	1/2" x 6"	1/2" x 6"	1/2" x 6"			
Scarifier Size:	3/4" x 2 1/2"	3/4" x 2 1/2"	3/4" x 2 1/2	3/4" x 2 1/2"			
Number of Scarifiers:	5	6	6	6			
Hitch:	CAT 1, 2 QH	CAT 1, 2 QH	CAT 1, 2 QH	CAT 1, 2 QH			
Max Tractor HP (2WD):	65	65	65	65			
Max Tractor HP (FWA):	55	55	55	55			
End Plate Thickness:	3/8"	3/8"	3/8"	3/8"			
Weight (Approx):	580 lbs	640 lbs	710 lbs	790 lbs			
The M	achines noted l	oelow are comp	lete machines.				





MBX Heavy-Duty Box Blades

		ORDERING SECTION		
CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BA	SE UNIT -	MBX		
MBX60-1OR1	MBX60	5' HD Blade, w/ Scarifier Shanks - Rhino Orange	580	\$1,345
MBX60-1GR1		5' HD Blade, w/ Scarifier Shanks - JD Green		\$1,345
MBX60-1OR2		5' HD Blade, w/ Scarifier Shanks - Kubota Orange		\$1,345
MBX60-1RD3		5' HD Blade, w/ Scarifier Shanks - MF Red		\$1,345
MBX60-1BL1		5' HD Blade, w/ Scarifier Shanks - NH Blue		\$1,345
MBX60-1CY1		5' HD Blade, w/ Scarifier Shanks - CAT Yellow		\$1,345
MBX72-1OR1	MBX72	6' HD Blade, w/ Scarifier Shanks - Rhino Orange	640	\$1,593
MBX72-1GR1		6' HD Blade, w/ Scarifier Shanks - JD Green		\$1,593
MBX72-1OR2		6' HD Blade, w/ Scarifier Shanks - Kubota Orange		\$1,593
MBX72-1RD3		6' HD Blade, w/ Scarifier Shanks - MF Red		\$1,593
MBX72-1BL1		6' HD Blade, w/ Scarifier Shanks - NH Blue		\$1,593
MBX72-1CY1		6' HD Blade, w/ Scarifier Shanks - CAT Yellow		\$1,593
MBX84-1OR1	MBX84	7' HD Blade, w/ Scarifier Shanks - Rhino Orange	710	\$1,866
MBX84-1GR1		7' HD Blade, w/ Scarifier Shanks - JD Green		\$1,866
MBX84-1OR2		7' HD Blade, w/ Scarifier Shanks - Kubota Orange		\$1,866
MBX84-1RD3		7' HD Blade, w/ Scarifier Shanks - MF Red		\$1,866
MBX84-1BL1		7' HD Blade, w/ Scarifier Shanks - NH Blue		\$1,866
MBX84-1CY1		7' HD Blade, w/ Scarifier Shanks - CAT Yellow		\$1,866
MBX96-1OR1	MBX96	8' HD Blade, w/ Scarifier Shanks - Rhino Orange	790	\$2,097
MBX96-1GR1		8' HD Blade, w/ Scarifier Shanks - JD Green		\$2,097
MBX96-1OR2		8' HD Blade, w/ Scarifier Shanks - Kubota Orange		\$2,097
MBX96-1RD3		8' HD Blade, w/ Scarifier Shanks - MF Red		\$2,097
MBX96-1BL1		8' HD Blade, w/ Scarifier Shanks - NH Blue		\$2,097
MBX96-1CY1		8' HD Blade, w/ Scarifier Shanks - CAT Yellow		\$2,097
	FREI	GHT DISCOUNTS ON PACKS OF 2 (See page 12 fo	or details)	





RORoll-Over Box Blades

STANDARD EQUIPMENT & SPECIFICATIONS						
Model	RO600	RO650	RO720	RO840		
Working Width:	60"	65"	72"	84"		
Overall Width:	61"	66"	73"	85"		
Box Depth:	22 3/4"	22 3/4"	22 3/4"	22 3/4"		
Overall Depth:	43"	43"	43"	43"		
Overall Height:	34 1/4"	34 1/4"	34 1/4"	34 1/4"		
Cutting Edges (2 Ea):	1/2" x 6"	1/2" x 6"	1/2" x 6"	1/2" x 6"		
Scarifier Size:	3/4" x 2 1/2"					
Number of Scarifiers:	5	6	6	6		
Hitch:	CAT 1 QH	CAT 1 QH	CAT 1 QH	CAT 1 QH		
Max Tractor HP (2WD - 4WD):	60 - 40	60 - 40	60 - 40	60 - 40		
Weight (Approx):	630 lbs	680 lbs	710 lbs	780 lbs		

ORDERING SECTION							
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)				
GROUP 1. BASE	E UNIT- RO						
RO600-1CY1	Roll-Over Box Blade, 60" - CAT Yellow	630	\$2,335				
RO650-1CY1	Roll-Over Box Blade, 65" - CAT Yellow	680	\$2,537				
RO720-1CY1	Roll-Over Box Blade, 72" - CAT Yellow	710	\$2,711				
RO840-1CY1	Roll-Over Box Blade, 84" - CAT Yellow	780	\$3,102				









DSP

Pull-Type Dirt Scrapers

DSP12
DOI 12
70 - 125
144 3/16"
145"
18"
2 3/4 CU YDS
39"
5" Below Grade
21"
r Hydraulic
8 1/4"
3 1/2 Degrees
4" x 4" Tube
3/8" Plate
1/2" x 6"
9.5L x 15 8 Ply
Optional

STANDARD EQUIPMENT & SPECIFICATIONS



Unit shown with extra equipment.

DSP Scrapers will require dealer assembly of the tongue, tail wheels, and options.

DSP Pull-Type Dirt Scrapers can be equiped with your choice of a fixed axle or hydraulic tilt axle.

		ORDERING SECTION		
CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BAS	SE UNIT - D	SP		
DSP10-1OR1	DSP10	10' Pull-Type Dirt Scraper - Rhino Orange	1,645	\$3,362
DSP10-1GR1		10' Pull-Type Dirt Scraper - JD Green		\$3,362
DSP10-1OR2		10' Pull-Type Dirt Scraper - Kubota Orange		\$3,362
DSP10-1RD3		10' Pull-Type Dirt Scraper - MF Red		\$3,362
DSP10-1BL1		10' Pull-Type Dirt Scraper - NH Blue		\$3,362
DSP10-1CY1		10' Pull-Type Dirt Scraper - CAT Yellow		\$3,362
DSP12-1OR1	DSP12	12' Pull-Type Dirt Scraper - Rhino Orange	1,700	\$3,877
DSP12-1GR1		12' Pull-Type Dirt Scraper - JD Green		\$3,877
DSP12-1OR2		12' Pull-Type Dirt Scraper - Kubota Orange		\$3,877
DSP12-1RD3		12' Pull-Type Dirt Scraper - MF Red		\$3,877
DSP12-1BL1		12' Pull-Type Dirt Scraper - NH Blue		\$3,877
DSP12-1CY1		12' Pull-Type Dirt Scraper - CAT Yellow		\$3,877
GROUP 2. AXL	E TYPE - D	SP		
50072337		Fixed Gauge Wheel Bundle		\$1,718
50072336		Hydraulic Tilt Bundle		\$2,186
OPTIONAL EQ	UIPMENT			
50072350		Weight Box, Bolt On (No weights included)		\$321





GS60, GS72, GS84, HDGS84, HDGS96 STD & Heavy-Duty Grading Scrapers

STANDARD EQUIPMENT & SPECIFICATIONS					
Model	GS60	GS72	GS84	HDGS84	HDGS96
Hitch:	3 pt C	AT 1 & CAT	1 QH	CAT 1 & 2 QH	CAT 1 & 2 QH
Working Width:	60"	72"	84"	84"	96"
Overall Width:	65 3/16"	77 3/16"	89 3/16"	90"	102"
Overall Height:		31 1/2"		34	7/16"
Overall Length:		49 1/2"		54	7/16"
Box Height:		13 3/4"		15	5 7/8"
Side Panel Thickness:		3/16"		3/16"	
Front Beam Size:	4" x 4" x 5/16" Wall			4" x 4" x 3/8" Wall	
Rear Beam Size:	2 1/2" x 2 1/2" x 3/16" Wall			4" x 4" :	x 1/4" Wall
Skid Shoes:	3/8" x 2 1/2" x 46 3/4" Long			1/2" x 2 1/2	2" x 52" Long
Scarifier Shanks:	3 Position w/ dimpled-on hardened tips			9 1/8" 4 holes, heat plow point	
Number of Shanks:	4	6	6	6	8
Cutting Edge:	1/2" x 6" bolt-on, replaceable, reversible heat treated blades		1/2" x 6" Bolt-on, replaceable & reversible		
Cutting Edge Angle:	6 Degrees		6 Degrees		
Cutting Edge Spacing:	20 3/16"		20 5/16"		
Tractor Min HP:	50 - 2	2WD / 40 - I	FWA	90 - 2WD / 72 - 4WD	
Weight (Approx):	500 lbs	571 lbs	642 lbs	750 lbs	828 lbs



The Machines noted below are complete machines. Rhino Grading Scrapers come in Rhino Orange color.

		ORDERING SECTION					
CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)			
GROUP 1. BAS	SE UNIT - STA	NDARD DUTY GRADER SCRAPER					
GS601000	GS60	5' Blade, w/ Scarifier Shanks	500	\$1,600			
GS721000	GS72	6' Blade, w/ Scarifier Shanks	571	\$1,736			
GS841000	GS84	7' Blade, w/ Scarifier Shanks	642	\$1,864			
		ORDERING SECTION					
CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)			
GROUP 1. BAS	GROUP 1. BASE UNIT- HEAVY-DUTY GRADER SCRAPER						
HDGS8400	HDGS84	7' Blade, w/ Scarifier Shanks- Heavy-Duty	750	\$2,320			
HDGS9600	HDGS96	8' Blade, w/ Scarifier Shanks- Heavy-Duty	828	\$2,693			
	FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)						





AP PLOW

All Purpose Plow



STANDARD EQUIPMENT & SPECIFICATIONS							
Model	AP48-3	AP60-5	AP66-5	AP66-7	AP85-7	AP85-9	
Working Width:	44"	56"	62"	62"	80"	80"	
Overall Width:	49 5/8"	61 5/8"	67 5/8"	67 5/8"	85 5/8"	85 5/8"	
Depth:	39 3/4"						
Height:	40 3/8"						
Weight (Approx):	206 lbs	228 lbs	284 lbs	367 lbs	386 lbs	455 lbs	
Type of Shanks:	Spring Loaded Auto Reset Shanks						
Number of Shanks:	3	5	5	7	7	9	
Angle Iron Size:	2 1/2" x 2 1/2" x 3/8" Steel Frame						
Hole Spacing:	Easily Adjustable - 1" Hole Spacing						
Hitch:	3 pt CAT 1 & CAT 1 QH						
Points:	5/16" x 2" x 10 1/8" High Carbon Reversible						
Min PTO HP:	24	35	35	49	49	55	

The AP Plows are priced as complete machines and are shipped fully assembled.

ORDERING SECTION							
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)				
GROUP 1. BA	SE UNIT - AP PLOW						
APP483-OR1	All Purpose Plow, 48", 3-Shanks	206	\$771				
APP605-OR1	All Purpose Plow, 60", 5-Shanks	228	\$1,098				
APP665-OR1	All Purpose Plow, 66", 5-Shanks	284	\$1,211				
APP667-OR1	All Purpose Plow, 66", 7-Shanks	367	\$1,418				
APP857-OR1	All Purpose Plow, 85", 7-Shanks	386	\$1,469				
APP859-OR1	All Purpose Plow, 85", 9-Shanks	455	\$1,689				
FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)							

Spring Loaded Auto Reset Shanks With High Carbon Reversible Points









SUBSOILER HEAVY-DUTY 1 Shank



STANDAR	STANDARD EQUIPMENT & SPECIFICATIONS								
Model	SSHD1S SSHD1L								
Description:	Subsoiler Heavy-Duty 1 Shank-Short	Subsoiler Heavy-Duty 1 Shank-Long							
Hitch:	3 pt CAT 1, CAT 2 8	& CAT 1, CAT 2 QH							
Shear Bolt Protection:	3/4" x 4"	Grade 2							
Overall Width:	4	1"							
Overall Height:	39 1/2"	43 1/2"							
Horse Power:	Approximately 35 P	er Shank - Up to 85							
Weight (Approx):	261 lbs	276 lbs							
Shank Size:	1 1/4" x 9 7/16" x 22 1/8"								
Number of Shanks:	1								
Cutting Point:	1" x 2 1/2" x 9 3/8"								
Max Cutting Depth:	19 1/8"	23 1/8"							

The Heavy-Duty Subsoilers with one Shank are priced as complete machines and are shipped fully assembled.

		ORDERING SECTION		
CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE	UNIT - SSH	D1S, SSHD1L		
HDSS1S-OR1	SSHD1S	HD Subsoiler, 1 Short Shank - Rhino Orange	261	\$1,206
HDSS1S-GR1		HD Subsoiler, 1 Short Shank - JD Green	261	\$1,206
HDSS1S-OR2		HD Subsoiler, 1 Short Shank - Kubota Orange	261	\$1,206
HDSS1S-RD3		HD Subsoiler, 1 Short Shank - MF Red	261	\$1,206
HDSS1S-BL1		HD Subsoiler, 1 Short Shank - NH Blue	261	\$1,206
HDSS1S-CY1		HD Subsoiler, 1 Short Shank - CAT Yellow	261	\$1,206
HDSS1L-OR1	SSDH1L	HD Subsoiler, 1 Long Shank - Rhino Orange	276	\$1,230
HDSS1L-GR1		HD Subsoiler, 1 Long Shank - JD Green	276	\$1,230
HDSS1L-OR2		HD Subsoiler, 1 Long Shank - Kubota Orange	276	\$1,230
HDSS1L-RD3		HD Subsoiler, 1 Long Shank - MF Red	276	\$1,230
HDSS1L-BL1		HD Subsoiler, 1 Long Shank - NH Blue	276	\$1,230
HDSS1L-CY1		HD Subsoiler, 1 Long Shank - CAT Yellow	276	\$1,230
	FREIGH	T DISCOUNTS ON PACKS OF 6 (See page 12 fo	or details)	





SUBSOILER HEAVY-DUTY

STANDARD EQUIPMENT & SPECIFICATIONS 2 Shanks

Model	SSHD2S	SSHD2L			
Description:	Subsoiler Heavy-Duty 2 Shank-Short	Subsoiler Heavy-Duty 2 Shank-Long			
Hitch:	3 pt CAT 1, CAT 2	& CAT 1, CAT 2 QH			
Shear Bolt Protection:	3/4" x 4"	Grade 2			
Overall Width:	4	9"			
Overall Height:	39 1/2"	43 1/2"			
Horse Power:	Approx 35 Per S	Shank - Up to 85			
Weight (Approx):	420 lbs	450 lbs			
Shank Size:	1 1/4" x 9 7/16" x 22 1/8"	1 1/4" x 9 7/16" x 26 1/8"			
Number of Shanks:	2				
Cutting Point:	1" x 2 1/2" x 9 3/8"				
Max Cutting Depth:	19 1/8"	23 1/8"			



The Heavy-Duty Subsoilers with two Shanks are priced as complete machines and are shipped fully assembled.

ORDERING SECTION						
CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)		
GROUP 1. BASE	UNIT - SSHI	D2S, SSHD2L				
HDSS2S-OR1	SSHD2S	HD Subsoiler, 2 Short Shanks - Rhino Orange	420	\$2,296		
HDSS2S-GR1		HD Subsoiler, 2 Short Shanks - JD Green	420	\$2,296		
HDSS2S-OR2		HD Subsoiler, 2 Short Shanks - Kubota Orange	420	\$2,296		
HDSS2S-RD3		HD Subsoiler, 2 Short Shanks - MF Red	420	\$2,296		
HDSS2S-BL1		HD Subsoiler, 2 Short Shanks - NH Blue	420	\$2,296		
HDSS2S-CY1		HD Subsoiler, 2 Short Shanks - CAT Yellow	420	\$2,296		
HDSS2L-OR1	SSDH2L	HD Subsoiler, 2 Long Shanks - Rhino Orange	450	\$2,320		
HDSS2L-GR1		HD Subsoiler, 2 Long Shanks - JD Green	450	\$2,320		
HDSS2L-OR2		HD Subsoiler, 2 Long Shanks - Kubota Orange	450	\$2,320		
HDSS2L-RD3		HD Subsoiler, 2 Long Shanks - MF Red	450	\$2,320		
HDSS2L-BL1		HD Subsoiler, 2 Long Shanks - NH Blue	450	\$2,320		
HDSS2L-CY1		HD Subsoiler, 2 Long Shanks - CAT Yellow	450	\$2,320		
	FREIGH	IT DISCOUNTS ON PACKS OF 6 (See page 12 fo	r details)			



SUBSOILER STANDARD DUTY



STANDARD EQUIPMENT & SPECIFICATIONS					
Model	SS1				
Overall Width:	32 3/8"				
Overall Height:	50"				
Hitch:	3 pt CAT 1 & CAT 1 QH				
Horse Power:	25 - 45				
Weight (Approx):	113 lbs				
Shank Size:	3/4" x 6"				
Number of Shanks:	1				
Cutting Point:	1/2" x 2 1/2" x 12"				
Max Cutting Depth:	25 5/8""				

The Standard Duty Subsoilers are priced as complete machines and are shipped fully assembled.

	ORDERING SECTION						
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)				
GROUP 1. BAS	E UNIT - SD SUBSOILER						
SS1-1OR1	SD Subsoiler, 1 Shank - Rhino Orange	113	\$408				
SS1-1GR1	SD Subsoiler, 1 Shank - JD Green	113	\$408				
SS1-1OR2	SD Subsoiler, 1 Shank - Kubota Orange	113	\$408				
SS1-1RD3	SD Subsoiler, 1 Shank - MF Red	113	\$408				
SS1-1BL1	SD Subsoiler, 1 Shank - NH Blue	113	\$408				
SS1-1CY1	SD Subsoiler, 1 Shank - CAT Yellow	113	\$408				
	FREIGHT DISCOUNTS ON PACKS OF 6 (See page 12 for details)						





LAY OFF PLOW

Light Duty

STANDARD EQUIPMENT & SPECIFICATIONS

Model	LP
Overall Width:	32 3/8"
Overall Height:	38"
Hitch:	3 pt CAT 1 & CAT 1 QH
Horse Power:	25 - 45
Weight (Approx):	75 lbs
Shank Size:	3/4" x 4"
Number of Shanks:	1
Cutting Point:	16" x 4.75mm

The Lay Off Plows are priced as complete machines and are shipped fully assembled.



ORDERING SECTION APPROX LIST **CATALOG PRICE SHIPPING NUMBER DESCRIPTION WEIGHT (LBS)** (\$US) **GROUP 1. BASE UNIT - LAY OFF PLOW** LP-1OR1 75 \$236 Lay Off Plow, Light-Duty - Rhino Orange LP-1GR1 Lay Off Plow, Light-Duty - JD Green 75 \$236 75 LP-10R2 Lay Off Plow, Light-Duty - Kubota Orange \$236 LP-1RD3 75 Lay Off Plow, Light-Duty - MF Red \$236 LP-1BL1 75 Lay Off Plow, Light-Duty - NH Blue \$236 LP-1CY1 Lay Off Plow, Light-Duty - CAT Yellow 75 \$236 FREIGHT DISCOUNTS ON PACKS OF 6 (See page 12 for details)



ONE ROW CULTIVATOR



STANDARD EQUIPMENT & SPECIFICATIONS

Model	1RCV
Width:	58"
Length:	40"
Height:	41 3/16"
Hitch:	3 pt CAT 1 & CAT 1 QH
Horse Power:	25 - 45
Weight (Approx):	171 lbs
Number of Shanks:	6
Shank Size:	3/8" x 1 3/4"
Row Widths:	Adjustable
Point Dimensions:	1.25" x 8" Reversible Curved Points
Cutting Point:	1/4" x 2 1/2" x 11"

The One Row Cultivators are priced as complete machines and are shipped fully assembled.

	ORDERING SECTION						
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)				
GROUP 1. BAS	E UNIT - 1RCV						
1RCV-1OR1	One Row Cultivator, Light-Duty - Rhino Orange	171	\$544				
1RCV-1GR1	One Row Cultivator, Light-Duty - JD Green	171	\$544				
1RCV-1OR2	One Row Cultivator, Light-Duty - Kubota Orange	171	\$544				
1RCV-1RD3	One Row Cultivator, Light-Duty - MF Red	171	\$544				
1RCV-1BL1	One Row Cultivator, Light-Duty - NH Blue	171	\$544				
1RCV-1CY1	One Row Cultivator, Light-Duty - CAT Yellow	171	\$544				
EXTRA EQUIP	MENT						
50072481	Kit, Middle Tine	21	\$104				
	FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)						





1D, 2D, 3D Lift-Type Compact Disk Harrows

		STAN	DARD	EQUI	PMEN	T & S	PECIF	ICATI	ONS			
Model Number	1D(60	1D78		2D	78	2D96		3D96		3D118	
Hitch:	3 pt (CAT 1	& CAT [^]	& CAT 1 QH		3 pt CAT 1 & CAT 1 QH		3 pt CA	3 pt CAT 1, CAT 2 & CAT 1, CAT 2 QH		1, CAT	
Working Width:	60	"	78	8"	78)"	96	3"	96	33	11	8"
Recommended HP:		3	35			6	5			9)5	
Disc Size:	16"	18"	16"	18"	18"	20"	18"	20"	20"	22"	20"	22"
Number of Disc Blades:								'				
7.5" Frt & Rear	16	6	2	4	20)	24	4	24	1	2	8
9" Frt & Rear	12	2	2	0	16	6	20)	20)	2	4
9" Frt, 7.5" Rear	14	1	1	8	18	3	22	2	22	2	2	6
Weight (lbs):										·		
7.5" Frt & Rear	483	530	672	720	700	770	912	984	1186	1311	1344	1484
9" Frt & Rear	384	420	640	700	672	740	740	815	1152	1275	1246	1381
9" Frt, 7.5" Rear	490	525	535	580	695	766	858	902	1173	1299	1356	1485
Weight per Disk:												<u> </u>
7.5" Frt & Rear	30	33	28	30	35	39	38	41	49	55	48	53
9" Frt & Rear	32	35	32	35	42	46	37	41	58	64	52	62
9" Frt, 7.5" Rear	35	38	30	32	39	43	39	41	53	59	52	57
Bearing Hanger:			Plate, v		3/8" x 6" Plate, w/ Dual 5/8" U-Bolts			1/2" x 7" Plate, w/ Dual 5/8" U-Bolts				
Ball Bearing Type:	Sel	f-Aligni	ng, Sea	led	Sel	f-Aligni	ng, Seal	ed	Se	elf-Aligni	ng, Seale	d
Disc Gang Angles:	Frt & Rear: 0, 7, 14, 21 Degrees			Frt & Rear: 0, 7, 14, 21 Degrees		Frt & Rear: 0, 7, 14, 21 Degrees						
Frame Tubes:		2" S	quare		2 1/2" Square				3" Sc	quare		
Gang Tube:		3" x	1 1/2"			3" :	x 2"			4"	x 3"	
Gang Axle:	1" Square High Carbon Steel				1" Square High Carbon Steel		1 1/8" Square High Carbon Steel					
Units are shipped fully assembled												

Units are shipped fully assembled. Extra equipment will require dealer assembly.





1D Lift-Type Compact Disk Harrow Continued

ORDERING SECTION

To order complete machine, order one item each from groups 1 - 2.

Order extra equipment as needed.

CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE (\$US)				
GROUP 1. BASE UNIT - 1D60							
1D60-1OR1	1D60	Disk Harrow, Lift-Type, 1D Series, 60" - Rhino Orange	\$416				
1D60-1GR1		Disk Harrow, Lift-Type, 1D Series, 60" - JD Green	\$416				
1D60-1OR2		Disk Harrow, Lift-Type, 1D Series, 60" - Kubota Orange	\$416				
1D60-1RD3		Disk Harrow, Lift-Type, 1D Series, 60" - MF Red	\$416				
1D60-1BL1		Disk Harrow, Lift-Type, 1D Series, 60" - NH Blue	\$416				
1D60-1CY1		Disk Harrow, Lift-Type, 1D Series, 60" - CAT Yellow	\$416				
GROUP 2. DIS	K GANGS - 1	D60					
50072592	1D60	16" Disk Gang, 7.5" Front & Rear Spacing	\$1,339				
50072593		16" Disk Gang, 9" Front & Rear Spacing	\$1,246				
50072594		16" Disk Gang, 9" Front, 7.5" Rear Spacing	\$1,302				
50072595		18" Disk Gang, 7.5" Front & Rear Spacing	\$1,405				
50072596		18" Disk Gang, 9" Front & Rear Spacing	\$1,295				
50072597		18" Disk Gang, 9" Front, 7.5" Rear Spacing	\$1,357				
EXTRA EQUIP	MENT						
50073441	1D60	Scraper Kit, 7.5" Front & Rear Spacing	\$487				
50073442		Scraper Kit, 9" Front & Rear Spacing	\$385				
50069898		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$459				
	FREIG	HT DISCOUNTS ON PACKS OF 2 (See page 12 for details)	`				







1D Lift-Type Compact Disk Harrow Continued

ORDERING SECTION

To order complete machine, order one item each from groups 1 - 2. Order extra equipment as needed.

CATALOG			LIST PRICE				
NUMBER	MODEL	DESCRIPTION	(\$US)				
GROUP 1. BA	SE UNIT - 1D7	8					
1D78-1OR1	1D78	Disk Harrow, Lift-Type, 1D Series, 78" - Rhino Orange	\$416				
1D78-1GR1		Disk Harrow, Lift-Type, 1D Series, 78" - JD Green	\$416				
1D78-1OR2		Disk Harrow, Lift-Type, 1D Series, 78" - Kubota Orange	\$416				
1D78-1RD3		Disk Harrow, Lift-Type, 1D Series, 78" - MF Red	\$416				
1D78-1BL1		Disk Harrow, Lift-Type, 1D Series, 78" - NH Blue	\$416				
1D78-1CY1		Disk Harrow, Lift-Type, 1D Series, 78" - CAT Yellow	\$416				
GROUP 2. DIS	SK GANGS - 11	D78					
50072598	1D78	16" Disk Gang, 7.5" Front & Rear Spacing	\$1,455				
50072599		16" Disk Gang, 9" Front & Rear Spacing	\$1,385				
50072600		16" Disk Gang, 9" Front & 7.5" Rear Spacing	\$1,424				
50072601		18" Disk Gang, 7.5" Front & Rear Spacing	\$1,550				
50072602		18" Disk Gang, 9" Front & Rear Spacing	\$1,461				
50072603		18" Disk Gang, 9" Front & 7.5" Rear Spacing	\$1,503				
EXTRA EQUIF	PMENT		·				
50073443	1D78	Scraper Kit, 7.5" Front & Rear Spacing	\$568				
50073444		Scraper Kit, 9" Front & Rear Spacing	\$525				
50070558		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$553				
	FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)						

Handle for Easy Disk Adjustment.





ORDERING SECTION

To order complete machine, order one item each from groups 1 - 2. Order extra equipment as needed.

CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE				
	NUMBER MODEL DESCRIPTION (\$US) GROUP 1. BASE UNIT - 2D78						
2D78-1OR1	2D78	Disk Harrow, Lift-Type, 2D Series, 78" - Rhino Orange	\$689				
2D78-1GR1	_	Disk Harrow, Lift-Type, 2D Series, 78" - JD Green	\$689				
2D78-1OR2		Disk Harrow, Lift-Type, 2D Series, 78" - Kubota Orange	\$689				
2D78-1RD3		Disk Harrow, Lift-Type, 2D Series, 78" - MF Red	\$689				
2D78-1BL1		Disk Harrow, Lift-Type, 2D Series, 78" - NH Blue	\$689				
2D78-1CY1		Disk Harrow, Lift-Type, 2D Series, 78" - CAT Yellow	\$689				
GROUP 2. DIS	SK GANGS - 2	D78					
50072738	2D78	18" Disk Gang, 7.5" Front & Rear Spacing	\$1,729				
50072739		18" Disk Gang, 9" Front & Rear Spacing	\$1,596				
50072740		18" Disk Gang, 9" Front & 7.5" Rear Spacing	\$1,609				
50072741		20" Disk Gang, 7.5" Front & Rear Spacing	\$1,963				
50072742		20" Disk Gang, 9" Front & Rear Spacing	\$1,798				
50072743		20" Disk Gang, 9" Front & 7.5" Rear Spacing	\$1,822				
EXTRA EQUIF	EXTRA EQUIPMENT						
50073445	2D78	Scraper Kit, 7.5" Front & Rear Spacing	\$620				
50073446		Scraper Kit, 9" Front & Rear Spacing	\$559				
50069897		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$608				
	FREIGI	HT DISCOUNTS ON PACKS OF 2 (See page 12 for details)	_				







ORDERING SECTION

To order complete machine, order one item each from groups 1 - 2. Order extra equipment as needed.

CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BAS	SE UNIT - 2D9	96	
2D96-1OR1	2D96	Disk Harrow, Lift-Type, 2D Series, 96" - Rhino Orange	\$689
2D96-1GR1		Disk Harrow, Lift-Type, 2D Series, 96" - JD Green	\$689
2D96-1OR2		Disk Harrow, Lift-Type, 2D Series, 96" - Kubota Orange	\$689
2D96-1RD3		Disk Harrow, Lift-Type, 2D Series, 96" - MF Red	\$689
2D96-1BL1		Disk Harrow, Lift-Type, 2D Series, 96" - NH Blue	\$689
2D96-1CY1		Disk Harrow, Lift-Type, 2D Series, 96" - CAT Yellow	\$689
GROUP 2. DIS	K GANGS - 2	D96	
50072744	2D96	18" Disk Gang, 7.5" Front & Rear Spacing	\$2,077
50072745		18" Disk Gang, 9" Front & Rear Spacing	\$1,968
50072746		18" Disk Gang, 9" Front & 7.5" Rear Spacing	\$2,000
50072747		20" Disk Gang, 7.5" Front & Rear Spacing	\$2,453
50072748		20" Disk Gang, 9" Front & Rear Spacing	\$2,238
50072749		20" Disk Gang, 9" Front & 7.5" Rear Spacing	\$2,251
EXTRA EQUIP	MENT		
50073447	2D96	Scraper Kit, 7.5" Front & Rear Spacing	\$713
50073448		Scraper Kit, 9" Front & Rear Spacing	\$645
50070559		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$701
	FREIG	HT DISCOUNTS ON PACKS OF 2 (See page 12 for details)	





ORDERING SECTION

To order complete machine, order one item each from groups 1 - 2. Order extra equipment as needed.

CATALOG			LIST PRICE		
NUMBER	MODEL	DESCRIPTION	(\$US)		
GROUP 1. BA	SE UNIT - 3D9	6			
3D96-1OR1	3D96	Disk Harrow, Lift-Type, 3D Series, 96" - Rhino Orange	\$1,243		
3D96-1GR1		Disk Harrow, Lift-Type, 3D Series, 96" - JD Green	\$1,243		
3D96-1OR2		Disk Harrow, Lift-Type, 3D Series, 96" - Kubota Orange	\$1,243		
3D96-1RD3		Disk Harrow, Lift-Type, 3D Series, 96" - MF Red	\$1,243		
3D96-1BL1		Disk Harrow, Lift-Type, 3D Series, 96" - NH Blue	\$1,243		
3D96-1CY1		Disk Harrow, Lift-Type, 3D Series, 96" - CAT Yellow	\$1,243		
GROUP 2A. D	ISK GANGS -	3D96			
50072750	3D96	20" Disk Gang, 7.5" Front & Rear Spacing	\$3,325		
50072751		20" Disk Gang, 9" Front & Rear Spacing	\$3,279		
50072752		20" Disk Gang, 9" Front & 7.5" Rear Spacing	\$3,220		
50072753		22" Disk Gang, 7.5" Front & Rear Spacing	\$3,691		
50072754		22" Disk Gang, 9" Front & Rear Spacing	\$3,454		
50072755		22" Disk Gang, 9" Front & 7.5" Rear Spacing	\$3,546		
EXTRA EQUIPMENT					
50073447	3D96	Scraper Kit, 7.5" Front & Rear Spacing	\$713		
50073448		Scraper Kit, 9" Front & Rear Spacing	\$645		
50070559		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$701		
	FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)				





3D Lift-Type Compact Disk Harrow Continued

ORDERING SECTION

To order complete machine, order one item each from groups 1 - 2. Order extra equipment as needed.

CATALOG			LIST PRICE
NUMBER	MODEL	DESCRIPTION	(\$US)
GROUP 1. BAS	SE UNIT - 3D1	18	
3D118-1OR1	3D118	Disk Harrow, Lift-Type, 3D Series, 118" - Rhino Orange	\$1,243
3D118-1GR1		Disk Harrow, Lift-Type, 3D Series, 118" - JD Green	\$1,243
3D118-1OR2		Disk Harrow, Lift-Type, 3D Series, 118" - Kubota Orange	\$1,243
3D118-1RD3		Disk Harrow, Lift-Type, 3D Series, 118" - MF Red	\$1,243
3D118-1BL1		Disk Harrow, Lift-Type, 3D Series, 118" - NH Blue	\$1,243
3D118-1CY1		Disk Harrow, Lift-Type, 3D Series, 118" - CAT Yellow	\$1,243
GROUP 2. DIS	K GANGS - 3	D118	
50072756	3D118	20" Disk Gang, 7.5" Front & Rear Spacing	\$3,826
50072757		20" Disk Gang, 9" Front & Rear Spacing	\$3,658
50072758		20" Disk Gang, 9" Front & 7.5" Rear Spacing	\$3,728
50072759		22" Disk Gang, 7.5" Front & Rear Spacing	\$4,255
50072760		22" Disk Gang, 9" Front & Rear Spacing	\$4,053
50072761		22" Disk Gang, 9" Front & 7.5" Rear Spacing	\$4,125
EXTRA EQUIP	MENT		
50073449	3D118	Scraper Kit, 7.5" Front & Rear Spacing	\$754
50073450		Scraper Kit, 9" Front & Rear Spacing	\$696
50069896		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$746
	FREIG	HT DISCOUNTS ON PACKS OF 2 (See page 12 for details)	_







Pull-Type Compact Disk Harrows

STANDARD EQUIPMENT & SPECIFICATIONS				
Model	DHP8	DHP10	DHP12	
Tractor Drawbar HP:	40 - 65	45 - 100	55 - 100	
Hitch Type:	Pull-Type w/	Clevis and Ho	le for 1 1/4" Pin	
Approx Transport Width:	8' 10"	10' 10"	12' 4"	
Max Cultivation Width:	8' 6"	10' 6"	12'	
Main Frame Width:	60"	93.5"	93.5"	
Weight (Approx) Per Disc:	95 - 114 lbs	84 - 98 lbs	78 - 90 lbs	
Disc Blade Size & Type:	20" or 22" Notched			
Disc Spacing:	7.5", 9", or Combination			
Disc Bearing Type:	Greaseable Triple Lip Sealed Ball Bear			
Number of Bearings:	8	12	12	
Forward Gang Angle Adjustment:	15, 16.5	5, 18, 19.5, 21	Degrees	
Rear Gang Angle Adjustment:	12,	13.5, 15, 16.	5, 18	
Hitch Frame Construction:	4"	x 4" x 1/4" Tu	bing	
Slide Frame Construction:	4"	x 3" x 1/4" Tu	bing	
Gang Arm Construction:	4"	x 3" x 1/4" Tu	bing	
Gang Axles:	1 1/8" Sc	quare High Ca	arbon Steel	
Front to Rear Leveling System:	Manual Crank Adjustment			
Depth Control:	Cylinder Stroke Control Spacers			
Hydraulic Cylnder:	3 1/2" x 8" ASABE			
Transport Tires & Wheels:	(2) - 9.5L x 15 w/ 5 - Bolt Wheels			
Parking Jack:	Standard			
Options:	Disk Scrape	rs, Dual Whee	el Transport Kit	
Units are shipped in three crates for dealer assembly.				



DHP8 Pull-Type Compact Disk Harrow Continued

ORDERING SECTION

To order complete machine, order one item each from groups 1 - 2.

Order extra equipment as needed.

CATALOG			LIST PRICE
NUMBER	MODEL	DESCRIPTION	(\$US)
GROUP 1. BA	SE UNIT - DHI	P8	
DHP8-1OR1	DHP8	Disk Harrow, Pull-Type, 8' - Rhino Orange	\$5,732
DHP8-1GR1		Disk Harrow, Pull-Type, 8' - JD Green	\$5,732
DHP8-1OR2		Disk Harrow, Pull-Type, 8' - Kubota Orange	\$5,732
DHP8-1RD3		Disk Harrow, Pull-Type, 8' - MF Red	\$5,732
DHP8-1BL1		Disk Harrow, Pull-Type, 8' - NH Blue	\$5,732
DHP8-1CY1		Disk Harrow, Pull-Type, 8' - CAT Yellow	\$5,732
GROUP 2. DIS	K GANGS - D	HP8	·
50072135	DHP8	20" Disk Gang Asy, 7.5" Front & Rear Spacing	\$4,167
50072136		20" Disk Gang Asy, 9" Front & Rear Spacing	\$3,985
50072137		20" Disk Gang Asy, 9" Front & 7.5"Rear Spacing	\$4,046
50072138		22" Disk Gang Asy, 7.5" Front & Rear Spacing	\$4,406
50072139		22" Disk Gang Asy, 9" Front & Rear Spacing	\$4,224
50072140		22" Disk Gang Asy, 9" Front & 7.5" Rear Spacing	\$4,311
EXTRA EQUIP	MENT		
50072310	DHP8	Scraper Kit, 7.5" Front & Rear Spacing	\$1,067
50072311		Scraper Kit, 9" Front & Rear Spacing	\$892
50072312		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$949
50072233		Dual Wheel Transport Kit	\$823







1 YEAR MACHINE Warranty

ORDERING SECTION

To order complete machine, order one item each from groups 1 - 2.

Order extra equipment as needed.

CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE (\$US)			
GROUP 1. BASE UNIT - DHP10						
DHP10-1OR1	DHP10	Disk Harrow, Pull-Type, 10' - Rhino Orange	\$5,794			
DHP10-1GR1		Disk Harrow, Pull-Type, 10' - JD Green	\$5,794			
DHP10-1OR2		Disk Harrow, Pull-Type, 10' - Kubota Orange	\$5,794			
DHP10-1RD3		Disk Harrow, Pull-Type, 10' - MF Red	\$5,794			
DHP10-1BL1		Disk Harrow, Pull-Type, 10' - NH Blue	\$5,794			
DHP10-1CY1		Disk Harrow, Pull-Type, 10' - CAT Yellow	\$5,794			
GROUP 2. DISK	GANGS - DH	P10	`			
50072141	DHP10	20" Disk Gang Asy, 7.5" Front & Rear Spacing	\$5,025			
50072142		20" Disk Gang Asy, 9" Front & Rear Spacing	\$4,779			
50072143		20" Disk Gang Asy, 9" Front & 7.5" Rear Spacing	\$4,950			
50072144		22" Disk Gang Asy, 7.5" Front & Rear Spacing	\$5,313			
50072145		22" Disk Gang Asy, 9" Front & Rear Spacing	\$5,070			
50072146		22" Disk Gang Asy, 9" Front & 7.5" Rear Spacing	\$5,191			
EXTRA EQUIPM	EXTRA EQUIPMENT					
50072313	DHP10	Scraper Kit, 7.5" Front & Rear Spacing	\$1,340			
50072314		Scraper Kit, 9" Front & Rear Spacing	\$1,291			
50072315		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$1,244			
50072233		Dual Wheel Transport Kit	\$823			








DHP12 Pull-Type Compact Disk Harrow Continued

ORDERING SECTION

To order complete machine, order one item each from groups 1 - 2. Order extra equipment as needed.

CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE (\$US)				
GROUP 1. BAS	GROUP 1. BASE UNIT - DHP12						
DHP12-1OR1	DHP12	Disk Harrow, Pull-Type, 12' - Rhino Orange	\$5,794				
DHP12-1GR1		Disk Harrow, Pull-Type, 12' - JD Green	\$5,794				
DHP12-1OR2		Disk Harrow, Pull-Type, 12' - Kubota Orange	\$5,794				
DHP12-1RD3		Disk Harrow, Pull-Type, 12' - MF Red	\$5,794				
DHP12-1BL1		Disk Harrow, Pull-Type, 12' - NH Blue	\$5,794				
DHP12-1CY1		Disk Harrow, Pull-Type, 12' - CAT Yellow	\$5,794				
GROUP 2. DISK	(GANGS - D	HP12					
50072147	DHP12	20" Disk Gang Asy, 7.5" Front & Rear Spacing	\$6,760				
50072148		20" Disk Gang Asy, 9" Front & Rear Spacing	\$6,517				
50072149		20" Disk Gang Asy, 9" Front & 7.5" Rear Spacing	\$6,640				
50072230		22" Disk Gang Asy, 7.5" Front & Rear Spacing	\$7,183				
50072231		22" Disk Gang Asy, 9" Front & Rear Spacing	\$6,964				
50072232		22" Disk Gang Asy, 9" Front & 7.5" Rear Spacing	\$7,059				
EXTRA EQUIPI	JENT						
50072316	DHP12	Scraper Kit, 7.5" Front & Rear Spacing	\$1,482				
50072317		Scraper Kit, 9" Front & Rear Spacing	\$1,410				
50072318		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$1,434				
50072233		Dual Wheel Transport Kit	\$823				





1 YEAR MACHINE Warranty

REBEL

Rotary Tillers (Standard & Reverse)

			IPMENT & SP			
		Standard			Reverse	
	REB60	REB72	REB84	REB60R	REB72R	REB84R
Tilling Width:	59"	70.5"	82.5"	59"	70.5"	82.5"
Overall Width:	66"	78"	90"	66"	78"	90"
Tilling Depth (Max)*:	7 1/2"	7 1/2"	7 1/2"	7 1/2"	7 1/2"	7 1/2"
Hitch: Standard Quick Hitch	CAT 1 CAT 1 QH	CAT 1 CAT 1 QH	Cat 1 & 2 CAT 1 & 2 QH	CAT 1 CAT 1 QH	CAT 1 CAT 1 QH	Cat 1 & 2 CAT 1 & 2 QH
Knife Type:	"L"	"L"	"L"	"L"	"L"	"L"
Number of Knives:	42	54	66	42	54	66
Number of Flanges:	7	9	11	7	9	11
Recommended PTO HP (Min/Max):	25 / 45	35 / 55	45 / 65	25 / 45	35 / 55	45 / 65
Rotor Speed:	211 RPM	211 RPM	211 RPM	211 RPM	211 RPM	211 RPM
Driveline Size:	CAT 4	CAT 4	CAT 4	CAT 4	CAT 4	CAT 4
Driveline Protection:	Slip Clutch	Slip Clutch	Slip Clutch	Slip Clutch	Slip Clutch	Slip Clutch
Gearbox Housing:	Cast	Cast	Cast	Cast	Cast	Cast
End Plate Thickness:	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"
Rotor/ Blade Rotation Dia:	17"	17"	17"	17"	17"	17"
Rotor Shaft Dia:	3"	3"	3"	3"	3"	3"
Rotor Drive Type:	Gear Driven	Gear Driven	Gear Driven	Gear Driven	Gear Driven	Gear Driven
Tine Rotation:	Standard	Standard	Standard	Reverse	Reverse	Reverse
Weight (Approx):	673 lbs	747 lbs	817 lbs	683 lbs	759 lbs	831 lbs
Gearbox Oil:			85W 140 (Not	t Factory Filled)		

Freight Discount when Ordered in Multiples of 3

*Requires multiple passes

REB60











REB Standard Rotation

ORDERING SECTION - REBEL STANDARD ROTATION

Select tiller model from the selections below. Units are priced complete.

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
REB60-1OR	REB60 Standard	60" Rotary Tiller Standard Rotation - Rhino Orange	798	\$2,528
REB60-1RD	REB60 Standard	60" Rotary Tiller Standard Rotation - MF Red	798	\$2,528
REB60-1GR	REB60 Standard	60" Rotary Tiller Standard Rotation - JD Green	798	\$2,528
REB60-2OR	REB60 Standard	60" Rotary Tiller Standard Rotation - Kubota Orange	798	\$2,528
REB60-1BL	REB60 Standard	60" Rotary Tiller Standard Rotation - NH Blue	798	\$2,528
REB72-1OR	REB72 Standard	72" Rotary Tiller Standard Rotation - Rhino Orange	877	\$2,929
REB72-1RD	REB72 Standard	72" Rotary Tiller Standard Rotation - MF Red	877	\$2,929
REB72-1GR	REB72 Standard	72" Rotary Tiller Standard Rotation - JD Green	877	\$2,929
REB72-2OR	REB72 Standard	72" Rotary Tiller Standard Rotation - Kubota Orange	877	\$2,929
REB72-1BL	REB72 Standard	72" Rotary Tiller Standard Rotation - NH Blue	877	\$2,929
REB84-1OR1	REB84 Standard	84" Rotary Tiller Standard Rotation - Rhino Orange	952	\$3,447
REB84-1RD3	REB84 Standard	84" Rotary Tiller Standard Rotation - MF Red	952	\$3,447
REB84-1GR1	REB84 Standard	84" Rotary Tiller Standard Rotation - JD Green	952	\$3,447
REB84-1OR2	REB84 Standard	84" Rotary Tiller Standard Rotation - Kubota Orange	952	\$3,447
REB84-1BL1	REB84 Standard	84" Rotary Tiller Standard Rotation - NH Blue	952	\$3,447

REB Reverse Rotation

ORDERING SECTION - REBEL REVERSE ROTATION

Select tiller model from the selections below. Units are priced complete.

Select tiller model from the selections below. Onlts are priced complete.				
CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
REB60R-1OR	REB60 Reverse	60" Rotary Tiller Reverse Rotation - Rhino Orange	808	\$2,707
REB60R-1RD	REB60 Reverse	60" Rotary Tiller Reverse Rotation - MF Red	808	\$2,707
REB60R-1GR	REB60 Reverse	60" Rotary Tiller Reverse Rotation - JD Green	808	\$2,707
REB60R-2OR	REB60 Reverse	60" Rotary Tiller Reverse Rotation - Kubota Orange	808	\$2,707
REB60R-1BL	REB60 Reverse	60" Rotary Tiller Reverse Rotation - NH Blue	808	\$2,707
REB72R-1OR	REB72 Reverse	72" Rotary Tiller Reverse Rotation - Rhino Orange	889	\$3,108
REB72R-1RD	REB72 Reverse	72" Rotary Tiller Reverse Rotation - MF Red	889	\$3,108
REB72R-1GR	REB72 Reverse	72" Rotary Tiller Reverse Rotation - JD Green	889	\$3,108
REB72R-2OR	REB72 Reverse	72" Rotary Tiller Reverse Rotation - Kubota Orange	889	\$3,108
REB72R-1BL	REB72 Reverse	72" Rotary Tiller Reverse Rotation - NH Blue	889	\$3,108
REB84R-1OR1	REB84 Reverse	84" Rotary Tiller Reverse Rotation - Rhino Orange	966	\$3,627
REB84R-1RD3	REB84 Reverse	84" Rotary Tiller Reverse Rotation - MF Red	966	\$3,627
REB84R-1GR1	REB84 Reverse	84" Rotary Tiller Reverse Rotation - JD Green	966	\$3,627
REB84R-1OR2	REB84 Reverse	84" Rotary Tiller Reverse Rotation - Kubota Orange	966	\$3,627
REB84R-1BL1	REB84 Reverse	84" Rotary Tiller Reverse Rotation - NH Blue	966	\$3,627

SRT & SRM Rotary Tillers



STANDARD EQUIPMENT & SPECIFICATIONS				
Model	SRT48	SRM81V	SRM91V	
Tilling Width:	48"	81"	91"	
Overall Width:	53"	87"	96"	
Tilling Depth (Max):	7"	8"	8"	
Support Stand:	Std	Std	Std	
Hitch:	CAT 1	CAT 1 & 2, CAT 1 QH	CAT 1 & 2, CAT 1 QH	
Knife Type:	"C"	"C"	"C"	
Number of Knives:	20	48	54	
Number of Flanges:	5	8	9	
Recommended PTO HP (Min/Max):	16 / 30	40 / 70	40 / 70	
Rotor Speed (at 540 RPM):	370	185 / 208 /	235 / 266**	
Driveline Size:	CAT 3	CAT 4	CAT 4	
Driveline Protection:	Slip Clutch	Slip Clutch	Slip Clutch	
Housing Thickness:	4mm	4mm	4mm	
End Plate Thickness:	5mm	8mm	8mm	
Rotor Drive Type:	Chain	Gear	Gear	
Tine Rotation:	Forward	Forward	Forward	
Weight (Approx):	318 lbs	981 lbs	992 lbs	

^{**4-}Speed Gearbox

ORDERING SECTION

Order machine model from appropriate base machine group below. Machines noted are complete.

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
SRT				
SRT48001	SRT48	48" Tiller	318	\$2,615
SRM				
SRM81V01	SRM81V	81" Tiller w/ 4-Speed Gearbox	981	\$7,870
SRM91V01	SRM91V	91" Tiller w/ 4-Speed Gearbox	992	\$8,475





130P, 240P, 340P, 440P

3-Point Mounted Post Hole Diggers

STANDARD EQUIPMENT & SPECIFICATIONS						
Model	130P	240P	340P	440P		
Max PTO HP:	25	35	65	95		
PTO Speed:	540 RPM	540 RPM	540 RPM	540 RPM		
Output Shaft Diameter:	2" Round	2" Round	2" Round	2" Round		
Hitch Category:	CAT 0 Std	CAT 1 Std & CAT 2 Std	CAT 1 Std & CAT 2 Std	CAT 1 Std & CAT 2 Std		
Auger Diameters:	6", 9", 12"	6", 9"	, 12", 15", 18", 24	."		
Auger Overall Length:	30"	48"	48"	48"		
Driveline Protection:	Shear Bolt	Shear Bolt	Shear Bolt	Shear Bolt		
Yoke Size:	1/2" x 3"	3"	3"	3"		
Boom Tubing:	2 7/8"	2 7/8"	3 1/2"	3 1/2"		
Down Force Kit:	N/A	Optional	Optional	Optional		
Gearbox Ratio:	3:1	3:1	3.18:1	4.1:1		
Weight (Approx):	149 lbs	160 lbs	206 lbs	210 lbs		

	ORDERING SECTION - 130P					
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)			
GROUP 1. BA	ASE UNIT - 130P					
PHD13001	130P Compact Digger, 2 7/8" Boom, 25 HP Max	149	\$1,070			
GROUP 2. AL	JGER - 130P					
00788402	6" Diameter x 30" Long, Std Duty, w/ Fishtail Replaceable Points		\$165			
00788403	9" Diameter x 30" Long, Std Duty, w/ Fishtail Replaceable Points		\$185			
00788404	12" Diameter x 30" Long, Std Duty, w/ Fishtail Replaceable Points		\$205			
EXTRA EQUIPMENT						
00788401	Parking Stand, 130P		\$135			



3-Pt PHD's Continued

ORDERING SECTION - 240P/340P/440P						
CATA- LOG NUMBER		DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)		
GROUP 1. B	ASE UNIT -:	240P, 340P, 440P				
PHD24001	240P Stand	ard Duty Digger, 2 7/8" Boom, 35 HP Max	160	\$1,090		
PHD34001	340P Heavy	y-Duty Digger, 3.5" Boom, 65 HP Max	206	\$1,465		
PHD44001	440P Indus	trial Duty Digger, 3.5" Boom, 95 HP Max	210	\$1,885		
GROUP 2. A	UGER - 240P	, 340P, 440P				
00780367	6" Auger	Heavy-Duty w/ Aggressor Bit Point x 48" Long	42	\$300		
00780368	9" Auger	Heavy-Duty w/ Aggressor Bit Point x 48" Long	57	\$355		
00780369	12" Auger	Heavy-Duty w/ Aggressor Bit Point x 48" Long	64	\$375		
00780370	15" Auger	Heavy-Duty w/ Aggressor Bit Point x 48" Long	77	\$500		
00780371	18" Auger	Heavy-Duty w/ Aggressor Bit Point x 48" Long	82	\$530		
00780372	24" Auger	Heavy-Duty w/ Aggressor Bit Point x 48" Long	109	\$620		
EXTRA EQU	IPMENT					
50072108	Parking Sta	nd, 240P/340P	12	\$159		
50072111	Parking Sta	nd, 440P	13	\$175		
50072109	Hydraulic D	own Force Kit - 240P	26	\$642		
50072110	Hydraulic D	own Force Kit - 340P	46	\$642		
50072112	Hydraulic D	own Force Kit - 440P	46	\$625		
01A01030	7" Auger Ex	tension	4	\$245		
01A01040	14" Auger E	xtension	7	\$310		







N15, N20, N30 Planetary Drive Posthole Diggers

STANDARD EQUIPMENT & SPECIFICATIONS								
Model N15 N20 N30								
Drive Type:	Planetary w/ Reversible Motor	Planetary w/ Reversible Motor	Planetary w/ Reversible Motor					
Output Shaft Size:	2" Hex	2" Hex	2" Hex					
Mount Types:	Skid Steer Universal, Loader Bucket, Euro Style QA	Skid Steer Universal, Loader Bucket, Euro Style QA	Skid Steer Universal, Loader Bucket, Euro Style QA					
Max Auger Diameter: (HSDA: Dirt)	18"	18"	36"					
Max Auger Diameter: (HRAD: Rock)		9"	12"					
Max Output Torque:	1,419 Ft - Ibs	1,777 Ft - lbs	2,632 Ft - lbs					
Recommended Hyd Flow:	6 -15 GPM	10 - 20 GPM	15 - 30 GPM					
Max System Pressure:	3,000 PSI	3,000 PSI	3,000 PSI					
Digging Depth (w/ Std Auger):	48"	48"	48"					
Drive Protection:	Hydraulic Relief Valve	Hydraulic Relief Valve	Hydraulic Relief Valve					
Hydraulic Hoses:	1/2" x 108" - Included	1/2" x 108" - Included	1/2" x 108" - Included					

	ORDERING SECTION		
CATA- LOG NUMBER	DESCRIPTION NO. NO.	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. D	RIVE UNIT SELECTION - N15, N20, N30		
07720015	N15: For Systems Delivering 6-15 GPM; 1419 Ft Lbs Torque at Max Operating Pressure of 3000 PSI	130	\$2,175
07720020	N20: For Systems Delivering 10-20 GPM; 1777 Ft Lbs Torque at Max Oprating Pressure of 3000 PSI	130	\$2,195
07720030	N30: For Systems Delivering 15-30 GPM; 2623 Ft Lbs Torque at Max Operating Pressure of 3000 PSI	130	\$2,385
GROUP 2. N	IOUNTING KIT SELECTION - N15, N20, N30		
00776622	Universal Skid Steer Quick Attach Frame (Centered)	146	\$545
00776623	Front End Loader Mounting Bracket (Requires Drilling 2 Holes in Bucket) (Hoses Not Included)	75	\$385
00785966	Universal Skid Steer Quick Attach Frame (Offset to the Right 15")	146	\$545
00785967	Euro Style Quick Attach Front End Loader Frame (Offset to the Right 15")	142	\$610

NOTES:

- N Series Diggers are Intermediate-Duty, designed for use with Tractor Front End Loaders or small Skid Steer Loaders.
- Mounting brackets with frames offset to the right are designed for use on a Tractor Front End Loader to provide visibility to the auger.
- To order a complete unit, select one item each from Groups 1 & 2. Add an Auger and any desired Extra Equipment to complete.





N Series PHD's Continued

CATALOG NUMBER		DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)				
GROUP 3A	GROUP 3A. AUGER SELECTION - N15, N20, N30 - DRIVE-IN TEETH HSDA AUGERS (SOIL, CLAY, LOOSE ROCK) (48" LONG)							
00789048	HSDA60	6" Auger w/ Drive-In Teeth	68	\$320				
00789049	HSDA90	9" Auger w/ Drive-In Teeth	69	\$455				
00789050	HSDA120	12" Auger w/ Drive-In Teeth	108	\$515				
00789051	HSDA180	18" Auger, w/ Drive-In Teeth	159	\$765				
00789052	HSDA240	24" Auger (N30 Only) w/ Drive-In Teeth	245	\$965				
00789053	HSDA300	30" Auger (N30 Only) w/ Drive-In Teeth	303	\$1,260				
00789054	HSDA360	36" Auger (N30 Only) w/ Drive-In Teeth	333	\$1,550				
GROUP 3B	AUGER SELI	ECTION - N15, N20, N30 - BOLT-ON TEETH HSDA AUGE	RS					
00776635	HSDA90	9" Auger w/ Bolt-On Teeth	69	\$455				
00776636	HSDA120	12" Auger w/ Bolt-On Teeth	108	\$510				
00789217	HSDA150	15" Auger w/ Bolt-On Teeth	159	\$680				
00789055	HSDA954	9" x 18" Tree Auger w/ Bolt-On Teeth	136	\$830				
00789056	HSDA1254	12" x 24" Tree Auger w/ Bolt-On Teeth	287	\$895				
00789057	HSDA1854	18" x 36" Tree Auger (N30 Only) w/ Bolt-On Teeth	322	\$1,520				
	. AUGER SELI Y, COMPACTE	ECTION - N15, N20, N30 - T-POST PUFF AUGER ED SOIL)						
00776653	HRP 2" Auge	or	25	\$465				
AUGER EX	TENSIONS AN	ID ADAPTERS						
00776654	24" Variable	Length Auger Extension	33	\$300				
00776655	48" Variable Length Auger Extension		57	\$500				
00785968	2" Hex (Fema	ale) to 2" Round (Male)	15	\$250				
00786085	2" Round (Fe	emale) to 2" Hex (Male) (3/4" Hole)	14	\$250				
EXTRA EQI	JIPMENT							
00768105	Hydraulic Ho	se Kit for Bolt-On Bucket Mount Kit (Hoses are 25' Long)	25	\$425				



H200, H300, H350 Planetary Drive Posthole Diggers

STANDARD EQUIPMENT & SPECIFICATIONS						
Model	H200	H300	H350			
Drive Type:	Planetary w/ Reversible Motor	Planetary w/ Reversible Motor	Planetary w/ Reversible Motor			
Output Shaft Size:	2" Hex	2" Hex	2" Hex			
Mount Types:	Skid Steer Universal, Backhoe, Mini-Excavator, Front End Loader	Skid Steer Universal, Backhoe, Mini-Excava- tor, Front End Loader	Skid Steer Universal, Backhoe, Mini-Excavator, Front End Loader			
Max Auger Dia: (HSDA: Dirt)	30"	36"	36"			
Max Auger Dia: (HRAD: Rock)	24"	36"	36"			
Max Output Torque:	2,008 Ft-Lbs	2,937 Ft-Lbs	3,582 Ft-Lbs			
Recommended Hyd Flow:	10 - 20 GPM	15 - 30 GPM	20 - 35 GPM			
Max System Pressure:	3,000 PSI	3,000 PSI	3,000 PSI			
Digging Depth:	48"	48"	48"			
Drive Protection:	Hyd Relief Valve	Hyd Relief Valve	Hyd Relief Valve			
Hydraulic Hoses:	1/2" x 108" (Included)	1/2" x 108" (Included)	1/2" x 108" (Included)			

Unit shown with extra equipment.



H Series Diggers are Heavy-Duty, designed for use with Skid Steer Loaders, Tractor Loaders Backhoes, and Mini-Excavators.

Case, Ford, JCB, John Deere, and CAT are trade names &/or registered trademarks which are the intellectual property of the entity listed or of the entity's successor(s). These names are used only to clarify the identification of skid steer loaders.

To order a complete unit, select a drive unit from Group 1, and a mounting kit from Group 2A or 2B. Add augers from Group 3A-E and any desired extra equipment as needed to complete the unit.

See instructions at the end of the Ordering Section for Backhoe or Excavator Mounting Kits that are not listed.



H Series PHD's Continued

	,	n Selles PhD's C	Ominiac
	ORDERING SECTION		
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. DR	IVE UNIT SELECTION - H200, H300, H350		
07710019	H200: For Systems Delivering 10-20 GPM; 2008 Ft. Lbs Torque at Max Operating Pressure of 3000 PSI.	211	\$2,880
07710020	H300: For Systems Delivering 15-30 GPM; 2937 Ft. Lbs Torque at Max Operating Pressure of 3000 PSI.	211	\$3,035
07710021	H350: For Systems Delivering 20-35 GPM; 3582 Ft. Lbs Torque at Max Operating Pressure of 3000 PSI.	211	\$3,285
GROUP 2A. M	OUNTING KIT - SKID STEER - H200, H300, H350		
00776622	Universal Skid Steer Quick Attach Frame (Centered Hitch)	146	\$545
00776623	Front End Loader Mounting Bracket (Requires Drilling 2 Holes in Bucket) (Hoses Not Included)	75	\$385
00785966	Universal Skid Steer Quick Attach Frame (Offset to the Right 15")	146	\$545
SEE INSTRUC	ACKHOE AND MINI-EXCAVATOR MOUNTING KITS - H200, H300, H CTIONS AT END OF ORDERING SECTION	,	
00776624	Case 580, 580E, 580SE	32	\$380
00776625	Case 780	32	\$380
00776626	Ford CL55, 555 Series Deere 12, B, C; 410A, B, C, D; 9300, 9305, 210C, 300B, D; 310A, B, C, D, E, 500C, 510B, 510C, 510D; 610B, 610C	32	\$380
00776627	JCB 1400B, 1500, 215, 217, 214	32	\$380
00776628	Deere 510, 710B, 710C, 710D	32	\$380
00776629	Deere 9450, 9550, 401C	32	\$380
00776630	Deere 310SE, 410E	32	\$380
00776631	Cat 410, 416, 426	32	\$380
00788379	Kubota KX91	32	\$380
•	for most Backhoe and Excavator models are available. See Instructions ckhoe or Excavator models not listed above.	s at the end of this Or	dering
GROUP 3A. T (SOLID ROCK	POST "PUFF" AUGER - H200, H300, H350		
00776653	HRP 2" Auger	25	\$465



H Series PHD's Continued

	ORDERING SECTION - Continued	ADDROV	
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 3B. I	HSDA AUGERS - H200, H300, H350 - DRIVE-IN TEETH		(, ,
	LOOSE ROCK)		
00789048	HSDA60 6" Auger w/ Drive-In Teeth	68	\$320
00789049	HSDA90 9" Auger w/ Drive-In Teeth	69	\$455
00789050	HSDA120 12" Auger w/ Drive-In Teeth	108	\$515
00789051	HSDA180 18" Auger w/ Drive-In Teeth	159	\$765
00789052	HSDA240 24" Auger w/ Drive-In Teeth	245	\$965
00789053	HSDA300 30" Auger w/ Drive-In Teeth	303	\$1,260
00789054	HSDA360 36" Auger w/ Drive-In Teeth	333	\$1,550
	AUGER SELECTION - H200, H300, H350 - BOLT-ON TEETH EETH HSDA AUGERS		
00776635	HSDA90 9" Auger w/ Bolt-On Teeth	69	\$455
00776636	HSDA120 12" Auger w/ Bolt-On Teeth	108	\$510
00789217	HSDA150 15" Auger w/ Bolt-On Teeth	159	\$680
00789055	HSDA954 9" x 18" Tree Auger w/ Bolt-On Teeth	136	\$830
00789056	HSDA1254 12" x 24" Tree Auger w/ Bolt-On Teeth	287	\$895
00789057	HSDA1854 18" x 36" Tree Auger w/ Bolt-On Teeth	322	\$1,520
	HSRA AUGERS - H200, H300, H350 CK, SOLID ROCK, CONCRETE)		
00776632	HSRA45 4 1/2" Auger	60	\$875
00776633	HSRA60 6" Auger	53	\$1,220
	HRAD AUGERS - H200, H300, H350 CLAY, LOOSE OR SOLID ROCK, CONCRETE)		
00776644	HRAD90 9" Auger	102	\$1,445
00776645	HRAD120 12" Auger	107	\$1,815
00776646	HRAD180 18" Auger	201	\$2,330
00776647	HRAD240 24" Auger	291	\$2,675
00776648	HRAD300 30" Auger	340	\$3,075
00776649	HRAD360 36" Auger	395	\$3,785
GROUP 3F. T SOLID ROC	-POST AUGER - H200, H300, H350 K)		
00776653	HRP 2" Auger	25	\$465
AUGER EXTI	ENSIONS		
00776654	24" Variable Length Auger Extension	33	\$300
00776655	48" Variable Length Auger Extension	57	\$500
00776656	72" Variable Length Auger Extension - (Special Order Only)	80	\$590





H Series PHD's Continued

BACKHOE & EXCAVATOR MOUNTING BRACKET INFORMATION (See Section 2B for Weight and Price)

- Step 1: Choose H series digger that matches the hydraulic flow and pressure of the Backhoe or Excavator.
- Step 2: Measure the width of the Backhoe or Excavator Dipper (outer boom section) at the connection point.
- Step 3: Measure the pin diameter required to connect the digger to the Backhoe or Excavator.
- Step 4: If the Dipper Width and Pin Diameter are the same as those listed in the chart below, order the part number that corresponds. If Part number is not shown for the size you need, contact Rhino Customer Service Department with your Dipper Width and Pin Diameter information so they can determine availability.

	Dipper Width & Pin Diameters for Mount Kits Listed in Section 2B				
Part Number	Dipper Width	Pin Diameter	Typical Application		
00776624	10"	1 3/4"	Case 580, 580E, 580SE		
00776625	8"	2 1/2"	Case 780		
00776626	8"	1 3/4"	Ford CL55, 555 Series, Deere 12, B, C, 410A, B, C, D, 9300, 9305		
00776627	6 3/4"	1 3/4"	JCB 1400B, 1500, 215, 217, 214		
00776629	8"	1 1/2"	Deere 9450, 9550, 401C		
00776630	8"	2 3/16"	Deere 310SE, 410E		
00776631	10"	2"	Cat 410, 416, 426		
00788379	5 1/8"	1 9/16"	Kubota KX91		



35, 50, 70 Utility Rear Blades (For Tractors 35-70 HP)

STANDARD EQUIPMENT & SPECIFICATIONS				
Model	35	50	70	
Moldboard Width:	5', 6', 7'	6', 7'	6', 7', 8'	
Moldboard (Thickness & Height):	1/4" x 14"	5/16" x 15.5"	5/16" x 19"	
Cutting Edge:	1/2" x 6" Reversible	1/2" x 6" Reversible	1/2" x 6" Reversible	
Hitch:	CAT 1 QH	CAT 1 QH	CAT 1 & 2 QH	
Max Tractor PTO HP: 2WD FWA	35 30	50 40	70 55	
King Pin Diameter:	1 1/4" (Grade 8)	1 1/4" (Grade 8)	1 1/4" (Grade 8)	
Adjustment Method:	Manual	Manual	Manual	
Swing Offset (Max):	12" L or R	16" L or R	18" L or R	
Pivot Angle Adjustment: Forward Reverse	5 Positions - Up to 30° 3 Positions - Up to 15°	5 Positions - Up to 30° 3 Positions - Up to 15°	5 Positions - Up to 45° 5 Positions - Up to 45°	
Moldboard Tilt (Up & Down):	15 Degrees	15 Degrees	30 Degrees	
Parking Stand:	N/A	Std	Std	
Weight (Approx):	5' - 280 lbs	6' - 403 lbs	6' - 510 lbs	
	6' - 310 lbs	7' - 430 lbs	7' - 538 lbs	
	7' - 340 lbs		8' - 572 lbs	







35 REAR BLADE

ORDERING SECTION				
CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BAS	SE UNIT - 35			
3505-1OR1	35-5'	5' Blade Complete - Rhino Orange	280	\$836
3505-1GR1		5' Blade Complete - JD Green		\$836
3505-1OR2		5' Blade Complete - Kubota Orange		\$836
3505-1RD3		5' Blade Complete - MF Red		\$836
3505-1BL1		5' Blade Complete - NH Blue		\$836
3505-1CY1		5' Blade Complete - CAT Yellow		\$836
3506-1OR1	35-6'	6' Blade Complete - Rhino Orange	310	\$881
3506-1GR1		6' Blade Complete - JD Green		\$881
3506-1OR2		6' Blade Complete - Kubota Orange		\$881
3506-1RD3		6' Blade Complete - MF Red		\$881
3506-1BL1		6' Blade Complete - NH Blue		\$881
3506-1CY1		6' Blade Complete - CAT Yellow		\$881
3507-1OR1	35-7'	7' Blade Complete - Rhino Orange	340	\$922
3507-1GR1		7' Blade Complete - JD Green		\$922
3507-1OR2		7' Blade Complete - Kubota Orange		\$922
3507-1RD3		7' Blade Complete - MF Red		\$922
3507-1BL1		7' Blade Complete - NH Blue		\$922
3507-1CY1		7' Blade Complete - CAT Yellow		\$922
EXTRA EQUIPMENT				
50072391	35, 50, 70	Skid Shoe Kit	30	\$316





50 REAR BLADE

		ORDERING SECTION		
CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT	LIST PRICE (\$US)
GROUP 1. BAS	SE UNIT - 50			
5006-1OR1	50-6'	6' Blade Complete - Rhino Orange	403	\$1,123
5006-1GR1		6' Blade Complete - JD Green		\$1,123
5006-1OR2		6' Blade Complete - Kubota Orange		\$1,123
5006-1RD3		6' Blade Complete - MF Red		\$1,123
5006-1BL1		6' Blade Complete - NH Blue		\$1,123
5006-1CY1		6' Blade Complete - CAT Yellow		\$1,123
5007-1OR1	50-7'	7' Blade Complete - Rhino Orange	430	\$1,174
5007-1GR1		7' Blade Complete - JD Green		\$1,174
5007-1OR2		7' Blade Complete - Kubota Orange		\$1,174
5007-1RD3		7' Blade Complete - MF Red		\$1,174
5007-1BL1		7' Blade Complete - NH Blue		\$1,174
5007-1CY1		7' Blade Complete - CAT Yellow		\$1,174
EXTRA EQUIPMENT				
50072391	35, 50, 70	Skid Shoe Kit	30	\$316





70 REAR BLADE

ORDERING SECTION				
CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 70				
7006-1OR1	70-6'	6' Blade Complete - Rhino Orange	510	\$1,629
7006-1GR1		6' Blade Complete - JD Green		\$1,629
7006-1OR2		6' Blade Complete - Kubota Orange		\$1,629
7006-1RD3		6' Blade Complete - MF Red		\$1,629
7006-1BL1		6' Blade Complete - NH Blue		\$1,629
7006-1CY1		6' Blade Complete - CAT Yellow		\$1,629
7007-1OR1	70-7'	7' Blade Complete - Rhino Orange	538	\$1,720
7007-1GR1		7' Blade Complete - JD Green		\$1,720
7007-1OR2		7' Blade Complete - Kubota Orange		\$1,720
7007-1RD3		7' Blade Complete - MF Red		\$1,720
7007-1BL1		7' Blade Complete - NH Blue		\$1,720
7007-1CY1		7' Blade Complete - CAT Yellow		\$1,720
7008-1OR1	70-8'	8' Blade Complete - Rhino Orange	572	\$1,830
7008-1GR1		8' Blade Complete - JD Green		\$1,830
7008-1OR2		8' Blade Complete - Kubota Orange		\$1,830
7008-1RD3		8' Blade Complete - MF Red		\$1,830
7008-1BL1		8' Blade Complete - NH Blue		\$1,830
7008-1CY1		8' Blade Complete - CAT Yellow		\$1,830
EXTRA EQUIPMENT				
50072391	35, 50, 70	Skid Shoe Kit	30	\$316
1817	70	Ratchet Assembly (for Offset Function Only)	20	\$149
50070543	70	End Plate Kit	50	\$346





850 Rear Blade

(For Tractors up to 90 PTO HP)



Unit shown with extra equipment.

,	,
STANDARD EQUIPM	MENT & SPECIFICATIONS
Moldboard Width:	7', 8'
Moldboard Dimension:	5/16" x 19"
Cutting Edge:	1/2" x 6" Reversible
Support Stand:	Std
Hitch:	CAT 1 & 2 / CAT 1 & 2 QH
Max Tractor HP (PTO): 2WD FWA	90 70
King Pin Diameter:	3" Diameter
Adjustment Types:	Manual or Hydraulic
Swing Offset (Max):	20"
Pivot Angle: Forward Reverse	Up to 45 Degrees Up to 45 Degrees
Tilt (Up & Down):	Up to 15 Degrees
Weight (Approx):	7' - 807 lbs
	8' - 827 lbs

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 4. Order extra equipment as needed.

CATALOG		APPROX SHIPPING	LIST PRICE	
NUMBER	DESCRIPTION	WEIGHT (LBS)	(\$US)	
GROUP 1. BASE U	NIT & MOLDBOARD - 850	,		
07850700	850 w/ 7' Blade	807	\$2,760	
07850800	850 w/ 8' Blade	827	\$2,820	
GROUP 2. BLADE S	SWING "OFFSET" SELECTION - 850			
00786890	Kit, Hydraulic Swing	67	\$597	
00786891	Kit, Manual Swing	37	\$221	
GROUP 3. BLADE F	PIVOT "ANGLE" SELECTION - 850			
00786890	Kit, Hydraulic Pivot	67	\$597	
00786891	Kit, Manual Pivot	37	\$221	
GROUP 4. MOLDBOARD TILT SELECTION - 850				
00786892	Kit, Hydraulic Tilt	52	\$524	
00786893	Kit, Manual Tilt	15	\$164	
EXTRA EQUIPMEN	Т			
89290	Skid Shoes	60	\$255	
95841	Hose Holder Kit	5	\$86	
50070543	End Plate Kit	50	\$346	





950 REAR BLADE (For Tractors up to 120 PTO HP)

STANDARD EQUIPMENT & SPECIFICATIONS		
Moldboard Width:	8', 9'	
Moldboard Dimension:	3/8" x 17"	
Cutting Edge:	1/2" x 6"	
Support Stand:	Std	
Hitch:	CAT 1 & 2 / CAT 1 & 2 QH	
Max Tractor HP (PTO): 2WD FWA	8′ 125 9′ 95 8′ 106 9′ 81	
King Pin Diameter:	3" Solid Steel	
Adjustment Types:	Manual or Hydraulic	
Swing Offset (Max):	30"	
Pivot Angle: Forward	7 - Up to 45Degrees	
Reverse	7 - Up to 45 Degrees	
Tilt (Up & Down):	2 - Up to 15 Degrees	
Weight (Approx):	8' - 836 lbs 9' - 876 lbs	



Blades Not Warrantied on Track-Type Tractors
Unit shown with extra equipment.





1 YEAR MACHINE Warranty

950 Continued

ORDERING SECTION -

To order a complete machine, order one item each from groups 1 - 4. Order special paint and extra equipment as needed.

CATALOG		APPROX SHIPPING	LIST PRICE	
NUMBER	DESCRIPTION	WEIGHT (LBS)	(\$US)	
	SE UNIT & MOLDBOARD - 950			
07018950	950 w/ 8' Blade (Up to 125 PTO HP)	836	\$3,435	
07019950	950 w/ 9' Blade (Up to 95 PTO HP)	876	\$3,555	
GROUP 2. BLA	DE SWING "OFFSET" SELECTION - 950			
9150040400	Kit, Hydraulic Swing	63	\$820	
00768250	Kit, Manual Swing	35	\$305	
GROUP 3. BLA	DE PIVOT "ANGLE" SELECTION - 950			
9150040400	Kit, Hydraulic Pivot	63	\$820	
00768250	Kit, Manual Pivot	35	\$305	
GROUP 4. MOI	DBOARD TILT SELECTION - 950			
9150040004	Kit, Hydraulic Tilt	33	\$555	
00768270	Kit, Manual Tilt	22	\$265	
SPECIAL PAIN	T COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$150	
00787654	Kubota Orange		\$150	
00787655	Case IH Red		\$150	
00787656	MF Red		\$150	
00787657	NH Blue		\$150	
EXTRA EQUIPMENT				
0591240000	End Plates	65	\$290	
00768242	Skid Shoes	30	\$375	
00768321	Gauge Wheel w/ Cylinder (for S/N 14001 & higher)	112	\$985	
00768493	Gauge Wheel w/ Ratchet Lift Screw	143	\$750	











1540 **REAR BLADE** (For Tractors up to 190 PTO HP)

STANDARD EQUIPMEN	T & SPECIFICATIONS
Moldboard Width:	8′, 9,′ 10′
Moldboard Dimension:	1/2" X 18"
Cutting Edge:	1/2" X 6"
Support Stand:	Std
Hitch:	CAT 2 & 3 / CAT 2 & 3 QH
Max Tractor HP (PTO): 2WD	8′ MB - 190 9′ MB - 175 10′ MB - 160
FWA	8′ MB - 162 9′ MB - 149






King Pin Diameter:



Unit shown with optional gauge wheels.

Not eligible for warranty consideration if used on a track type tractor.





Skid Shoes **1** 1 YEAR MACHINE Warranty

Optional



ORDERING SECTION

To order a complete machine, order one item each from groups 1 - 4. Order special paint and extra equipment as needed.

	CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
ı		UNIT & MOLDBOARD - 1540	(350)	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Ì	07081540	1540 w/ 8' Blade	1,339	\$4,975
lew	07091540	1540 w/ 9' Blade	1,389	\$5,095
103	07101540	1540 w/ 10' Blade	1,459	\$5,210
	GROUP 2. BLAD	E SWING "OFFSET" SELECTION - 1540		
Ī	9150040400	Kit, Hydraulic Swing	63	\$820
	B69115A	Kit, Manual Swing	45	\$320
Ì	GROUP 3. BLAD	DE PIVOT "ANGLE" SELECTION - 1540		
Ī	9150040400	Kit, Hydraulic Pivot	63	\$820
	B69115A	Kit, Manual Pivot	45	\$320
	GROUP 4. MOLE	DBOARD TILT SELECTION -1540		
Ī	9150040004	Kit, Hydraulic Tilt	33	\$555
	B69116B	Kit, Manual Tilt	22	\$320
	SPECIAL PAINT	COLOR SELECTION - RHINO ORANGE IS STANDARD		
Ī	00787653	JD Green		\$150
	00787654	Kubota Orange		\$150
	00787655	Case IH Red		\$150
	00787656	MF Red		\$150
	00787657	NH Blue		\$150
	EXTRA EQUIPM	ENT		
	0691360000	End Plates	58	\$355
	00768242	Skid Shoes	30	\$375
Ī	9150052411	Dual Gauge Wheels w/ Hydraulics	354	\$1,735
i	DEDI ACEMENIT	ITEMS (SEE NOTE)		

REPLACEMENT ITEMS (SEE NOTE)

NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See Rhino Parts E-Commerce site (www.rhinoparts.com) for latest price and terms information.

PART NUMBER	DESCRIPTION	QUANTITY REQUIRED
0691700000	Open Center Three-Spool Valve	1
00759684	Valve Mtg Kit (Hoses, Shield, Footings)	1
0781300000	Selector Valve	1






2500, 3500 REAR BLADE


(For Tractors up to 300 PTO HP)

STANDARD EQUIPMENT & SPECIFICATIONS				
Model	2500	3500		
Moldboard Width:	8', 10', 12'	12', 14'		
Moldboard Dimension:	1/2" x 20"	1/2" x 20"		
Cutting Edge:	1/2" x 6"	1/2" x 6"		
Support Stand:	Std	Std		
Hitch:	CAT 2 & 3 / CAT 2 & 3 QH	CAT 3 & 4 / CAT 3 & 4 QH		
Max Tractor HP (PTO): 2WD FWD	8' - 250 10' - 225 12' - 175 8' - 220 10' - 200 12' - 160	12' - 300 14' - 250		
King Pin Diameter:	4 1/2" Steel Bar	5" Steel Bar		
Adjustment Types:	Hydraulic	Hydraulic		
Swing Offset (Max):	46"	50"		
Pivot Angle: Forward	Up to 45 Degrees	Up to 45 Degrees		
Reverse	Up to 45 Degrees	Up to 45 Degrees		
Tilt (Up & Down):	Up to 15 Degrees	Up to 15 Degrees		
Weight (Approx):	8' - 2,120 lbs	12' - 3,463 lbs		
	10' - 2,260 lbs	14' - 3,603 lbs		
	12' - 2,400 lbs			





Unit shown with extra equipment.







ORDERING SECTION

To order a complete machine, order one item each from group 1.

Order special paint and extra equipment as needed.

CATALOG		APPROX SHIPPING	LIST PRICE		
NUMBER	DESCRIPTION	WEIGHT (LBS)	(\$US)		
GROUP 1. BA	ASE UNIT & MOLDBOARD				
07250008	2500 w/ 8' Moldboard	2,120	\$9,960		
07250010	2500 w/ 10' Moldboard	2,260	\$10,230		
07250012	2500 w/ 12' Moldboard	2,400	\$10,630		
07123500	3500 w/ 12' Moldboard	3,463	\$16,175		
07143500	3500 w/ 14' Moldboard	3,603	\$16,575		
SPECIAL PAI	NT COLOR SELECTION - RHINO ORANGE IS STANDARD				
00787653	JD Green		\$150		
00787654	Kubota Orange		\$150		
00787655	Case IH Red		\$150		
00787656	MF Red		\$150		
00787657	NH Blue		\$150		
EXTRA EQUIPMENT					
0691360000	End Plates	58	\$355		
00768242	Skid Shoes	30	\$375		
00761806	Dual Gauge Wheels w/ Hydraulics	421	\$2,100		
DEDL A OFME	NIT ITEMS (OFF NOTE)				

REPLACEMENT ITEMS (SEE NOTE)

NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See Rhino-Ag E-Commerce site (www.alamoag.com) for latest price and terms information.

PART		QUANTITY
NUMBER	DESCRIPTION	REQUIRED
0691700000	Open Center Three-Spool Valve	1
00759684	Valve Mtg Kit (Hoses, Shield, Footings)	1
0781300000	Selector Valve	1





TEDDERS

STANDARD EQUIPMENT & SPECIFICATIONS					
Model:	PT207	PT405	PT405H	PT419H	PT625H Special Order Unit
Working Width:	10'	17' 1"	17' 1"	19'	9'6"
Approx Transport Width:	10'	10'	10'	11'	13' 10"
Working Speed:	5 - 10 MPH				
Min HP Required:	15	22	22	25	50
Number of Rotors:	2	4	4	4	6
Number of Arms:	12	24	24	24	36
Number of Double Tines:	12	24	24	24	36
Tire Size:	16x6.50-8	16x6.50-8	16x6.50-8	16x6.50-8	16x6.50-8(Working Tires) 205/70/15(Transport Tires)
Number of Tires:	2	4	4	4	8 (Working Tires) 2 (Transport Tires)
Fold:	N/A	Manual	Hydraulic	Hydraulic	Hydraulic
PTO Type:	540 RPM				
Drive Protection:	Slip Clutch				
Weight (Approx):	385 lbs	830 lbs	850 lbs	1,225 lbs	2,470 lbs

		ORDERING SECTION		
CATALOG NUMBER		DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. E	BASE UNITS -	TEDDERS		
3670001	PT207 10'	Pull-Type Tedder (Order in multiples of 2 only)	385	\$2,898
3670005	PT405 17'	Spring Assist Manual Folding Pull-Type Tedder	830	\$6,423
3670006	PT405H 17'	Hydraulic Folding Pull-Type Tedder	850	\$7,424
3670008	PT419H 19'	Hydraulic Folding Pull-Type Tedder	1,225	\$8,299
3670009	PT625H 25'	Hydraulic Folding Pull-Type Tedder Special Order Unit	2,470	\$18,999
EXTRA EQUIPMENT				
3670402	PT405H, PT419H	Hydraulic Tilt Rotor Kit (Allows controlling tilt of rotor without leaving tractor)		\$810







VRPULL-TYPE WHEEL RAKES

STANDARD EQUIPMENT & SPECIFICATIONS				
Model	VR8	VR10	VR12	
Number of Rake Wheels:	8	10	12	
Adjustable Windrow Width (Min):	3'	3'	3'	
Adjustable Windrow Width (Max):	6' 7"	6' 7"	6' 7"	
Tire Size:	205 - 75/15	205 - 75/15	205 - 75/15	
Min Working Width:	16' 4"	19'	21' 8"	
Transport Width:	8' 5"	8' 5"	8' 5"	
Min HP Required:	30	30	50	
Weight (Approx):	1,675	1,875	2,115	



Unit shown with extra equipment.

			ORDERING SECTION		
	CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
	GROUP 1. B	ASE UNIT -	- VR		
	VR080100	VR8	8 Wheel V-Type Rake Complete	1,675	\$7,270
	VR100100	VR10	10 Wheel V-Type Rake Complete	1,875	\$8,079
	VR120100	VR12	12 Wheel V-Type Rake Complete 2,115 \$8,99		\$8,999
	Extra Equipr	nent			
	3690405	All	Center Wheel Kit for VR Rake		\$806
New	3690416	All	Tandem Wheel Kit for VR Rake		\$1,499
142	3690414	VR8/10	Hydraulic Windrow Adjustment Kit		\$989
	3690415	VR12	Hydraulic Windrow Adjustment Kit		\$1,010
	3666777	All	55" Solid Wheel Cover (Price shown is "per wheel")		\$41







VRX

PULL-TYPE WHEEL RAKES



Unit shown with extra equipment.

STANDARD EQUIPMENT & SPECIFICATIONS				
Model	VRX12	VRX14		
Number of Rake Wheels:	12	14		
Adjustable Windrow Width (Min):	3'	3'		
Adjustable Windrow Width (Max):	6' 7"	6' 7"		
Tire Size:	205 - 75/15	205 - 75/15		
Min Working Width:	22'	24' 11"		
Max Working Width:	25' 1"	28'		
Transport Width:	9' 2"	9' 2"		
Min HP Required:	50	60		
Weight (Approx):	2,670 lbs	2,955 lbs		

	ORDERING SECTION			
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)	
GROUP 1. BA	SE UNIT - VRX			
VRX1255	VRX12 Rake w/ 55" Wheels, 7mm Tines	2,670	\$11,150	
VRX1260	VRX12 Rake w/ 60" Wheels, 7.5mm Tines	2,720	\$11,505	
VRX1455	VRX14 Rake w/ 55" Wheels, 7mm Tines	2,955	\$12,120	
VRX1460	VRX14 Rake w/ 60" Wheels, 7.5mm Tines	3,015	\$12,475	
Extra Equipment				
3660446	Hydraulic Single Wheel Kit for VRX		\$810	
3660449	Hydraulic Dual Center Wheel Kit for VRX Rake		\$1,099	
3666777	55" Solid Wheel Cover (Price shown is "per wheel")		\$41	
3666779	60" Solid Wheel Cover (Price shown is "per wheel")		\$49	



The actuator selector makes it possible to quickly adjust the working width and windrow width from the tractor seat.







REVOLUTION DUAL-FOLD (RDF)

STANDARD EQUIPMENT & SPECIFICATIONS				
Model	RDF12	RDF14	RDF16	
Number of Rake Wheels:	12	14	16	
Size of Rake Wheels:	55" or 60"	55" or 60"	55" or 60"	
Tine Diameter: 55" 60"	7mm 7.5mm	7mm 7.5mm	7mm 7.5mm	
Number of Tines Per Wheel:	40	40	40	
Man Adjustable Windrow:	3' - 6'	3' - 6'	3' - 6'	
Working Width:	25'	28' 6"	30' 10"	
Operating Speed (MPH):	5-14	5-14	5-14	
Min HP Required:	30	40	40	
Tire Size:	205/75/15	205/75/15	205/75/15	
Number of Tires:	4	6	6	
Transport Width:	8' 4"	8' 4"	8' 4"	
Transport Length:	24' 8"	32' 8"	32' 8"	
Transport Height:	6' 4"	6' 4"	6' 4"	
Light Kit & Safety Tow Chain:	Std	Std	Std	

HEAVY-DUTY
PULL-TYPE
WHEEL RAKES



Unit shown with extra equipment.



Center wheel kit shown.

		ORDERING SECTION		
CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
RDF12				
RDF1255	RDF12 Dual-Fold F	Rake w/ 12 - 55" Rake Wheels	3,864	\$15,355
RDF1260	RDF12 Dual-Fold F	Rake w/ 12 - 60" Rake Wheels	3,900	\$15,655
RDF14				
RDF1455	RDF14 Dual-Fold F	Rake w/ 14 - 55" Rake Wheels	5,048	\$18,385
RDF1460	RDF14 Dual-Fold F	Rake w/ 14 - 60" Rake Wheels	5,090	\$18,785
RDF16				
RDF1655	RDF16 Dual-Fold F	Rake w/ 16 - 55" Rake Wheels	5,282	\$19,250
RDF1660	RDF16 Dual-Fold F	Rake w/ 16 - 60" Rake Wheels	5,330	\$19,700
EXTRA EQU	JIPMENT			
3660440 Hydraulic Dual Center Kicker Wheel Kit RDF12, RDF14, RDF16			\$2,275	
3660445 Transport Wheel Kit (Converts RDF12 from 4 to 6 wheels)			\$1,565	
3660441 Rear Walking Tandem Wheel Kit (Added stability on uneven terrain)			\$1,626	
3660442 Single Side Opening Kit (One sided raking)			\$1,140	
3660443 Rear Hydraulic Opening Kit (RDF12 Windrow Adjustment)			\$1,656	
3660444 Rear Hydraulic Opening Kit (RDF14/RDF16 Windrow Adjustment)			\$1,677	
3660447 RDF1455 to RDF1655 Rake Conversion Kit			\$1,250	
3660448 RDF1460 to RDF1660 Rake Conversion Kit			\$1,350	
3666778 Solid Wheel Cover for 44" Dual Center Kicker Wheel (Price Shown is "per wheel")			\$30	
3666777 55" Solid Wheel Cover (Price shown is "per wheel)			\$41	
3666779 60" Solid Wheel Cover (Price shown is "per wheel)		\$49		





Accumagrapple




STANDARD EQUIPMENT & SPECIFICATIONS			
Capacity:	10 Bales 40 lbs ea. (typical grass hay) Max of 39" x 14" x 18"		
Height:	30"		
Width:	88"		
Length:	83"		
Weight:	790 lbs		
Hydraulic Cylinder:	2" x 8"		
Hydraulic Requirements:	Double Acting Remote		
Number of Grapple Hooks:	24		
Hydraulic Hose:	3/8" Fitting 2,500 psi		
Frame:	Fully Welded		
Paint:	Plasticoat Finish		

	ORDERING SECTION	
CATALOG NUMBER ACG10	DESCRIPTION	LIST PRICE (\$US)
ACGIU		
ACG10-SSM	Rhino Accumagrapple w/ Skid Steer Mount and Hoses	\$6,275
ACG10-GEM	Rhino Accumagrapple w/ Global Euro Mount and Hoses	\$6,275





New MBS456 Mega Bale Splitter



STANDARD EQUIPMENT & SPECIFICATIONS				
Bale Size:	4'x4', 4'x5', 4'x6'			
(Round or Square)	5'x5', 5'x6', 6'x6'			
Width:	89 3/4"			
Open Height:	86 1/2"			
Closed Height:	73 1/2"			
Length:	44 1/2"			
Hyd Cylinder:	2" - 4" x 30"			
Hydraulic Hose:	3/8" Fitting 2,500 psi			
Blade Cutting Force:	23,500 lbs			
Paint:	Plasticoat Finish			
Serrated Teeth:	5 - 3/8" x 14"			
Material:	7 Ga & 3/16" tube			
Weight:	1,300 lbs			

	ORDERING SECTION	
CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
MEGA BALE SP	LITTER - MBS	
MBS456-SSM	Mega Bale Splitter w/ Skid Steer Mount and Hoses	\$9,930
MBS456-GEM	Mega Bale Splitter w/ Global Euro Mount and Hoses	\$9,930







PBUBale Unroller

STANDARD EQUIPMENT & SPECIFICATIONS			
Model BALE UNROLLER			
Overall Height	25.56"		
Overall Width	69.5"		
Overall Length	66.16"		
Hitch Type	STD, Q.H., CAT 1, CAT 2		
Frame Tube Size 4" x 4" x 5/16"			
Weight	326 lbs		
Max Capacity	2000 lbs		
HP Required 25 - 65			
Bale Size	4' - 5' wide, up to 6' diameter		
Cylinder Size	2 1/2" x 8"		




ORDERING SECTION				
CATALOG NUMBER	MOUNT TYPE	DESCRIPTION	LIST PRICE (\$US)	
BALE UNROLLER				
3PBU-1OR1	3 PT	Bale Unroller - Rhino Orange	\$1,497	
3PBU-1GR1	3 PT	Bale Unroller - JD Green	\$1,497	
3PBU-1OR2	3 PT	Bale Unroller - Kubota Orange	\$1,497	
3PBU-1RD3	3 PT	Bale Unroller - MF Red	\$1,497	
3PBU-1BL1	3 PT	Bale Unroller - NH Blue	\$1,497	
3PBU-1BK1	3 PT	Bale Unroller - Black	\$1,497	
FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)				



Bale Spears

STANDARD EQUIPMENT & SPECIFICATIONS						
Model PBS1 PBS2 BS1 BS2						
Overall Height	25 3/4"	25 3/4"	21 3/16"	30"		
Overall Width	26"	39"	45 5/16"	45 5/16"		
Overall Depth	51"	51 3/4"	3/4" 51" 51"			
Spear Size	1.78"	1.78"	1.78" 1.78"			
Usuable Spear Length	42 1/2"	42 1/2" 42 1/2" 42 1/2" 42				
Weight	85 lbs	97 lbs	s 145 lbs 305 lbs			
Spear Capacity	3500 Lbs @ 23 1/2"					
Attachment Method	3 Pt. Lift	3 Pt Lift	ft Skid Steer, Euro, or JD (John Deere Series 300, 400 & 500)			

ORDERING SECTION				
CATALOG NUMBER	MOUNT TYPE	DESCRIPTION	LIST PRICE (\$US)	
PBS				
3PBS1-1BK1	3-PT, CAT 1	Single Probe Bale Spear - Black	\$375	
3PBS2-1BK1	3-PT, CAT 1 & 2	Single Probe Bale Spear - Black	\$418	
BS1				
BS1SS-1BK1	Skid Steer	Bale Spear - Black	\$688	
BS1E-1BK1	Euro	Bale Spear - Black	\$775	
BS1JD-1GR1	JD	Bale Spear - JD Green	\$753	
BS2				
BS2SS-1BK1	Skid Steer	Dual Bale Spear - Black	\$806	
BS2E-1BK1	Euro	Dual Bale Spear - Black	\$875	
BS2JD-1GR1	JD	Dual Bale Spear - JD Green	\$862	
FREIGHT DISCOUNTS ON PACKS OF 6 (See page 12 for details)				







1 YEAR MACHINE Warranty

AGRUTILITY GRAPPLE

STANDARD EQUIPMENT & SPECIFICATIONS				
Model	AGR60	AGR72		
Overall Depth	25" (closed)	25" (closed)		
Overall Height	37 3/4"	37 3/4"		
Overall Width	5'	6'		
Useable Open Height	31"	31"		
Useable Width (Inside End Plates)	es) 5' 6'			
Weight	372 lbs	409 lbs		
Number of Teeth	5	5		
Attachment Method	Universal Skid Steer Quick Attach, Euro or JD Mount (John Deere Series 300, 400 & 500)			
Max Tractor HP	40	40		





AGR Continued

ORDERING SECTION				
CATALOG NUMBER	MODEL	MOUNT TYPE	DESCRIPTION	LIST PRICE (\$US)
AGR60				
AGR60SS-1OR1	AGR60	Skid Steer	AGR Series Grapple - Rhino Orange	\$1,971
AGR60SS-1RD3	AGR60	Skid Steer	AGR Series Grapple - MF Red	\$1,971
AGR60SS-1BK1	AGR60	Skid Steer	AGR Series Grapple - Black	\$1,971
AGR60SS-1GR1	AGR60	Skid Steer	AGR Series Grapple - JD Green	\$1,971
AGR60E-1OR1	AGR60	Euro	AGR Series Grapple - Rhino Orange	\$2,071
AGR60E-1RD3	AGR60	Euro	AGR Series Grapple - MF Red	\$2,071
AGR60E-1BK1	AGR60	Euro	AGR Series Grapple - Black	\$2,071
AGR60E-1GR1	AGR60	Euro	AGR Series Grapple - JD Green	\$2,071
AGR60JD-1GR1	AGR60	JD	AGR Series Grapple - JD Mount (John Deere Series 300, 400, & 500)	\$2,033
CATALOG NUMBER	MODEL	MOUNT TYPE	DESCRIPTION	LIST PRICE (\$US)
AGR72				
AGR72SS-1OR1	AGR72	Skid Steer	AGR Series Grapple - Rhino Orange	\$2,202
AGR72SS-1RD3	AGR72	Skid Steer	AGR Series Grapple - MF Red	\$2,202
AGR72SS-1BK1	AGR72	Skid Steer	AGR Series Grapple - Black	\$2,202
AGR72SS-1GR1	AGR72	Skid Steer	AGR Series Grapple - JD Green	\$2,202
AGR72E-1OR1	AGR72	Euro	AGR Series Grapple - Rhino Orange	\$2,299
AGR72E-1RD3	AGR72	Euro	AGR Series Grapple - MF Red	\$2,299
AGR72E-1BK1	AGR72	Euro	AGR Series Grapple - Black	\$2,299
AGR72E-1GR1	AGR72	Euro	AGR Series Grapple - JD Green	\$2,299
AGR72JD-1GR1	AGR72	JD	AGR Series Grapple - JD Mount (John Deere Series 300, 400, & 500)	\$2,261

FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)



BRGR

Heavy Duty - Brush Grapple

STANDARD EQUIPMENT & SPECIFICATIONS				
Model	BRGR72	BRGR84		
Overall Depth	37 1/2"	37 1/2"		
Overall Height	25 1/2"	25 1/2"		
Overall Width	6'	7'		
Useable Depth	28"	28"		
Useable Open Height	46 1/2"	46 1/2"		
Useable Width (Inside End Plates)	71"	83"		
Roll Back Angle	13°	13°		
Weight	702 lbs	787 lbs		
Number of Teeth	8	10		
Attachment Method	Universal Skid Steer Quick Attach			
Color	Black	Black		

ORDERING SECTION						
LIST CATALOG PRICE NUMBER MODEL DESCRIPTION (\$US)						
BRGR	BRGR					
BRGR72-1BK1	BRGR72	72" Brush Grapple	\$4,024			
BRGR84-1BK1	BRGR84-1BK1 BRGR84 84" Brush Grapple \$4,306					
FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)						



BGR

Bucket Grapple

STANDARD EQUIPMENT & SPECIFICATIONS					
Model	BGR72T	BGR84T	BGR72	BGR84	
Overall Depth	39 1/4"	39 1/4"	39 1/4"	39 1/4"	
Overall Height	24"	24"	24"	24"	
Overall Width	6'	7'	6'	7'	
Useable Depth	33 3/4"	33 3/4"	33 3/4"	33 3/4"	
Useable Open Height	45 1/2"	45 1/2"	45 1/2"	45 1/2"	
Useable Width (Inside End Plates)	71"	83"	71"	83"	
Roll Back Angle	20°	20°	20°	20°	
Weight	907 lbs	993 lbs	827 lbs	903 lba	
Number of Teeth	8	9	N/A	N/A	
Attachment Method	Universal Skid Steer Quick Attach				
Color	Black	Black	Black	Black	

ORDERING SECTION						
CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE (\$US)			
72" Bucket Grapple						
BGR72-1BK1	BGR72	72" Bucket Grapple w/o Teeth	\$4,439			
BGR72T-1BK1	BGR72T	72" Bucket Grapple w/ Teeth	\$4,827			
84" Bucket Grapple						
BGR84-1BK1	BGR84	84" Bucket Grapple w/o Teeth	\$4,695			
BGR84T-1BK1	BGR84T	84" Bucket Grapple w/ Teeth	\$5,128			
FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)						





1 YEAR MACHINE Warranty

PF SERIES

Pallet Fork

STANDARD EQUIPMENT & SPECIFICATIONS						
Model	PF48SS	PF48E	PF48JD			
Overall Height		41 3/8"				
Overall Width		45 5/16"				
Overall Depth		60 3/8"				
Fork Size		1 1/2" x 4"				
Fork Length		48"				
Fork Adjustable Width	Up to 44 3/8" - Increments of 4"					
Weight		387 lbs				
Max Capacity		4,400 lbs				
Attachment Method		teer Quick Attach, E ere Series 300, 400				
Color		Black				

ORDERING SECTION							
CATALOG NUMBER	MOUNT TYPE	DESCRIPTION	LIST PRICE (\$US)				
BRGR							
PF48SS-1BK1	Skid Steer	Pallet Fork, Skid Steer, 48"	\$1,196				
PF48E-1BK1	Euro	Pallet Fork, Euro, 48"	\$1,250				
PF48JD-1BK1	JD Mount	Pallet Fork, JD Mount, 48"(John Deere Series 300, 400, & 500)	\$1,237				
FREIGHT DISCOUNTS ON PACKS OF 6 (See page 12 for details)							





RHINOAG CONTACT INFORMATION

P: PHONE | F: FAX | E: EMAIL

WHOLEGOODS P: 800-221-2855 (Option 1)

F: 800-782-0126

E: parts@rhinoag.com

PARTS P: 800-221-2855 (Option 1)

F: 800-782-0126

E: parts@rhinoag.com

TECHNICAL SERVICE P:800-221-2855 (Option 4)

F: 217-784-1093

E: technical-service@rhinoag.com

WARRANTY P: 800-221-2855 (Option 5)

E: kburdette@rhinoag.com

CREDIT DEPT PHONE P: 800-221-2855 (Option 6)

F: 217-717-2753

E: credit@rhinoag.com

MARKETING E: aevans@rhinoag.com

E: kmarkley@rhinoag.com

LARGE ACCOUNTS P: 217-714-3507

E: jtrolinger@rhinoag.com

PARTNERED PURCHASING PROGRAMS







