

Quicke

NEW

Quicke C-Series

The new Generation of Compact Loaders



www.quicke.org

Member of JOST World

THE NEW C-SERIES

Our compact loader packed with performance for small tractors



SMALL AND BIG!

The compact C-series from Quicke is a small front loader - and a big performer!

The new compact front loader from Quicke is at home when you want to ensure exceptional performance from a highly versatile loader for small tractors.

- Covering tractors from 15-65 hp
- Lift heights 74 - 111 inches



Mechanical self levelling (MSL)* loader model

* Available as special ordering



Non-self leveling (NSL) loader model

Available Models

Non-self leveling (NSL) loader models


Size	Model	Lift Height		Lift Capacity		Implement connection type
1	C09	74 inch	188 cm	642 lbs	428 kg	Skid steer
2	C12	82 inch	209 cm	872 lbs	568 kg	Skid steer
3	C13	94 inch	239 cm	995 lbs	636 kg	Skid steer
4	C16	102 inch	260 cm	1410 lbs	860 kg	Skid steer
5	C18	111 inch	282 cm	1920 lbs	1190 kg	Skid steer

Mechanical self levelling (MSL) loader models (Only available as special ordering)

Size	Model	Lift Height		Lift Capacity		Implement connection type
1	C09S	74 inch	188 cm	690 lbs	310 kg	Skid steer
2	C12S	82 inch	209 cm	1030 lbs	470 kg	Skid steer
3	C13S	94 inch	239 cm	1220 lbs	550 kg	Skid steer
4	C16S	102 inch	260 cm	1840 lbs	840 kg	Skid steer
5	C18S	111 inch	282 cm	2180 lbs	990 kg	Skid steer

Available Options


3rd Function:
3rd function makes it possible to operate hydraulically powered implements.



SoftDrive®
Our suspension system. SoftDrive reduces the strain on the loader and subframes, as well as on the driver and tractor.



Skid steer
Skid steer tool carrier is available for all models.



Available Compact Implements

Bucket

- Available from 48 to 72 inch (120 to 180 cm)
- Skid steer



Multi Purpose Bucket

- Available from 54 to 72 inch (140 to 180 cm)
- Skid steer




Bale Spike

- 50 inch (127 cm) frame width
- Skid steer



Pallet Fork

- 45 inch (114 cm) frame width
- Skid steer



Recommendation Overview

					Loader Models									
					Size 1		Size 2		Size 3		Size 4		Size 5	
					C09, Skid steer	C09S, Skid steer	C12, Skid steer	C12S, Skid steer	C13, Skid steer	C13S, Skid steer	C16, Skid steer	C16S, Skid steer	C18, Skid steer	C18S, Skid steer
Buckets	Model	Width		Attachment										
	C3	120 cm	48 inch	Skid steer	●	●	●	●						
	C3	140 cm	54 inch	Skid steer	●	●	●	●						
	C2	150 cm	60 inch	Skid steer					●	●	●	●	●	●
	C2	170 cm	66 inch	Skid steer					●	●	●	●	●	●
	CV	180 cm	72 inch	Skid steer							●	●	●	●
	C2	180 cm	72 inch	Skid steer							●	●	●	●
Multi Purpose Bucket	Model	Width		Attachment										
	MPC	140 cm	54 inch	Skid steer	●	●	●	●						
	MPC	170 cm	66 inch	Skid steer					●	●	●	●		
	MPC	180 cm	72 inch	Skid steer									●	●
Bale Spike	Model	Width		Attachment										
	Bale Spike	127 cm	50 inch	Skid steer	●*	●*	●	●	●	●	●	●	●	●
Pallet Fork	Model	Width		Attachment										
	Fork Frame C	114 cm	45 inch	Skid steer	●	●	●	●	●	●	●	●	●	●

= Only available as special ordering

* Only recommended for bales up to 441 lbs (200kg).



Quicke

Ålö AB

Member of JOST World

Brännland 300, SE-901 37 Umeå, Sweden

Tel: +46 (0)90 17 05 00

www.quicke.org

DISTRIBUTED IN USA BY

Rhino AG, Inc.

1020 S. Sangamon Avenue

Gibson City IL 60936

800-221-2855

www.rhinoag.com

Part number: 60029382 ENNA. 2104